FURBEARER TRAPPING, HUNTING AND HARVEST REPORT



LICENSE YEAR 1996

MONTANA

Montana Fish, Wildlife & Parks

Montana State Library
3 0864 1006 9536 3

Furbearer Survey
Trapping, Hunting, and Harvest Report

License Year 1996

Harvest Surveys

Montana Fish Wildlife and Parks

March 27, 2002

Table of Contents

Introduction 1

Furbearer Tables

Estimates of Trapping and Hunting Effort, and Harvest Success 10
Summary of Trapping, Hunting, and Houndsman Activities 11
Detail of All Furbearer Activities Combined 25
Detail of Trapping and Snaring Activities 39
Detail of Hunting (without hounds) Activities 62
Detail of Hunting with Hounds Activities 68

Confidence Bounds on Statistical Estimates 71

All Furbearer Activities Combined 72
Trapping and Snaring Activities 83
Hunting (without hounds) Activities 103
Hunting with Hounds Activities 108

Enclosures
1996 Furbearer Survey Questionnaire
1996 Montana Furbearer Regulations

Introduction

This report contains statistical estimates of Montana Furbearer trapping and hunting effort, and harvest success, during license year 1996 (LY1996). The LY1996 Furbearer season began in autumn of 1996 and ended in spring of 1997. The estimates are based on summary and analysis of returns from a mail survey of 100% of known Furbearer license holders, conducted following the LY1996 season (see **Furbearer Survey Questionnaire** enclosure). The Furbearer license holder was asked if he/she actively trapped/snared, hunted, or hunted using hounds during the LY1996 season. Then, for each of these three Furbearer related activities, the respondent was asked for effort and success information, by County and Furbearer Species. Survey responses were summarized at various groupings of Species, Location, and Activity. The inverse of the overall survey response rate (license holders/responses analyzed) determines the factor by which these summary statistics are expanded into statistical estimates of Furbearer activity effort and success in Montana.

Information on Furbearer license sales, sampling effort, survey return, response rate, expansion factor, and participation rate are presented below. All Furbearer license holders in the Sportsperson/License database by late April following the Fur season are sampled. The effective sample rate is less than 100% because not all Furbearer licenses are forwarded for entry into the database. Sampled Furbearer license holders are sent the Furbearer Survey by mail, usually sometime in late April or early May following the end of the Furbearer season.

LY1996 Furbearer License Sales, Sample Size, Survey Returns, and Number Reporting Fur Activity, with related Rates.

Total Sales	Holders Sampled	Responses Returned	Sample Rate	Return Rate	Response Rate	Expansion Factor	Active In Fur	Percent Active
2,244	1,557	570	69.4	36.6	25.4	3.937	383	67.2%

Estimation of Furbearer Effort and Success Statistics

The statistical estimates of Furbearer trapping/hunting effort and harvest success were summarized and analyzed based on three variables: Species, Location, and Activity. They are organized in the tables of this report based on these three identifying variables.

1. **Furbearer Species (in order presented in report tables):**

- **All Species Combined**
- **Beaver**
- **Otter**
- **Muskrat**
- **Mink**
- **Marten**
- **Fisher**
- **Wolverine**
- **Lynx**
- **Bobcat**
- **Weasel**
- **Skunk**
- **Coyote**
- **Fox**
- **Raccoon**
- **Badger**
- **Other**

The category "All Species Combined" indicates statistics are computed without regard to Furbearer species.

2. **Location of Trapping or Hunting Effort:**

- **Statewide (State):** Indicates that statistics are computed without regard to County of effort and provides an overall picture of Furbearer activities and harvest in Montana.
- **Furbearer District (District 1 ... 7, District ?):** Statistics are computed based effort reported within groupings of Counties which approximate MFWP Administrative Regions. Reported effort or success in an unknown County is lumped into District ?.

- **County:** Statistics are computed based on County of Furbearer effort. Counties are ordered alphabetically within Furbearer Districts. No attempt is made to screen out data reporting trapping or hunting of Furbearer species in Counties where their presence is unlikely. Reported location data are presented ***as is*** so Regional managers and biologists will have the opportunity to interpret it for themselves.

3. **Furbearer Activity Type (corresponding to the 3 separate portions of the survey):**

- **All:** Statistics are computed without regard to the Furbearer Activity Type.
- **Trapping/Snaring:** Statistics are computed for effort and success information from the "Trapping/Snaring" portion of the survey only.
- **Hunting (without hounds):** Statistics are computed for effort and success information from the "Hunting without hounds" portion of the survey only.
- **Hunting with Hounds:** Statistics are computed for effort and success information from the "Hunting with Hounds" portion of the survey only.

Statistical Confidence and Precision

The presented statistics relating to Furbearer trapping/hunting effort and harvest success are estimates based on the underlying Furbearer survey response set for a particular combination of the various levels of Furbearer Species, Location, and Activity. One Furbearer expansion factor is derived from the population of holders of all Furbearer License Types divided by the number of holders returning survey responses, for a given license year. (**See table above.**) The raw summarized survey response counts are multiplied by the expansion factor to obtain the estimates and 80% confidence bounds on the estimates. A low expansion factor (close to 1) indicates a high response rate, and favors good statistical precision in the estimate. Good statistical precision is reflected in relatively narrow 80% confidence bounds on the estimate. An expansion factor significantly higher than 1 indicates a lower response rate, relatively poor statistical precision, and relatively wide 80% confidence bounds on the estimate. A second factor influencing precision of an effort or success estimate is the raw number of survey responses reporting trapping/hunting activity or harvest, for a given combination of Species, Location, and Activity. The higher the total count of responding active trappers/hunters, or reported kill, the better the precision of the estimate of the effort or success statistic.

Relative statistical precision will be better for estimates at levels and groupings of Species, Location, and Activity where the total reported number trapping/hunting or harvesting is relatively higher. Total reported trappers/hunters and kill accumulate as the three grouping variables are lumped into higher levels. Therefore, relative precision of the estimates get better. For example, precision in the Statewide estimates will be better than precision in Furbearer District level estimates, which will generally be better than precision in the County level estimates. In general, the poorest relative precision in the estimates occur at the finest level of response data splitting. This is particularly true at the County level for Furbearer species with relatively restricted populations or low hunter interest.

Estimates of Hunters and Successful Hunters by Location will not sum to the District wide or Statewide estimates because an individual trapper/hunter may expend effort and take animals in more than one County. The Trapper/Hunter Days and Total Harvest estimates will sum across Locations because hunters report days and kill by County, and the same expansion factor is used to obtain the estimates for all Locations.

In cases where there was no Furbearer trapping/hunting effort for a given Species, at a given Location, for a given Activity, no row of effort or success statistics was generated. In cases where there was no Furbearer trapping/hunting success, some of the ratios comparing harvest within defined categories will be undefined. These are flagged in the tables as **–0.0**. In other cases, effort or success ratios were too large to fit in the space formatted for the table column. These will appear as **#####** and generally indicate values outside a meaningful range.

Tables of Statistical Estimates of Furbearer Effort and Success

The Furbearer tables are organized as follows:

Tables of Trapping and Hunting Effort, and Harvest Success

1. **Summary of Trapping, Hunting, and Houndsman Activities**
2. **Detail of All Furbearer Activities Combined**
3. **Detail of Trapping and Snaring Activities**
4. **Detail of Hunting (without hounds) Activities**
5. **Detail of Hunting with Hounds Activities**

Tables of Confidence Bounds on Statistical Estimates

6. **All Furbearer Activities Combined**
7. **Trapping and Snaring Activities**
8. **Hunting (without hounds) Activities**
9. **Hunting with Hounds Activities**

A description of each table, including definitions of each column is given below.

Table 1: Summary of Trapping, Hunting, and Houndsman Activities

This presentation joins the key statistics for the three Furbearer Activities with those for All Activities Combined into a single table. It is similar to the presentation given in Furbearer reports prior to LY1996.

The following statistics were computed by Furbearer Species (ALL combined and individual) and Location (State, Furbearer District, and County within District):

Trapping Activity

- **Active Trapper:** Point estimate of number of Furbearer license holders that actively set traps or snares during the Furbearer season.
- **Trap Days:** Point estimate of the sum of Number of Traps Set multiplied by Days Set across every trapper reporting trapping for a given Furbearer species within a given County. An estimate of trapping effort.
- **Total Catch:** Point estimate of the total number of Furbearer animals caught of a given species at a given Location.
- **Trap Days/Catch:** Traps Days divided by Total Catch for a given Species and Location . An estimate of the trapping/snaring effort required to harvest an animal.

Hunting Activity

- **Active Hunter:** Point estimate of number of Furbearer license holders that actively hunted without hounds for Furbearer species during the Furbearer season.
- **Hunter Days:** Point estimate of the sum of days or partial days afield hunting (without hounds) for a given Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while hunting (without hounds), of a given species at a given Location.

Houndsman Activity

- **Active Hounds:** Point estimate of number of Furbearer license holders that actively hunted with hounds for Furbearer species during the Furbearer season.

- **Hunter Days:** Point estimate of the sum of days or partial days afield hunting with hounds for a given Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while hunting with hounds, of a given species at a given Location.

All Activities

- **Active in Fur:** Point estimate of number of Furbearer license holders that actively trapped, snared, hunted or used hounds in the effort to take a Furbearer species during the Furbearer season.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while engaged in any Furbearer Activity, of a given species at a given Location.
- **Mean Harvest:** Total Harvest divided by the number Active in Fur. An estimate of the number of Furbearer animals taken by an average active Furbearer License Holder regardless of Furbearer Activity, for a given Furbearer species at a given Location.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, within a given Location, regardless of Activity of take, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Harvest at a given Location.

Table 2: Detail of All Furbearer Activities Combined

The statistics in this table were computed without regard to type of Furbearer Activity.

- **Active in Fur:** Point estimate of number of Furbearer license holders that actively trapped, snared, hunted or used hounds in the effort to take a Furbearer species during the Furbearer season.
- **Activity Days:** Point estimate of the sum of days or partial days afield while engaged in any Furbearer Activity, for a given Furbearer species at a given Location.
- **Days/Hunter:** Activity Days divided by Active In Fur. An estimate of the number of days the average active Furbearer license holder spent afield while engaged in any Furbearer Activity, for a given Furbearer species at a given Location.
- **Success Hunter (Successful Trappers/Hunters):** Point estimate of number of Furbearer license holders that successfully trapped, snared, hunted or used hounds to take a Furbearer species at a given Location.
- **Percent Success:** Success Hunter divided by Active in Fur. An estimate of the percent of active Furbearer license holders that successfully trapped, snared, hunted or used hounds to take a Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while engaged in any Furbearer Activity, of a given species at a given Location.
- **Mean Harvest:** Total Harvest divided by the number Active in Fur. An estimate of the number of Furbearer animals taken by an average active Furbearer License Holder regardless of Furbearer Activity, for a given Furbearer species at a given Location.
- **% Take 1 (Percent of Harvest of Bag Size 1):** An estimate of the percent of Harvest where only one animal was taken, of a given Species, at a given Location, disregarding Activity of take. The percent of harvest within the 8 bag size classes (% Take 1 … % Take 30+) provide a frequency distribution of number of animals harvested which can be compared across Locations and between Species.
- **% Take 2-3 (Percent of Harvest of Bag Size 2-3):** An estimate of the percent of Harvest where 2 to 3 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 4-6 (Percent of Harvest of Bag Size 4-6):** An estimate of the percent of Harvest where 4 to 6 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 7-10 (Percent of Harvest of Bag Size 7-10):** An estimate of the percent of Harvest where 7 to 10 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 11-15 (Percent of Harvest of Bag Size 11-15):** An estimate of the percent of Harvest where 11 to 15 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 16-21 (Percent of Harvest of Bag Size 16-21):** An estimate of the percent of Harvest where 16 to 21 animals were taken, of a given Species, at a given Location, disregarding Activity of take.

- **% Take 22-29 (Percent of Harvest of Bag Size 22-29):** An estimate of the percent of Harvest where 22 to 29 animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **% Take 30+ (Percent of Harvest of Bag Size 30 or more):** An estimate of the percent of Harvest where 30 or more animals were taken, of a given Species, at a given Location, disregarding Activity of take.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, within a given Location, regardless of Activity of take, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Harvest at a given Location.

Table 3: Detail of Trapping and Snaring Activities

The statistics were computed from the Trapping and Snaring section of the Furbearer Survey.

- **Active Trapper:** Point estimate of number of Furbearer license holders that actively set traps or snares during the Furbearer season.
- **Activity Days:** Point estimate of the sum of days or partial days afield while engaged in Trapping or Snaring, for a given Furbearer species at a given Location.
- **Days/Hunter:** Activity Days divided by Active Trapper. An estimate of the number of days the average active Furbearer license holder spent afield while engaged in Trapping or Snaring, for a given Furbearer species at a given Location.
- **Traps Set:** Point estimate of the sum of Average Number of Traps Set across every trapper reporting trapping for a given Furbearer Species within a given County.
- **Traps Per Hunter:** Traps Set divided by Active Trappers. An estimate of the number of traps or snares set by an average Trapper, for a given Furbearer Species at a given Location
- **Trap Days:** Point estimate of the sum of Number of Traps Set multiplied by Activity Days across every trapper reporting trapping for a given Furbearer species within a given County. An estimate of trapping effort.
- **Trap Days/Hunter:** Traps Days divided by Active Trappers, for a given Species and Location . An estimate of the trapping or snaring effort expended by the average Trapper.
- **Success Hunters (Successful Trappers):** Point estimate of number of Active Trappers that successfully trapped or snared at least one animal of a given Furbearer Species at a given Location.
- **Percent Success:** Success Hunter divided by Active Trapper. An estimate of the percent of Active Trappers that were successful in taking at least one animal of a given Furbearer Species at a given Location.
- **Total Catch:** Point estimate of the total number of Furbearer animals caught of a given Species at a given Location.
- **Mean Catch:** Total Catch divided by the number of Active Trappers. An estimate of the number of Furbearer animals taken by an average active trapper, for a given Furbearer species at a given Location.
- **Trap Days/Catch:** Traps Days divided by Total Catch for a given Species and Location . An estimate of the trapping or snaring effort required to catch an animal.
- **% Take 1 (Percent of Harvest of Bag Size 1):** An estimate of the percent of Harvest where only one animal was taken, of a given Species, at a given Location, by Trapping or Snaring. The percent of harvest within the 8 bag size classes (% Take 1 … % Take 30+) provide a frequency distribution of number of animals harvested which can be compared across Locations and between Species.
- **% Take 2-3 (Percent of Harvest of Bag Size 2-3):** An estimate of the percent of Harvest where 2 to 3 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 4-6 (Percent of Harvest of Bag Size 4-6):** An estimate of the percent of Harvest where 4 to 6 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 7-10 (Percent of Harvest of Bag Size 7-10):** An estimate of the percent of Harvest where 7 to 10 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 11-15 (Percent of Harvest of Bag Size 11-15):** An estimate of the percent of Harvest where 11 to 15 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.

- **% Take 16-21 (Percent of Harvest of Bag Size 16-21):** An estimate of the percent of Harvest where 16 to 21 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 22-29 (Percent of Harvest of Bag Size 22-29):** An estimate of the percent of Harvest where 22 to 29 animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **% Take 30+ (Percent of Harvest of Bag Size 30 or more):** An estimate of the percent of Harvest where 30 or more animals were taken, of a given Species, at a given Location, by Trapping or Snaring.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, by Trapping or Snaring within a given Location, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Trapping or Snaring Harvest at a given Location.

Table 4: Detail of Hunting (without hounds) Activities

The statistics were computed from the Hunting without hounds section of the Furbearer Survey.

- **Active Hunter:** Point estimate of number of Furbearer license holders that actively hunted without hounds for Furbearer species during the Furbearer season.
- **Hunter Days:** Point estimate of the sum of days or partial days afield hunting (without hounds) for a given Furbearer species at a given Location.
- **Days/Hunter:** Hunter Days divided by Active Hunters. An estimate of the number of days the average active Furbearer hunter spent afield while engaged in Hunting without hounds, for a given Furbearer species at a given Location.
- **Success Hunter (Successful Hunters):** Point estimate of number of Active Hunters that successfully Hunted without hounds to take a Furbearer species at a given Location.
- **Percent Success:** Success Hunter divided by Active Hunter. An estimate of the percent of active hunters that successfully hunted without hounds to take a Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while hunting without hounds, of a given Species at a given Location.
- **Mean Harvest:** Total Harvest divided by Active Hunter. An estimate of the number of Furbearer animals taken by an average active Furbearer Hunter not using hounds, for a given Furbearer species at a given Location.
- **% Take 1 (Percent of Harvest of Bag Size 1):** An estimate of the percent of Harvest where only one animal was taken, of a given Species, at a given Location, while Hunting without hounds. The percent of harvest within the 8 bag size classes (% Take 1 … % Take 30+) provide a frequency distribution of number of animals harvested which can be compared across Locations and between Species.
- **% Take 2-3 (Percent of Harvest of Bag Size 2-3):** An estimate of the percent of Harvest where 2 to 3 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 4-6 (Percent of Harvest of Bag Size 4-6):** An estimate of the percent of Harvest where 4 to 6 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 7-10 (Percent of Harvest of Bag Size 7-10):** An estimate of the percent of Harvest where 7 to 10 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 11-15 (Percent of Harvest of Bag Size 11-15):** An estimate of the percent of Harvest where 11 to 15 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 16-21 (Percent of Harvest of Bag Size 16-21):** An estimate of the percent of Harvest where 16 to 21 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 22-29 (Percent of Harvest of Bag Size 22-29):** An estimate of the percent of Harvest where 22 to 29 animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **% Take 30+ (Percent of Harvest of Bag Size 30 or more):** An estimate of the percent of Harvest where 30 or more animals were taken, of a given Species, at a given Location, while Hunting without hounds.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, while Hunting without hounds within a given Location, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Hunting without hounds Harvest at a given Location.

Table 5: Detail of Hunting with Hounds Activities

The statistics were computed from the Hunting with Hounds section of the Furbearer Survey.

- **Active Hunter:** Point estimate of number of Furbearer license holders that actively Hunted with Hounds for Furbearer species during the Furbearer season.
- **Hunter Days:** Point estimate of the sum of days or partial days afield Hunting with Hounds for a given Furbearer species at a given Location.
- **Days/Hunter:** Hunter Days divided by Active Hunters. An estimate of the number of days the average active Furbearer hunter spent afield while engaged in Hunting with Hounds, for a given Furbearer species at a given Location.
- **Success Hunter (Successful Hunters):** Point estimate of number of Active Hunters that successfully Hunted with Hounds to take a Furbearer species at a given Location.
- **Percent Success:** Success Hunter divided by Active Hunter. An estimate of the percent of active hunters that successfully Hunted with Hounds to take a Furbearer species at a given Location.
- **Total Harvest:** Point estimate of the total number of Furbearer animals taken while Hunting with Hounds, of a given Species at a given Location.
- **Mean Harvest:** Total Harvest divided by Active Hunter. An estimate of the number of Furbearer animals taken by an average active Furbearer Hunter with Hounds, for a given Furbearer species at a given Location.
- **% Take 1 (Percent of Harvest of Bag Size 1):** An estimate of the percent of Harvest where only one animal was taken, of a given Species, at a given Location, while Hunting with Hounds. The percent of harvest within the 8 bag size classes (% Take 1 … % Take 30+) provide a frequency distribution of number of animals harvested which can be compared across Locations and between Species.
- **% Take 2-3 (Percent of Harvest of Bag Size 2-3):** An estimate of the percent of Harvest where 2 to 3 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 4-6 (Percent of Harvest of Bag Size 4-6):** An estimate of the percent of Harvest where 4 to 6 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 7-10 (Percent of Harvest of Bag Size 7-10):** An estimate of the percent of Harvest where 7 to 10 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 11-15 (Percent of Harvest of Bag Size 11-15):** An estimate of the percent of Harvest where 11 to 15 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 16-21 (Percent of Harvest of Bag Size 16-21):** An estimate of the percent of Harvest where 16 to 21 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 22-29 (Percent of Harvest of Bag Size 22-29):** An estimate of the percent of Harvest where 22 to 29 animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **% Take 30+ (Percent of Harvest of Bag Size 30 or more):** An estimate of the percent of Harvest where 30 or more animals were taken, of a given Species, at a given Location, while Hunting with Hounds.
- **Species % Comp. (Species Percent Composition):** Total Harvest of a given Species, divided by Total Harvest of ALL species, while Hunting with Hounds within a given Location, expressed as a percent. Provides an estimate of the percent Furbearer species composition of Hunting with Hounds Harvest at a given Location.

Table 6: Confidence Bounds, All Furbearer Activities Combined

This table repeats the following statistical estimates, computed without regard to Type of Furbearer Activity, accompanied by lower and upper 80% Confidence Bounds on the estimates:

Active Trappers/Hunters, Activity Days, Successful Trappers/Hunters, Total Harvest.

Table 7: Confidence Bounds, Trapping and Snaring Activities

This table repeats the following statistical estimates, computed from the Trapping and Snaring section of the Furbearer Survey, accompanied by lower and upper 80% Confidence Bounds on the estimates:

Active Trappers, Activity Days, Traps Set, Trap Days, Successful Trappers, Total Harvest.

Table 8: Confidence Bounds, Hunting (without hounds) Activities

This table repeats the following statistical estimates, computed from the Hunting without hounds section of the Furbearer Survey, accompanied by lower and upper 80% Confidence Bounds on the estimates:

Active Hunters, Activity Days, Successful Hunters, Total Harvest.

Table 9: Confidence Bounds, Hunting with Hounds Activities

This table repeats the following statistical estimates, computed from the Hunting with Hounds section of the Furbearer Survey, accompanied by lower and upper 80% Confidence Bounds on the estimates:

Active Hunters, Activity Days, Successful Hunters, Total Harvest.

Notes Applying to All Furbearer Tables:

- **Species are presented in the following order: All Species Combined, Beaver, Otter, Muskrat, Mink, Marten, Fisher, Wolverine, Lynx, Bobcat, Weasel, Skunk, Coyote, Fox, Raccoon, Badger, Other**. Furbearer Survey returns were edited for obvious errors and interpretation problems, but beyond that effort, reported Species were not screened by Location.
- **Counties are presented in alphabetical order after the Furbearer District to which they belong.** Furbearer Districts approximate MFWP administrative Regions 1..7.
- **If no trapping or hunting effort was reported for a given Species, at a given Location, for a given Activity, no record for that combination of identifying columns will appear in the table.** This explains why certain Species for a given type of Activity will have no row of statistics for a given Location.
- **Undefined values are indicated with the flag –0.0**. It occurs when a Harvest of zero is used in the denominator of a ratio.
- **Out of format range values are indicated with ######.** These entries occur when the numerator of a ratio, relative to the denominator, is so large that the ratio is essentially meaningless.
- **The page numbers** in the lower right hand corner indicate the consecutive page in the Furbearer Report. The page numbers in the upper right of each table title header indicate a page within a given table. Each table will have pages numbered beginning with 1.
- **The date** March 27, 2002 printed throughout this report and in the title of the tables indicates the date the statistical estimates presented in this Furbearer Report were generated. This provides a version stamp in the event the statistics are regenerated.

1996 Furbearer Survey Report

Tables of Statistical Estimates

Trapping and Hunting Effort
and
Harvest Success

1. Summary of Trapping, Hunting, and Houndsman Activities
2. Detail of All Furbearer Activities Combined
3. Detail of Trapping and Snaring Activities
4. Detail of Hunting (without hounds) Activities
5. Detail of Hunting with Hounds Activities

Each Table Ordered by
Furbearer Species (Including ALL Combined)
and
Location (Statewide, Furbearer District, and County)

Statistical Estimates

Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: ALL

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	1,240	2,796,567	60,371	46.3	405	15,669	7,468	201	3,405	799	1,508	68,639	45.5	100.0
DISTRICT 1	169	151,316	5,807	26.1	47	1,035	146	51	681	102	236	6,055	25.6	100.0
Flathead	87	77,709	2,193	35.4	28	823	59	20	189	31	118	2,283	19.3	100.0
Lake	16	6,059	1,264	4.8	4	8	4	4	16	0	16	1,268	80.5	100.0
Lincoln	63	59,253	1,614	36.7	20	205	83	28	425	67	102	1,764	17.2	100.0
Sanders	28	8,295	736	11.3	0	0	0	4	51	4	31	740	23.5	100.0
DISTRICT 2	165	449,343	7,047	63.8	39	409	374	55	472	55	228	7,476	32.7	100.0
Deer Lodge	24	20,779	531	39.1	4	4	4	0	0	0	24	535	22.7	100.0
Granite	20	18,346	236	77.7	4	8	8	4	4	4	28	248	9.0	100.0
Mineral	8	1,276	75	17.1	0	0	0	20	130	28	28	102	3.7	100.0
Missoula	55	44,388	1,520	29.2	12	51	0	16	224	4	75	1,524	20.4	100.0
Powell	39	201,342	1,886	106.8	20	335	362	0	0	0	47	2,248	47.6	100.0
Ravalli	47	163,214	2,799	58.3	4	12	0	24	114	20	67	2,819	42.1	100.0
DISTRICT 3	315	509,652	9,630	52.9	94	3,752	1,067	28	417	201	346	10,897	31.5	100.0
Beaverhead	59	192,468	2,921	65.9	16	748	386	4	39	24	63	3,331	52.9	100.0
Broadwater	12	2,047	79	26.0	16	63	67	12	138	71	31	217	6.9	100.0
Gallatin	87	153,025	2,299	66.6	28	1,827	484	4	31	28	98	2,811	28.6	100.0
Jefferson	43	35,471	764	46.4	4	20	12	4	47	28	43	803	18.5	100.0
Madison	55	28,826	1,697	17.0	16	39	8	4	12	0	67	1,705	25.5	100.0
Park	67	97,445	1,850	52.7	24	1,051	106	8	150	51	75	2,008	26.8	100.0
Silver Bow	12	370	20	18.8	4	4	4	0	0	0	16	24	1.5	100.0
DISTRICT 4	276	790,337	15,322	51.6	98	6,130	4,145	43	1,610	177	323	19,645	60.9	100.0
Cascade	51	82,233	3,846	21.4	12	1,563	3,193	16	75	12	75	7,051	94.3	100.0
Chouteau	43	119,625	2,587	46.2	8	43	134	8	79	83	43	2,803	64.7	100.0
Fergus	43	43,986	2,366	18.6	8	157	63	0	0	0	43	2,429	56.1	100.0
Glacier	4	1,961	181	10.8	0	0	0	0	0	0	4	181	46.0	100.0
Judith Basin	31	46,671	768	60.8	16	976	193	16	260	55	47	1,016	21.5	100.0
Lewis & Clark	75	425,990	4,331	98.4	28	2,283	327	20	409	12	91	4,669	51.6	100.0
Liberty	8	37,302	402	92.9	8	732	126	4	8	8	16	535	34.0	100.0
Meagher	12	6,649	91	73.4	8	12	20	0	0	0	16	110	7.0	100.0
Petroleum	8	4,516	177	25.5	8	63	47	0	0	0	12	224	19.0	100.0
Pondera	8	2,606	35	73.6	0	0	0	8	327	0	12	35	3.0	100.0
Teton	28	18,798	539	34.9	12	276	35	8	453	8	35	583	16.4	100.0
Toole	0	0	0	0.0	4	24	8	0	0	0	4	8	2.0	100.0
DISTRICT 5	213	328,100	11,468	28.6	79	882	492	35	165	248	268	12,208	45.6	100.0
Bighorn	31	85,414	3,083	27.7	8	311	118	0	0	0	31	3,201	101.6	100.0
Carbon	63	138,707	4,850	28.6	16	91	47	4	8	0	67	4,897	73.2	100.0
Golden Valley	12	5,031	705	7.1	16	24	35	0	0	0	24	740	31.3	100.0
Musselshell	28	56,045	346	161.8	12	59	24	8	67	142	43	512	11.8	100.0
Stillwater	31	7,059	382	18.5	8	12	4	12	35	4	47	390	8.2	100.0
Sweetgrass	16	4,677	193	24.2	0	0	0	0	0	0	16	193	12.2	100.0
Wheatland	12	4,201	307	13.7	4	59	47	0	0	0	12	354	30.0	100.0
Yellowstone	59	26,967	1,602	16.8	35	327	217	20	55	102	91	1,921	21.2	100.0
DISTRICT 6	79	136,321	5,870	23.2	28	886	138	0	0	0	98	6,008	61.0	100.0
Blaine	16	73,174	1,248	58.6	8	39	28	0	0	0	24	1,276	54.0	100.0
Hill	24	27,700	1,571	17.6	4	709	75	0	0	0	28	1,646	59.7	100.0
Mccone	4	2,850	398	7.2	0	0	0	0	0	0	4	398	101.0	100.0
Phillips	4	492	16	31.3	12	130	28	0	0	0	16	43	2.8	100.0
Richland	4	9,921	122	81.3	0	0	0	0	0	0	4	122	31.0	100.0
Valley	43	22,184	2,516	8.8	8	8	8	0	0	0	43	2,524	58.3	100.0
DISTRICT 7	110	431,498	5,228	82.5	75	2,575	1,106	4	59	16	157	6,350	40.3	100.0
Carter	12	286,051	1,165	245.5	4	1,417	31	0	0	0	12	1,197	101.3	100.0
Custer	20	22,137	114	193.9	16	197	47	0	0	0	31	161	5.1	100.0
Dawson	16	22,440	724	31.0	0	0	0	0	0	0	16	724	46.0	100.0
Fallon	4	709	12	60.0	4	4	4	0	0	0	4	16	4.0	100.0
Garfield	16	40,967	437	93.7	4	16	4	0	0	0	20	441	22.4	100.0
Powder River	16	36,097	512	70.5	28	335	268	4	59	16	43	795	18.4	100.0
Prairie	4	1,732	16	110.0	0	0	0	0	0	0	4	16	4.0	100.0
Rosebud	8	3,673	102	35.9	4	8	8	0	0	0	12	110	9.3	100.0
Treasure	20	17,692	2,146	8.2	16	598	744	0	0	0	20	2,890	146.8	100.0

Statistical Estimates
Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: BEAVER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	760	303,381	16,531	18.4	4	4	20	0	0	0	764	16,550	21.7	24.1
DISTRICT 1	75	10,082	626	16.1	0	0	0	0	0	0	75	626	8.4	10.3
Flathead	31	1,878	173	10.8	0	0	0	0	0	0	31	173	5.5	7.6
Lake	4	118	16	7.5	0	0	0	0	0	0	4	16	4.0	1.2
Lincoln	28	6,661	307	21.7	0	0	0	0	0	0	28	307	11.1	17.4
Sanders	20	1,425	130	11.0	0	0	0	0	0	0	20	130	6.6	17.6
DISTRICT 2	98	30,070	1,118	26.9	0	0	0	0	0	0	98	1,118	11.4	15.0
Deer Lodge	12	1,764	177	10.0	0	0	0	0	0	0	12	177	15.0	33.1
Granite	4	110	12	9.3	0	0	0	0	0	0	4	12	3.0	4.8
Mineral	4	47	12	4.0	0	0	0	0	0	0	4	12	3.0	11.5
Missoula	43	5,921	417	14.2	0	0	0	0	0	0	43	417	9.6	27.4
Powell	28	20,479	374	54.8	0	0	0	0	0	0	28	374	13.6	16.6
Ravalli	16	1,748	126	13.9	0	0	0	0	0	0	16	126	8.0	4.5
DISTRICT 3	185	96,110	2,941	32.7	4	4	20	0	0	0	189	2,961	15.7	27.2
Beaverhead	24	57,710	807	71.5	0	0	0	0	0	0	24	807	34.2	24.2
Broadwater	12	1,661	63	26.4	0	0	0	0	0	0	12	63	5.3	29.1
Gallatin	55	10,622	654	16.3	4	4	20	0	0	0	59	673	11.4	23.9
Jefferson	20	2,472	126	19.6	0	0	0	0	0	0	20	126	6.4	15.7
Madison	35	11,153	720	15.5	0	0	0	0	0	0	35	720	20.3	42.3
Park	39	12,370	555	22.3	0	0	0	0	0	0	39	555	14.1	27.6
Silver Bow	12	122	16	7.8	0	0	0	0	0	0	12	16	1.3	66.7
DISTRICT 4	193	105,488	5,681	18.6	0	0	0	0	0	0	193	5,681	29.4	28.9
Cascade	47	13,972	1,512	9.2	0	0	0	0	0	0	47	1,512	32.0	21.4
Chouteau	20	9,661	1,240	7.8	0	0	0	0	0	0	20	1,240	63.0	44.2
Fergus	35	10,736	925	11.6	0	0	0	0	0	0	35	925	26.1	38.1
Judith Basin	16	3,543	244	14.5	0	0	0	0	0	0	16	244	15.5	24.0
Lewis & Clark	55	53,805	1,327	40.6	0	0	0	0	0	0	55	1,327	24.1	28.4
Liberty	4	2,657	87	30.7	0	0	0	0	0	0	4	87	22.0	16.2
Meagher	8	1,098	51	21.5	0	0	0	0	0	0	8	51	6.5	46.4
Petroleum	4	24	8	3.0	0	0	0	0	0	0	4	8	2.0	3.5
Pondera	4	8	4	2.0	0	0	0	0	0	0	4	4	1.0	11.1
Teton	16	9,984	283	35.2	0	0	0	0	0	0	16	283	18.0	48.6
DISTRICT 5	142	43,856	3,453	12.7	0	0	0	0	0	0	142	3,453	24.4	28.3
Bighorn	24	12,677	905	14.0	0	0	0	0	0	0	24	905	38.3	28.3
Carbon	51	11,940	953	12.5	0	0	0	0	0	0	51	953	18.6	19.5
Golden Valley	8	1,890	193	9.8	0	0	0	0	0	0	8	193	24.5	26.1
Musselshell	12	528	87	6.1	0	0	0	0	0	0	12	87	7.3	16.9
Stillwater	16	4,315	83	52.2	0	0	0	0	0	0	16	83	5.3	21.2
Sweetgrass	12	1,449	146	9.9	0	0	0	0	0	0	12	146	12.3	75.5
Wheatland	12	1,957	228	8.6	0	0	0	0	0	0	12	228	19.3	64.4
Yellowstone	31	9,102	858	10.6	0	0	0	0	0	0	31	858	27.2	44.7
DISTRICT 6	51	9,948	1,590	6.3	0	0	0	0	0	0	51	1,590	31.1	26.5
Blaine	8	661	87	7.6	0	0	0	0	0	0	8	87	11.0	6.8
Hill	20	2,775	354	7.8	0	0	0	0	0	0	20	354	18.0	21.5
Mccone	4	1,181	114	10.3	0	0	0	0	0	0	4	114	29.0	28.7
Phillips	4	492	16	31.3	0	0	0	0	0	0	4	16	4.0	36.4
Valley	31	4,838	1,020	4.7	0	0	0	0	0	0	31	1,020	32.4	40.4
DISTRICT 7	39	7,826	1,122	7.0	0	0	0	0	0	0	39	1,122	28.5	17.7
Custer	4	63	4	16.0	0	0	0	0	0	0	4	4	1.0	2.4
Dawson	4	709	59	12.0	0	0	0	0	0	0	4	59	15.0	8.2
Garfield	4	165	16	10.5	0	0	0	0	0	0	4	16	4.0	3.6
Powder River	4	236	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Prairie	4	472	4	120.0	0	0	0	0	0	0	4	4	1.0	25.0
Treasure	20	6,181	1,039	5.9	0	0	0	0	0	0	20	1,039	52.8	36.0

Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: OTTER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	102	11,653	87	134.5	0	0	0	0	0	0	102	87	0.8	0.1
DISTRICT 1	28	1,260	24	53.3	0	0	0	0	0	0	28	24	0.9	0.4
Flathead	12	807	8	102.5	0	0	0	0	0	0	12	8	0.7	0.3
Lincoln	8	102	8	13.0	0	0	0	0	0	0	8	8	1.0	0.4
Sanders	8	350	8	44.5	0	0	0	0	0	0	8	8	1.0	1.1
DISTRICT 2	16	287	12	24.3	0	0	0	0	0	0	16	12	0.8	0.2
Missoula	12	209	8	26.5	0	0	0	0	0	0	12	8	0.7	0.5
Ravalli	4	79	4	20.0	0	0	0	0	0	0	4	4	1.0	0.1
DISTRICT 3	31	3,783	24	160.2	0	0	0	0	0	0	31	24	0.8	0.2
Beaverhead	4	354	4	90.0	0	0	0	0	0	0	4	4	1.0	0.1
Gallatin	12	2,027	12	171.7	0	0	0	0	0	0	12	12	1.0	0.4
Jefferson	4	157	4	40.0	0	0	0	0	0	0	4	4	1.0	0.5
Madison	8	614	4	156.0	0	0	0	0	0	0	8	4	0.5	0.2
Park	4	630	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
DISTRICT 4	28	6,323	28	229.4	0	0	0	0	0	0	28	28	1.0	0.1
Cascade	4	1,181	4	300.0	0	0	0	0	0	0	4	4	1.0	0.1
Chouteau	8	1,764	8	224.0	0	0	0	0	0	0	8	8	1.0	0.3
Fergus	4	20	4	5.0	0	0	0	0	0	0	4	4	1.0	0.2
Lewis & Clark	12	3,358	12	284.3	0	0	0	0	0	0	12	12	1.0	0.3

Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: MUSKRAT

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	496	299,543	16,121	18.6	0	0	0	0	0	0	496	16,121	32.5	23.5
DISTRICT 1	79	24,125	2,980	8.1	0	0	0	0	0	0	79	2,980	37.9	49.2
Flathead	20	6,968	646	10.8	0	0	0	0	0	0	20	646	32.8	28.3
Lake	8	2,815	984	2.9	0	0	0	0	0	0	8	984	125.0	77.6
Lincoln	35	9,319	776	12.0	0	0	0	0	0	0	35	776	21.9	44.0
Sanders	24	5,023	575	8.7	0	0	0	0	0	0	24	575	24.3	77.7
DISTRICT 2	94	72,316	3,992	18.1	0	0	0	0	0	0	94	3,992	42.3	53.4
Deer Lodge	8	6,023	291	20.7	0	0	0	0	0	0	8	291	37.0	54.4
Granite	8	6,850	138	49.7	0	0	0	0	0	0	8	138	17.5	55.6
Mineral	4	47	24	2.0	0	0	0	0	0	0	4	24	6.0	23.1
Missoula	39	19,346	913	21.2	0	0	0	0	0	0	39	913	23.2	59.9
Powell	16	12,913	842	15.3	0	0	0	0	0	0	16	842	53.5	37.5
Ravalli	31	27,137	1,783	15.2	0	0	0	0	0	0	31	1,783	56.6	63.3
DISTRICT 3	110	125,369	2,732	45.9	0	0	0	0	0	0	110	2,732	24.8	25.1
Beaverhead	12	24,086	807	29.8	0	0	0	0	0	0	12	807	68.3	24.2
Gallatin	55	93,445	661	141.3	0	0	0	0	0	0	55	661	12.0	23.5
Jefferson	8	1,772	287	6.2	0	0	0	0	0	0	8	287	36.5	35.8
Madison	20	2,945	543	5.4	0	0	0	0	0	0	20	543	27.6	31.9
Park	20	3,122	433	7.2	0	0	0	0	0	0	20	433	22.0	21.6
DISTRICT 4	110	61,190	3,712	16.5	0	0	0	0	0	0	110	3,712	33.7	18.9
Cascade	31	6,232	1,173	5.3	0	0	0	0	0	0	31	1,173	37.3	16.6
Chouteau	12	1,724	283	6.1	0	0	0	0	0	0	12	283	24.0	10.1
Fergus	24	6,787	890	7.6	0	0	0	0	0	0	24	890	37.7	36.6
Glacier	4	307	118	2.6	0	0	0	0	0	0	4	118	30.0	65.2
Judith Basin	12	4,527	161	28.0	0	0	0	0	0	0	12	161	13.7	15.9
Lewis & Clark	12	40,097	913	43.9	0	0	0	0	0	0	12	913	77.3	19.6
Petroleum	4	83	47	1.8	0	0	0	0	0	0	4	47	12.0	21.1
Teton	12	1,433	126	11.4	0	0	0	0	0	0	12	126	10.7	21.6
DISTRICT 5	63	12,267	1,799	6.8	0	0	0	0	0	0	63	1,799	28.6	14.7
Bighorn	16	5,555	339	16.4	0	0	0	0	0	0	16	339	21.5	10.6
Carbon	31	5,791	961	6.0	0	0	0	0	0	0	31	961	30.5	19.6
Golden Valley	4	413	394	1.1	0	0	0	0	0	0	4	394	100.0	53.2
Stillwater	4	276	35	7.8	0	0	0	0	0	0	4	35	9.0	9.1
Yellowstone	8	232	71	3.3	0	0	0	0	0	0	8	71	9.0	3.7
DISTRICT 6	28	2,614	772	3.4	0	0	0	0	0	0	28	772	28.0	12.8
Blaine	8	492	177	2.8	0	0	0	0	0	0	8	177	22.5	13.9
Hill	8	268	28	9.7	0	0	0	0	0	0	8	28	3.5	1.7
Mccone	4	1,181	165	7.1	0	0	0	0	0	0	4	165	42.0	41.6
Valley	12	673	402	1.7	0	0	0	0	0	0	12	402	34.0	15.9
DISTRICT 7	16	1,661	134	12.4	0	0	0	0	0	0	16	134	8.5	2.1
Dawson	4	1,417	59	24.0	0	0	0	0	0	0	4	59	15.0	8.2
Powder River	4	79	63	1.3	0	0	0	0	0	0	4	63	16.0	7.9
Prairie	4	157	4	40.0	0	0	0	0	0	0	4	4	1.0	25.0
Treasure	4	8	8	1.0	0	0	0	0	0	0	4	8	2.0	0.3

Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: MINK

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	343	126,920	1,638	77.5	0	0	0	0	0	0	343	1,638	4.8	2.4
DISTRICT 1	59	11,921	252	47.3	0	0	0	0	0	0	59	252	4.3	4.2
Flathead	28	5,240	83	63.4	0	0	0	0	0	0	28	83	3.0	3.6
Lake	12	1,968	126	15.6	0	0	0	0	0	0	12	126	10.7	9.9
Lincoln	12	4,397	31	139.6	0	0	0	0	0	0	12	31	2.7	1.8
Sanders	8	315	12	26.7	0	0	0	0	0	0	8	12	1.5	1.6
DISTRICT 2	51	22,204	134	165.9	0	0	0	0	0	0	51	134	2.6	1.8
Deer Lodge	4	2,362	20	120.0	0	0	0	0	0	0	4	20	5.0	3.7
Granite	8	2,953	20	150.0	0	0	0	0	0	0	8	20	2.5	7.9
Missoula	20	2,421	20	123.0	0	0	0	0	0	0	20	20	1.0	1.3
Powell	8	1,811	12	153.3	0	0	0	0	0	0	8	12	1.5	0.5
Ravalli	20	12,657	63	200.9	0	0	0	0	0	0	20	63	3.2	2.2
DISTRICT 3	71	19,405	339	57.3	0	0	0	0	0	0	71	339	4.8	3.1
Beaverhead	12	5,079	43	117.3	0	0	0	0	0	0	12	43	3.7	1.3
Broadwater	4	110	8	14.0	0	0	0	0	0	0	4	8	2.0	3.6
Gallatin	28	6,886	142	48.6	0	0	0	0	0	0	28	142	5.1	5.0
Jefferson	8	1,063	24	45.0	0	0	0	0	0	0	8	24	3.0	2.9
Madison	4	1,653	51	32.3	0	0	0	0	0	0	4	51	13.0	3.0
Park	24	4,614	71	65.1	0	0	0	0	0	0	24	71	3.0	3.5
DISTRICT 4	87	59,903	488	122.7	0	0	0	0	0	0	87	488	5.6	2.5
Cascade	16	7,177	24	303.8	0	0	0	0	0	0	16	24	1.5	0.3
Chouteau	8	1,213	24	51.3	0	0	0	0	0	0	8	24	3.0	0.8
Fergus	24	4,512	35	127.3	0	0	0	0	0	0	24	35	1.5	1.5
Judith Basin	12	4,527	28	164.3	0	0	0	0	0	0	12	28	2.3	2.7
Lewis & Clark	12	41,542	350	118.6	0	0	0	0	0	0	12	350	29.7	7.5
Meagher	4	496	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Pondera	4	47	4	12.0	0	0	0	0	0	0	4	4	1.0	11.1
Teton	8	390	24	16.5	0	0	0	0	0	0	8	24	3.0	4.1
DISTRICT 5	31	4,512	126	35.8	0	0	0	0	0	0	31	126	4.0	1.0
Bighorn	12	3,567	83	43.1	0	0	0	0	0	0	12	83	7.0	2.6
Carbon	8	315	8	40.0	0	0	0	0	0	0	8	8	1.0	0.2
Yellowstone	12	630	35	17.8	0	0	0	0	0	0	12	35	3.0	1.8
DISTRICT 6	24	7,598	280	27.2	0	0	0	0	0	0	24	280	11.8	4.7
Blaine	4	386	24	16.3	0	0	0	0	0	0	4	24	6.0	1.9
Hill	8	6,220	213	29.3	0	0	0	0	0	0	8	213	27.0	12.9
Valley	12	992	43	22.9	0	0	0	0	0	0	12	43	3.7	1.7
DISTRICT 7	20	1,378	20	70.0	0	0	0	0	0	0	20	20	1.0	0.3
Dawson	4	79	4	20.0	0	0	0	0	0	0	4	4	1.0	0.5
Powder River	4	28	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Prairie	4	709	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Treasure	8	563	16	35.8	0	0	0	0	0	0	8	16	2.0	0.5

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: MARTEN

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	130	102,976	1,563	65.9	0	0	0	0	0	0	130	1,563	12.0	2.3
DISTRICT 1	59	65,915	1,150	57.3	0	0	0	0	0	0	59	1,150	19.5	19.0
Flathead	35	41,660	858	48.5	0	0	0	0	0	0	35	858	24.2	37.6
Lake	4	24	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Lincoln	24	24,231	291	83.2	0	0	0	0	0	0	24	291	12.3	16.5
DISTRICT 2	28	6,917	157	43.9	0	0	0	0	0	0	28	157	5.7	2.1
Deer Lodge	4	709	12	60.0	0	0	0	0	0	0	4	12	3.0	2.2
Granite	4	945	24	40.0	0	0	0	0	0	0	4	24	6.0	9.5
Missoula	8	846	28	30.7	0	0	0	0	0	0	8	28	3.5	1.8
Powell	4	1,181	12	100.0	0	0	0	0	0	0	4	12	3.0	0.5
Ravalli	16	3,236	83	39.1	0	0	0	0	0	0	16	83	5.3	2.9
DISTRICT 3	31	24,932	236	105.6	0	0	0	0	0	0	31	236	7.5	2.2
Beaverhead	8	10,689	122	87.6	0	0	0	0	0	0	8	122	15.5	3.7
Gallatin	16	10,984	102	107.3	0	0	0	0	0	0	16	102	6.5	3.6
Jefferson	4	2,953	12	250.0	0	0	0	0	0	0	4	12	3.0	1.5
Park	4	307	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
DISTRICT 4	4	16	4	4.0	0	0	0	0	0	0	4	4	1.0	0.0
Cascade	4	16	4	4.0	0	0	0	0	0	0	4	4	1.0	0.1
DISTRICT 5	8	5,197	16	330.0	0	0	0	0	0	0	8	16	2.0	0.1
Carbon	8	5,197	16	330.0	0	0	0	0	0	0	8	16	2.0	0.3

Species: FISHER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	12	9,626	8	1222.5	0	0	0	0	0	0	12	8	0.7	0.0
DISTRICT 1	4	886	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Lincoln	4	886	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
DISTRICT 2	8	8,740	8	1110.0	0	0	0	0	0	0	8	8	1.0	0.1
Ravalli	8	8,740	8	1110.0	0	0	0	0	0	0	8	8	1.0	0.3

Statistical Estimates
Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: WOLVERINE

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	43	5,126	12	434.0	12	260	0	0	0	0	55	12	0.2	0.0
DISTRICT 1	12	358	4	91.0	12	260	0	0	0	0	24	4	0.2	0.1
Flathead	8	315	4	80.0	12	260	0	0	0	0	20	4	0.2	0.2
Lincoln	4	43	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
DISTRICT 3	16	3,543	8	450.0	0	0	0	0	0	0	16	8	0.5	0.1
Gallatin	8	315	8	40.0	0	0	0	0	0	0	8	8	1.0	0.3
Jefferson	4	2,953	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Park	4	276	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
DISTRICT 4	12	752	0	-0.0	0	0	0	0	0	0	12	0	0.0	0.0
Lewis & Clark	4	43	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Teton	8	709	0	-0.0	0	0	0	0	0	0	8	0	0.0	0.0
DISTRICT 5	4	472	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Musselshell	4	472	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0

Species: LYNX

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	20	1,000	4	254.0	4	12	4	0	0	0	20	8	0.4	0.0
DISTRICT 1	8	71	4	18.0	4	12	4	0	0	0	8	8	1.0	0.1
Flathead	4	24	4	6.0	4	12	4	0	0	0	4	8	2.0	0.3
Lincoln	4	47	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
DISTRICT 3	4	43	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Beaverhead	4	43	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
DISTRICT 4	4	413	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Teton	4	413	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
DISTRICT 5	4	472	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Musselshell	4	472	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0

Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: BOBCAT

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	417	155,297	807	192.4	106	2,027	980	169	2,579	213	630	2,000	3.2	2.9
DISTRICT 1	43	15,507	59	262.6	12	102	8	47	622	87	98	154	1.6	2.5
Flathead	20	3,913	20	198.8	8	98	4	16	130	16	39	39	1.0	1.7
Lake	0	0	0	0.0	0	0	0	4	16	0	4	0	0.0	0.0
Lincoln	24	10,413	28	377.9	4	4	4	28	425	67	55	98	1.8	5.6
Sanders	4	1,181	12	100.0	0	0	0	4	51	4	8	16	2.0	2.1
DISTRICT 2	24	4,492	35	126.8	8	118	0	51	457	47	75	83	1.1	1.1
Granite	4	236	8	30.0	0	0	0	4	4	4	8	12	1.5	4.8
Mineral	0	0	0	0.0	0	0	0	20	130	28	20	28	1.4	26.9
Missoula	4	1,181	0	-0.0	4	39	0	16	224	4	24	4	0.2	0.3
Powell	12	2,917	20	148.2	8	79	0	0	0	0	16	20	1.3	0.9
Ravalli	4	157	8	20.0	0	0	0	20	98	12	20	20	1.0	0.7
DISTRICT 3	94	29,585	130	227.7	24	358	35	16	94	35	122	201	1.6	1.8
Beaverhead	8	11,763	8	1494.0	8	12	8	4	39	24	20	39	2.0	1.2
Broadwater	4	110	4	28.0	4	16	8	4	12	8	12	20	1.7	9.1
Gallatin	8	2,917	4	741.0	4	79	8	0	0	0	12	12	1.0	0.4
Jefferson	24	5,905	31	187.5	0	0	0	0	0	0	24	31	1.3	3.9
Madison	16	2,874	39	73.0	4	8	0	4	12	0	24	39	1.7	2.3
Park	31	5,767	39	146.5	8	244	12	8	31	4	39	55	1.4	2.7
Silver Bow	4	248	4	63.0	0	0	0	0	0	0	4	4	1.0	16.7
DISTRICT 4	94	36,093	220	163.7	28	531	803	39	1,283	16	134	1,039	7.8	5.3
Cascade	12	3,795	39	96.4	8	374	783	8	12	0	28	823	29.9	11.7
Chouteau	20	6,968	35	196.7	0	0	0	0	0	0	20	35	1.8	1.3
Fergus	8	1,713	4	435.0	0	0	0	0	0	0	8	4	0.5	0.2
Judith Basin	16	2,874	20	146.0	12	150	16	16	165	8	31	43	1.4	4.3
Lewis & Clark	24	9,645	55	175.0	0	0	0	20	378	4	39	59	1.5	1.3
Liberty	4	5,315	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Meagher	8	3,874	24	164.0	4	4	4	0	0	0	12	28	2.3	25.0
Petroleum	4	197	31	6.3	4	4	0	0	0	0	8	31	4.0	14.0
Pondera	4	118	0	-0.0	0	0	0	8	315	0	8	0	0.0	0.0
Teton	8	1,594	12	135.0	0	0	0	8	413	4	8	16	2.0	2.7
DISTRICT 5	98	25,030	154	163.0	12	35	12	20	63	12	122	177	1.5	1.5
Bighorn	8	1,024	16	65.0	0	0	0	0	0	0	8	16	2.0	0.5
Carbon	39	10,275	47	217.5	0	0	0	4	8	0	43	47	1.1	1.0
Golden Valley	4	630	12	53.3	0	0	0	0	0	0	4	12	3.0	1.6
Musselshell	8	9,055	43	209.1	4	16	8	0	0	0	12	51	4.3	10.0
Stillwater	16	520	0	-0.0	4	8	0	12	35	4	28	4	0.1	1.0
Sweetgrass	4	276	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
Yellowstone	28	3,252	35	91.8	8	12	4	8	20	8	35	47	1.3	2.5
DISTRICT 6	8	224	12	19.0	8	748	75	0	0	0	16	87	5.5	1.4
Blaine	4	118	4	30.0	0	0	0	0	0	0	4	4	1.0	0.3
Hill	0	0	0	0.0	4	709	75	0	0	0	4	75	19.0	4.5
Mccone	4	106	8	13.5	0	0	0	0	0	0	4	8	2.0	2.0
Phillips	0	0	0	0.0	4	39	0	0	0	0	4	0	0.0	0.0
DISTRICT 7	63	44,364	197	225.4	24	134	47	4	59	16	91	260	2.9	4.1
Carter	8	18,424	31	585.0	0	0	0	0	0	0	8	31	4.0	2.6
Custer	16	3,996	8	507.5	8	8	8	0	0	0	24	16	0.7	9.8
Garfield	12	9,291	67	138.8	0	0	0	0	0	0	12	67	5.7	15.2
Powder River	16	10,645	67	159.1	16	126	39	4	59	16	35	122	3.4	15.3
Rosebud	4	787	4	200.0	0	0	0	0	0	0	4	4	1.0	3.6
Treasure	8	1,220	20	62.0	0	0	0	0	0	0	8	20	2.5	0.7

Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: WEASEL

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	102	114,861	1,094	104.9	0	0	0	0	0	0	102	1,094	10.7	1.6
DISTRICT 1	28	5,795	217	26.8	0	0	0	0	0	0	28	217	7.9	3.6
Flathead	12	3,740	79	47.5	0	0	0	0	0	0	12	79	6.7	3.4
Lake	8	185	8	23.5	0	0	0	0	0	0	8	8	1.0	0.6
Lincoln	8	1,870	130	14.4	0	0	0	0	0	0	8	130	16.5	7.4
DISTRICT 2	8	1,276	16	81.0	0	0	0	0	0	0	8	16	2.0	0.2
Granite	4	945	4	240.0	0	0	0	0	0	0	4	4	1.0	1.6
Ravalli	4	331	12	28.0	0	0	0	0	0	0	4	12	3.0	0.4
DISTRICT 3	24	13,543	154	88.2	0	0	0	0	0	0	24	154	6.5	1.4
Beaverhead	8	10,137	98	103.0	0	0	0	0	0	0	8	98	12.5	3.0
Gallatin	4	12	4	3.0	0	0	0	0	0	0	4	4	1.0	0.1
Jefferson	8	3,268	47	69.2	0	0	0	0	0	0	8	47	6.0	5.9
Park	4	126	4	32.0	0	0	0	0	0	0	4	4	1.0	0.2
DISTRICT 4	28	46,593	618	75.4	0	0	0	0	0	0	28	618	22.4	3.1
Cascade	4	28	4	7.0	0	0	0	0	0	0	4	4	1.0	0.1
Chouteau	4	110	8	14.0	0	0	0	0	0	0	4	8	2.0	0.3
Judith Basin	4	2,362	4	600.0	0	0	0	0	0	0	4	4	1.0	0.4
Lewis & Clark	12	42,912	598	71.7	0	0	0	0	0	0	12	598	50.7	12.8
Teton	4	1,181	4	300.0	0	0	0	0	0	0	4	4	1.0	0.7
DISTRICT 5	8	1,583	8	201.0	0	0	0	0	0	0	8	8	1.0	0.1
Bighorn	4	1,575	4	400.0	0	0	0	0	0	0	4	4	1.0	0.1
Golden Valley	4	8	4	2.0	0	0	0	0	0	0	4	4	1.0	0.5
DISTRICT 6	4	12	4	3.0	0	0	0	0	0	0	4	4	1.0	0.1
Blaine	4	12	4	3.0	0	0	0	0	0	0	4	4	1.0	0.3
DISTRICT 7	4	46,061	79	585.0	0	0	0	0	0	0	4	79	20.0	1.2
Carter	4	46,061	79	585.0	0	0	0	0	0	0	4	79	20.0	6.6

Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: SKUNK

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	268	154,387	3,283	47.0	20	957	98	0	0	0	283	3,382	11.9	4.9
DISTRICT 1	24	3,744	142	26.4	0	0	0	0	0	0	24	142	6.0	2.3
Flathead	12	3,031	39	77.0	0	0	0	0	0	0	12	39	3.3	1.7
Lake	8	594	83	7.2	0	0	0	0	0	0	8	83	10.5	6.5
Lincoln	4	118	20	6.0	0	0	0	0	0	0	4	20	5.0	1.1
DISTRICT 2	39	28,999	169	171.3	4	4	0	0	0	0	39	169	4.3	2.3
Missoula	12	169	47	3.6	0	0	0	0	0	0	12	47	4.0	3.1
Powell	8	9,649	8	1225.5	0	0	0	0	0	0	8	8	1.0	0.4
Ravalli	20	19,180	114	168.0	4	4	0	0	0	0	20	114	5.8	4.1
DISTRICT 3	47	37,278	567	65.8	12	949	71	0	0	0	59	638	10.8	5.9
Beaverhead	4	18,109	256	70.8	0	0	0	0	0	0	4	256	65.0	7.7
Broadwater	0	0	0	0.0	4	4	12	0	0	0	4	12	3.0	5.5
Gallatin	12	1,713	134	12.8	4	709	47	0	0	0	16	181	11.5	6.4
Jefferson	8	91	16	5.8	0	0	0	0	0	0	8	16	2.0	2.0
Madison	4	1,039	102	10.2	0	0	0	0	0	0	4	102	26.0	6.0
Park	20	16,326	59	276.5	4	236	12	0	0	0	24	71	3.0	3.5
DISTRICT 4	51	21,495	260	82.7	0	0	0	0	0	0	51	260	5.1	1.3
Cascade	12	8,244	43	190.4	0	0	0	0	0	0	12	43	3.7	0.6
Chouteau	8	1,512	59	25.6	0	0	0	0	0	0	8	59	7.5	2.1
Judith Basin	4	1,575	24	66.7	0	0	0	0	0	0	4	24	6.0	2.3
Lewis & Clark	8	2,480	87	28.6	0	0	0	0	0	0	8	87	11.0	1.9
Liberty	4	5,315	16	337.5	0	0	0	0	0	0	4	16	4.0	2.9
Petroleum	4	1,102	12	93.3	0	0	0	0	0	0	4	12	3.0	5.3
Pondera	4	1,181	8	150.0	0	0	0	0	0	0	4	8	2.0	22.2
Teton	8	87	12	7.3	0	0	0	0	0	0	8	12	1.5	2.0
DISTRICT 5	51	35,199	705	49.9	0	0	0	0	0	0	51	705	13.8	5.8
Bighorn	20	21,224	217	98.0	0	0	0	0	0	0	20	217	11.0	6.8
Carbon	16	3,937	382	10.3	0	0	0	0	0	0	16	382	24.3	7.8
Golden Valley	4	630	20	32.0	0	0	0	0	0	0	4	20	5.0	2.7
Musselshell	4	7,874	51	153.8	0	0	0	0	0	0	4	51	13.0	10.0
Stillwater	4	354	12	30.0	0	0	0	0	0	0	4	12	3.0	3.0
Yellowstone	4	1,181	24	50.0	0	0	0	0	0	0	4	24	6.0	1.2
DISTRICT 6	28	19,298	539	35.8	0	0	0	0	0	0	28	539	19.6	9.0
Blaine	8	17,086	150	114.2	0	0	0	0	0	0	8	150	19.0	11.7
Hill	12	1,342	150	9.0	0	0	0	0	0	0	12	150	12.7	9.1
Valley	12	870	240	3.6	0	0	0	0	0	0	12	240	20.3	9.5
DISTRICT 7	28	8,374	902	9.3	4	4	28	0	0	0	31	929	29.5	14.6
Carter	4	2,362	236	10.0	0	0	0	0	0	0	4	236	60.0	19.7
Custer	4	236	39	6.0	0	0	0	0	0	0	4	39	10.0	24.4
Dawson	8	2,874	150	19.2	0	0	0	0	0	0	8	150	19.0	20.7
Powder River	8	2,858	177	16.1	4	4	28	0	0	0	12	205	17.3	25.7
Treasure	4	43	299	0.1	0	0	0	0	0	0	4	299	76.0	10.4

Summary of Trapping, Hunting, and Houndsman Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: COYOTE

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	472	623,954	6,114	102.1	323	6,732	3,205	8	59	35	685	9,354	13.7	13.6
DISTRICT 1	24	4,945	87	57.1	39	417	102	0	0	0	63	189	3.0	3.1
Flathead	16	3,890	75	52.0	24	287	35	0	0	0	39	110	2.8	4.8
Lake	0	0	0	0.0	4	8	4	0	0	0	4	4	1.0	0.3
Lincoln	8	1,055	12	89.3	16	122	63	0	0	0	24	75	3.2	4.2
DISTRICT 2	79	157,391	827	190.4	31	272	366	0	0	0	98	1,193	12.1	16.0
Deer Lodge	4	9,448	24	400.0	0	0	0	0	0	0	4	24	6.0	4.4
Granite	12	5,071	28	184.0	4	4	4	0	0	0	16	31	2.0	12.7
Mineral	4	787	31	25.0	0	0	0	0	0	0	4	31	8.0	30.8
Missoula	20	9,724	35	274.4	4	8	0	0	0	0	24	35	1.5	2.3
Powell	24	84,709	504	168.1	20	256	362	0	0	0	31	866	27.5	38.5
Ravalli	20	47,652	205	232.8	4	4	0	0	0	0	24	205	8.7	7.3
DISTRICT 3	118	67,304	1,106	60.8	79	1,209	476	4	20	12	165	1,594	9.6	14.6
Beaverhead	28	24,904	496	50.2	12	350	75	0	0	0	35	571	16.1	17.1
Broadwater	4	165	4	42.0	12	39	31	0	0	0	12	35	3.0	16.4
Gallatin	16	8,401	201	41.8	12	453	307	0	0	0	20	508	25.8	18.1
Jefferson	28	8,067	63	128.1	4	20	12	4	20	12	31	87	2.8	10.8
Madison	20	6,043	138	43.9	12	24	8	0	0	0	24	146	6.2	8.5
Park	28	19,724	205	96.3	24	319	39	0	0	0	43	244	5.6	12.2
Silver Bow	0	0	0	0.0	4	4	4	0	0	0	4	4	1.0	16.7
DISTRICT 4	110	162,867	1,587	102.7	83	2,449	1,342	4	39	24	161	2,953	18.3	15.0
Cascade	20	17,558	323	54.4	12	421	835	0	0	0	31	1,157	36.8	16.4
Chouteau	24	40,927	457	89.6	8	43	134	4	39	24	24	614	26.0	21.9
Fergus	12	4,366	79	55.5	8	150	8	0	0	0	16	87	5.5	3.6
Glacier	4	661	47	14.0	0	0	0	0	0	0	4	47	12.0	26.1
Judith Basin	12	10,137	67	151.5	8	256	12	0	0	0	16	79	5.0	7.8
Lewis & Clark	24	79,060	335	236.3	24	858	169	0	0	0	35	504	14.2	10.8
Liberty	8	8,071	252	32.0	8	366	83	0	0	0	16	335	21.3	62.5
Meagher	4	709	0	-0.0	4	8	16	0	0	0	4	16	4.0	14.3
Petroleum	4	197	20	10.0	8	59	47	0	0	0	12	67	5.7	29.8
Teton	4	1,181	8	150.0	12	276	35	0	0	0	16	43	2.8	7.4
Toole	0	0	0	0.0	4	12	4	0	0	0	4	4	1.0	50.0
DISTRICT 5	79	83,870	1,150	73.0	59	787	295	0	0	0	114	1,445	12.7	11.8
Bighorn	20	20,708	398	52.1	8	311	118	0	0	0	24	516	21.8	16.1
Carbon	20	34,518	567	60.9	16	91	47	0	0	0	28	614	22.3	12.5
Golden Valley	8	673	4	171.0	8	8	16	0	0	0	16	20	1.3	2.7
Musselshell	12	20,787	122	170.3	8	43	16	0	0	0	16	138	8.8	26.9
Stillwater	4	276	8	35.0	0	0	0	0	0	0	4	8	2.0	2.0
Sweetgrass	4	2,657	16	168.8	0	0	0	0	0	0	4	16	4.0	8.2
Wheatland	4	472	8	60.0	4	59	47	0	0	0	4	55	14.0	15.6
Yellowstone	12	3,779	28	137.1	20	276	51	0	0	0	28	79	2.9	4.1
DISTRICT 6	39	37,774	905	41.7	16	35	20	0	0	0	51	925	18.1	15.4
Blaine	12	19,322	311	62.1	4	16	8	0	0	0	16	319	20.3	25.0
Hill	12	5,000	260	19.2	0	0	0	0	0	0	12	260	22.0	15.8
Mccone	4	106	8	13.5	0	0	0	0	0	0	4	8	2.0	2.0
Phillips	0	0	0	0.0	8	12	4	0	0	0	8	4	0.5	9.1
Richland	4	8,858	87	102.3	0	0	0	0	0	0	4	87	22.0	71.0
Valley	16	4,488	240	18.7	8	8	8	0	0	0	20	248	12.6	9.8
DISTRICT 7	51	109,802	453	242.5	55	1,563	602	0	0	0	91	1,055	11.7	16.6
Carter	4	61,415	67	917.6	4	709	4	0	0	0	8	71	9.0	5.9
Custer	12	16,535	43	381.8	8	173	24	0	0	0	20	67	3.4	41.5
Dawson	8	9,921	110	90.0	0	0	0	0	0	0	8	110	14.0	15.2
Fallon	4	709	12	60.0	4	4	4	0	0	0	4	16	4.0	100.0
Garfield	4	11,811	98	120.0	4	16	4	0	0	0	8	102	13.0	23.2
Powder River	4	8,267	43	190.9	16	138	94	0	0	0	20	138	7.0	17.3
Rosebud	4	276	39	7.0	4	8	8	0	0	0	8	47	6.0	42.9
Treasure	12	870	39	22.1	16	516	465	0	0	0	16	504	32.0	17.4

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: FOX

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	409	383,637	4,252	90.2	134	3,964	1,496	4	28	16	500	5,764	11.5	8.4
DISTRICT 1	12	2,913	55	52.9	12	244	31	0	0	0	24	87	3.7	1.4
Flathead	12	2,913	55	52.9	12	165	16	0	0	0	24	71	3.0	3.1
Lincoln	0	0	0	0.0	4	79	16	0	0	0	4	16	4.0	0.9
DISTRICT 2	59	102,992	398	259.0	12	12	4	0	0	0	67	402	6.0	5.4
Deer Lodge	4	472	8	60.0	0	0	0	0	0	0	4	8	2.0	1.5
Granite	0	0	0	0.0	4	4	4	0	0	0	4	4	1.0	1.6
Mineral	4	394	8	50.0	0	0	0	0	0	0	4	8	2.0	7.7
Missoula	8	2,185	28	79.3	4	4	0	0	0	0	12	28	2.3	1.8
Powell	20	67,682	114	592.8	0	0	0	0	0	0	20	114	5.8	5.1
Ravalli	24	32,258	240	134.3	4	4	0	0	0	0	24	240	10.2	8.5
DISTRICT 3	98	49,372	512	96.5	47	1,150	370	4	28	16	126	898	7.1	8.2
Beaverhead	20	19,657	118	166.4	12	311	209	0	0	0	24	327	13.8	9.8
Broadwater	0	0	0	0.0	4	4	16	0	0	0	4	16	4.0	7.3
Gallatin	28	6,638	71	93.7	24	583	102	0	0	0	39	173	4.4	6.2
Jefferson	16	5,905	122	48.4	0	0	0	4	28	16	20	138	7.0	17.2
Madison	12	1,827	51	35.7	0	0	0	0	0	0	12	51	4.3	3.0
Park	24	15,346	150	102.6	8	252	43	0	0	0	28	193	7.0	9.6
DISTRICT 4	91	73,690	835	88.3	28	1,744	961	0	0	0	106	1,795	16.9	9.1
Cascade	16	16,062	319	50.4	8	413	791	0	0	0	24	1,110	47.0	15.7
Chouteau	24	27,479	220	124.6	0	0	0	0	0	0	24	220	9.3	7.9
Fergus	8	3,740	35	105.6	0	0	0	0	0	0	8	35	4.5	1.5
Glacier	4	992	16	63.0	0	0	0	0	0	0	4	16	4.0	8.7
Judith Basin	8	8,464	71	119.4	4	236	39	0	0	0	8	110	14.0	10.9
Lewis & Clark	20	9,212	106	86.7	12	717	83	0	0	0	24	189	8.0	4.0
Liberty	4	5,315	20	270.0	8	366	43	0	0	0	12	63	5.3	11.8
Petroleum	4	1,102	8	140.0	0	0	0	0	0	0	4	8	2.0	3.5
Pondera	8	1,205	16	76.5	0	0	0	0	0	0	8	16	2.0	44.4
Teton	4	118	24	5.0	0	0	0	0	0	0	4	24	6.0	4.1
Toole	0	0	0	0.0	4	12	4	0	0	0	4	4	1.0	50.0
DISTRICT 5	71	32,999	882	37.4	16	20	28	0	0	0	87	909	10.5	7.4
Bighorn	16	6,614	244	27.1	0	0	0	0	0	0	16	244	15.5	7.6
Carbon	31	22,223	567	39.2	0	0	0	0	0	0	31	567	18.0	11.6
Golden Valley	0	0	0	0.0	8	8	12	0	0	0	8	12	1.5	1.6
Musselshell	8	717	16	45.5	0	0	0	0	0	0	8	16	2.0	3.1
Stillwater	4	295	24	12.5	4	4	4	0	0	0	8	28	3.5	7.1
Wheatland	4	1,181	24	50.0	0	0	0	0	0	0	4	24	6.0	6.7
Yellowstone	8	1,968	8	250.0	8	8	12	0	0	0	16	20	1.3	1.0
DISTRICT 6	35	29,408	665	44.2	4	8	12	0	0	0	39	677	17.2	11.3
Blaine	12	17,086	248	68.9	4	8	12	0	0	0	16	260	16.5	20.4
Hill	8	6,874	311	22.1	0	0	0	0	0	0	8	311	39.5	18.9
Richland	4	1,063	35	30.0	0	0	0	0	0	0	4	35	9.0	29.0
Valley	16	4,386	71	61.9	0	0	0	0	0	0	16	71	4.5	2.8
DISTRICT 7	51	92,264	905	101.9	24	787	91	0	0	0	67	996	14.9	15.7
Carter	12	63,304	417	151.7	4	709	28	0	0	0	12	445	37.7	37.2
Custer	4	1,260	4	320.0	4	8	8	0	0	0	8	12	1.5	7.3
Dawson	16	3,858	150	25.8	0	0	0	0	0	0	16	150	9.5	20.7
Garfield	4	19,684	217	90.9	0	0	0	0	0	0	4	217	55.0	49.1
Powder River	8	2,858	106	26.9	8	31	39	0	0	0	12	146	12.3	18.3
Rosebud	4	1,181	8	150.0	0	0	0	0	0	0	4	8	2.0	7.1
Treasure	4	118	4	30.0	8	39	16	0	0	0	12	20	1.7	0.7

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: RACCOON

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	488	307,160	7,929	38.7	59	492	752	67	740	535	575	9,216	16.0	13.4
DISTRICT 1	24	3,764	205	18.4	0	0	0	8	59	16	28	220	8.0	3.6
Flathead	12	3,299	146	22.6	0	0	0	8	59	16	16	161	10.2	7.1
Lake	4	354	47	7.5	0	0	0	0	0	0	4	47	12.0	3.7
Lincoln	8	110	12	9.3	0	0	0	0	0	0	8	12	1.5	0.7
DISTRICT 2	39	13,495	181	74.5	0	0	0	8	16	8	47	189	4.0	2.5
Granite	8	1,236	4	314.0	0	0	0	0	0	0	8	4	0.5	1.6
Missoula	16	2,386	24	101.0	0	0	0	0	0	0	16	24	1.5	1.6
Ravalli	20	9,874	154	64.3	0	0	0	8	16	8	28	161	5.9	5.7
DISTRICT 3	98	35,770	779	45.9	8	75	94	12	276	138	114	1,012	8.9	9.3
Beaverhead	16	7,964	150	53.2	8	75	94	0	0	0	20	244	12.4	7.3
Broadwater	0	0	0	0.0	0	0	0	8	126	63	8	63	8.0	29.1
Gallatin	43	9,063	303	29.9	0	0	0	4	31	28	47	331	7.0	11.8
Jefferson	8	866	31	27.5	0	0	0	0	0	0	8	31	4.0	3.9
Madison	8	457	31	14.5	0	0	0	0	0	0	8	31	4.0	1.8
Park	28	17,421	264	66.0	0	0	0	4	118	47	31	311	9.9	15.5
DISTRICT 4	130	112,271	1,496	75.0	16	224	173	20	287	138	150	1,807	12.1	9.2
Cascade	24	6,295	366	17.2	0	0	0	12	63	12	35	378	10.7	5.4
Chouteau	12	4,488	201	22.4	0	0	0	4	39	59	16	260	16.5	9.3
Fergus	20	11,917	386	30.9	4	8	55	0	0	0	20	441	22.4	18.2
Judith Basin	16	7,480	142	52.8	12	217	118	8	94	47	24	307	13.0	30.2
Lewis & Clark	28	72,737	264	275.8	0	0	0	4	31	8	31	272	8.6	5.8
Liberty	4	5,315	20	270.0	0	0	0	4	8	8	8	28	3.5	5.1
Meagher	4	472	16	30.0	0	0	0	0	0	0	4	16	4.0	14.3
Petroleum	8	1,811	51	35.4	0	0	0	0	0	0	8	51	6.5	22.8
Pondera	4	47	4	12.0	0	0	0	4	12	0	8	4	0.5	11.1
Teton	12	1,709	47	36.2	0	0	0	4	39	4	16	51	3.3	8.8
DISTRICT 5	110	66,135	3,157	20.9	12	35	154	24	102	236	138	3,547	25.7	29.1
Bighorn	24	12,440	870	14.3	0	0	0	0	0	0	24	870	36.8	27.2
Carbon	35	44,490	1,346	33.0	0	0	0	0	0	0	35	1,346	38.0	27.5
Golden Valley	4	787	79	10.0	4	8	8	0	0	0	8	87	11.0	11.7
Musselshell	4	394	24	16.7	0	0	0	8	67	142	12	165	14.0	32.3
Stillwater	12	1,024	220	4.6	0	0	0	0	0	0	12	220	18.7	56.6
Sweetgrass	4	295	31	9.4	0	0	0	0	0	0	4	31	8.0	16.3
Wheatland	4	591	47	12.5	0	0	0	0	0	0	4	47	12.0	13.3
Yellowstone	31	6,114	539	11.3	12	28	146	16	35	94	51	779	15.2	40.6
DISTRICT 6	43	11,759	949	12.4	8	87	28	0	0	0	51	976	19.1	16.3
Blaine	8	1,429	106	13.4	4	8	4	0	0	0	12	110	9.3	8.6
Hill	16	4,118	240	17.1	0	0	0	0	0	0	16	240	15.2	14.6
Mccone	4	276	102	2.7	0	0	0	0	0	0	4	102	26.0	25.7
Phillips	0	0	0	0.0	4	79	24	0	0	0	4	24	6.0	54.5
Valley	20	5,937	500	11.9	0	0	0	0	0	0	20	500	25.4	19.8
DISTRICT 7	51	63,966	1,161	55.1	16	71	303	0	0	0	59	1,465	24.8	23.1
Carter	8	47,242	244	193.5	0	0	0	0	0	0	8	244	31.0	20.4
Custer	4	47	16	3.0	0	0	0	0	0	0	4	16	4.0	9.8
Dawson	8	3,583	193	18.6	0	0	0	0	0	0	8	193	24.5	26.6
Garfield	4	16	39	0.4	0	0	0	0	0	0	4	39	10.0	8.9
Powder River	8	2,858	39	72.6	8	31	43	0	0	0	12	83	7.0	10.4
Prairie	4	394	8	50.0	0	0	0	0	0	0	4	8	2.0	50.0
Rosebud	4	1,181	47	25.0	0	0	0	0	0	0	4	47	12.0	42.9
Treasure	12	8,645	575	15.0	8	39	260	0	0	0	16	835	53.0	28.9

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Summary of Trapping, Hunting, and Houndsman Activities, by Species and Location

Species: BADGER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	138	197,047	929	212.1	31	1,216	890	0	0	0	154	1,819	11.8	2.6
DISTRICT 1	4	31	4	8.0	0	0	0	0	0	0	4	4	1.0	0.1
Flathead	4	31	4	8.0	0	0	0	0	0	0	4	4	1.0	0.2
DISTRICT 2	4	165	0	-0.0	4	4	4	0	0	0	8	4	0.5	0.1
Deer Lodge	0	0	0	0.0	4	4	4	0	0	0	4	4	1.0	0.7
Ravalli	4	165	0	-0.0	0	0	0	0	0	0	4	0	0.0	0.0
DISTRICT 3	31	3,614	102	35.3	4	8	0	0	0	0	31	102	3.2	0.9
Beaverhead	8	1,972	12	167.0	0	0	0	0	0	0	8	12	1.5	0.4
Gallatin	4	4	4	1.0	0	0	0	0	0	0	4	4	1.0	0.1
Madison	8	220	16	14.0	4	8	0	0	0	0	8	16	2.0	0.9
Park	12	1,417	71	20.0	0	0	0	0	0	0	12	71	6.0	3.5
DISTRICT 4	47	103,244	394	262.3	8	1,181	866	0	0	0	47	1,260	26.7	6.4
Cascade	12	1,673	35	47.2	4	354	783	0	0	0	16	819	52.0	11.6
Chouteau	16	23,779	51	464.6	0	0	0	0	0	0	16	51	3.3	1.8
Fergus	4	197	8	25.0	0	0	0	0	0	0	4	8	2.0	0.3
Judith Basin	4	1,181	8	150.0	4	118	8	0	0	0	4	16	4.0	1.6
Lewis & Clark	8	71,099	283	250.8	4	709	75	0	0	0	8	358	45.5	7.7
Liberty	4	5,315	8	675.0	0	0	0	0	0	0	4	8	2.0	1.5
DISTRICT 5	16	16,507	20	838.6	4	4	4	0	0	0	20	24	1.2	0.2
Bighorn	4	31	8	4.0	0	0	0	0	0	0	4	8	2.0	0.2
Carbon	4	20	4	5.0	0	0	0	0	0	0	4	4	1.0	0.1
Musselshell	4	15,747	4	4000.0	0	0	0	0	0	0	4	4	1.0	0.8
Yellowstone	4	709	4	180.0	4	4	4	0	0	0	8	8	1.0	0.4
DISTRICT 6	16	17,684	154	115.2	4	8	4	0	0	0	20	157	8.0	2.6
Blaine	8	16,582	138	120.3	4	8	4	0	0	0	12	142	12.0	11.1
Hill	8	1,102	16	70.0	0	0	0	0	0	0	8	16	2.0	1.0
DISTRICT 7	20	55,801	256	218.1	8	12	12	0	0	0	24	268	11.3	4.2
Carter	8	47,242	91	521.7	0	0	0	0	0	0	8	91	11.5	7.6
Custer	0	0	0	0.0	4	8	8	0	0	0	4	8	2.0	4.9
Powder River	4	8,267	16	525.0	0	0	0	0	0	0	4	16	4.0	2.0
Rosebud	4	248	4	63.0	0	0	0	0	0	0	4	4	1.0	3.6
Treasure	4	43	146	0.3	4	4	4	0	0	0	4	150	38.0	5.2

Species: OTHER

	TRAPPING ACTIVITY				HUNTING ACTIVITY			HOUNDSMAN ACTIVITY			ALL ACTIVITIES			
Location	Active Trapper	Trap Days	Total Catch	T Days /Catch	Active Hunter	Hunter Days	Total Harvest	Active Hounds	Hunter Days	Total Harvest	Active In Fur	Total Harvest	Mean Harvest	Species % Comp.
STATEWIDE	0	0	0	0.0	4	4	24	0	0	0	4	24	6.0	0.0
DISTRICT 7	0	0	0	0.0	4	4	24	0	0	0	4	24	6.0	0.4
Powder River	0	0	0	0.0	4	4	24	0	0	0	4	24	6.0	3.0

Detail of All Furbearer Activities Combined

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: ALL

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	1,508	136,053	90.2	1,382	91.6	68,639	45.5	22	22	16	10	8	7	4	11	100.0
DISTRICT 1	236	10,783	45.7	224	95.0	6,055	25.6	29	22	22	6	6	5	1	9	100.0
Flathead	118	5,279	44.7	110	93.3	2,283	19.3	29	24	19	10	6	3	3	6	100.0
Lake	16	630	40.0	16	100.0	1,268	80.5	50	0	8	0	8	8	0	25	100.0
Lincoln	102	3,890	38.0	94	92.3	1,764	17.2	24	20	30	4	4	7	0	11	100.0
Sanders	31	984	31.3	31	100.0	740	23.5	29	35	18	0	6	6	0	6	100.0
DISTRICT 2	228	18,554	81.3	209	91.4	7,476	32.7	24	25	17	10	5	4	6	10	100.0
Deer Lodge	24	1,527	64.7	24	100.0	535	22.7	10	20	30	20	0	0	0	20	100.0
Granite	28	1,492	54.1	28	100.0	248	9.0	36	36	21	0	0	0	0	7	100.0
Mineral	28	236	8.6	20	71.4	102	3.7	29	29	29	14	0	0	0	0	100.0
Missoula	75	3,689	49.3	59	78.9	1,524	20.4	28	23	21	5	9	2	2	9	100.0
Powell	47	5,512	116.7	47	100.0	2,248	47.6	9	28	12	12	6	3	12	16	100.0
Ravalli	67	6,098	91.1	63	94.1	2,819	42.1	29	21	10	12	4	8	8	6	100.0
DISTRICT 3	346	30,782	88.9	307	88.6	10,897	31.5	24	23	15	11	10	7	4	6	100.0
Beaverhead	63	6,366	101.1	59	93.8	3,331	52.9	9	22	17	15	11	7	11	9	100.0
Broadwater	31	480	15.2	31	100.0	217	6.9	20	33	33	13	0	0	0	0	100.0
Gallatin	98	10,059	102.2	91	92.0	2,811	28.6	29	20	13	9	9	11	1	8	100.0
Jefferson	43	4,291	99.1	39	90.9	803	18.5	31	28	16	9	6	3	3	3	100.0
Madison	67	2,508	37.5	51	76.5	1,705	25.5	16	16	16	16	12	6	6	12	100.0
Park	75	6,949	92.9	55	73.7	2,008	26.8	25	27	11	9	14	8	3	3	100.0
Silver Bow	16	130	8.2	16	100.0	24	1.5	80	20	0	0	0	0	0	0	100.0
DISTRICT 4	323	36,396	112.7	299	92.7	19,645	60.9	20	21	16	10	10	8	3	14	100.0
Cascade	75	5,693	76.1	63	84.2	7,051	94.3	12	24	10	8	5	8	5	27	100.0
Chouteau	43	4,602	106.3	43	100.0	2,803	64.7	14	14	21	7	12	12	7	12	100.0
Fergus	43	2,988	69.0	39	90.9	2,429	56.1	27	16	0	19	16	0	0	22	100.0
Glacier	4	150	38.0	4	100.0	181	46.0	0	0	33	0	33	0	0	33	100.0
Judith Basin	47	4,866	103.0	43	91.7	1,016	21.5	17	25	19	17	14	6	0	3	100.0
Lewis & Clark	91	10,795	119.2	79	87.0	4,669	51.6	20	23	16	6	5	16	2	13	100.0
Liberty	16	1,705	108.3	16	100.0	535	34.0	17	17	33	8	0	8	8	8	100.0
Meagher	16	858	54.5	16	100.0	110	7.0	29	0	57	14	0	0	0	0	100.0
Petroleum	12	465	39.3	12	100.0	224	19.0	10	30	30	10	20	0	0	0	100.0
Pondera	12	1,083	91.7	8	66.7	35	3.0	67	33	0	0	0	0	0	0	100.0
Teton	35	3,169	89.4	31	88.9	583	16.4	27	23	14	14	18	0	0	5	100.0
Toole	4	24	6.0	4	100.0	8	2.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 5	268	18,676	69.8	228	85.3	12,208	45.6	17	24	12	11	7	10	5	12	100.0
Bighorn	31	4,634	147.1	31	100.0	3,201	101.6	11	11	11	16	13	11	11	18	100.0
Carbon	67	6,913	103.3	63	94.1	4,897	73.2	10	25	8	10	7	13	7	20	100.0
Golden Valley	24	602	25.5	24	100.0	740	31.3	23	38	8	0	0	8	15	8	100.0
Musselshell	43	1,811	41.8	39	90.9	512	11.8	17	22	33	6	6	11	0	6	100.0
Stillwater	47	476	10.1	28	58.3	390	8.2	15	38	15	15	8	0	0	8	100.0
Sweetgrass	16	441	28.0	12	75.0	193	12.2	0	0	40	20	20	20	0	0	100.0
Wheatland	12	646	54.7	12	100.0	354	30.0	14	14	14	0	29	14	0	14	100.0
Yellowstone	91	3,153	34.8	75	82.6	1,921	21.2	33	31	8	12	2	8	2	4	100.0
DISTRICT 6	98	7,023	71.4	91	92.0	6,008	61.0	20	18	18	6	3	7	6	22	100.0
Blaine	24	1,697	71.8	24	100.0	1,276	54.0	22	17	17	4	0	13	4	22	100.0
Hill	28	3,177	115.3	24	85.7	1,646	59.7	18	18	18	5	5	5	0	32	100.0
Mccone	4	362	92.0	4	100.0	398	101.0	0	40	0	0	0	0	40	20	100.0
Phillips	16	150	9.5	12	75.0	43	2.8	33	0	67	0	0	0	0	0	100.0
Richland	4	354	90.0	4	100.0	122	31.0	0	0	0	50	0	0	50	0	100.0
Valley	43	1,283	29.6	43	100.0	2,524	58.3	22	19	19	6	6	6	3	19	100.0
DISTRICT 7	157	13,838	87.9	154	97.5	6,350	40.3	23	13	17	16	7	11	2	12	100.0
Carter	12	4,665	395.0	12	100.0	1,197	101.3	7	7	21	14	0	21	0	29	100.0
Custer	31	1,429	45.4	31	100.0	161	5.1	60	13	13	13	0	0	0	0	100.0
Dawson	16	1,189	75.5	16	100.0	724	46.0	15	0	8	15	38	8	0	15	100.0
Fallon	4	122	31.0	4	100.0	16	4.0	50	50	0	0	0	0	0	0	100.0
Garfield	20	1,417	72.0	16	80.0	441	22.4	14	0	14	43	0	0	14	14	100.0
Powder River	43	2,020	46.6	43	100.0	795	18.4	11	11	37	22	4	11	4	0	100.0
Prairie	4	709	180.0	4	100.0	16	4.0	67	33	0	0	0	0	0	0	100.0
Rosebud	12	201	17.0	12	100.0	110	9.3	33	33	0	17	17	0	0	0	100.0
Treasure	20	2,087	106.0	20	100.0	2,890	146.8	19	19	7	7	4	19	0	26	100.0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: BEAVER

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	764	16,224	21.2	748	97.9	16,550	21.7	11	17	17	10	7	14	7	17	24.1
DISTRICT 1	75	1,216	16.3	75	100.0	626	8.4	14	29	19	14	5	14	0	5	10.3
Flathead	31	260	8.3	31	100.0	173	5.5	25	38	0	25	0	13	0	0	7.6
Lake	4	39	10.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	1.2
Lincoln	28	650	23.6	28	100.0	307	11.1	14	14	14	14	14	14	0	14	17.4
Sanders	20	268	13.6	20	100.0	130	6.6	0	40	40	0	0	20	0	0	17.6
DISTRICT 2	98	2,083	21.2	98	100.0	1,118	11.4	0	33	26	7	7	4	15	7	15.0
Deer Lodge	12	343	29.0	12	100.0	177	15.0	0	0	33	33	0	0	0	33	33.1
Granite	4	28	7.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	4.8
Mineral	4	16	4.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	11.5
Missoula	43	642	14.8	43	100.0	417	9.6	0	27	36	9	9	0	9	9	27.4
Powell	28	921	33.4	28	100.0	374	13.6	0	14	29	0	14	14	29	0	16.6
Ravalli	16	134	8.5	16	100.0	126	8.0	0	75	0	0	0	0	25	0	4.5
DISTRICT 3	189	4,327	22.9	177	93.8	2,961	15.7	15	10	19	10	8	19	8	10	27.2
Beaverhead	24	799	33.8	24	100.0	807	34.2	0	0	33	0	0	17	33	17	24.2
Broadwater	12	114	9.7	12	100.0	63	5.3	0	0	100	0	0	0	0	0	29.1
Gallatin	59	1,323	22.4	51	86.7	673	11.4	15	15	8	8	0	46	0	8	23.9
Jefferson	20	394	20.0	20	100.0	126	6.4	20	20	20	20	0	20	0	0	15.7
Madison	35	815	23.0	35	100.0	720	20.3	0	11	22	11	11	11	11	22	42.3
Park	39	839	21.3	35	90.0	555	14.1	22	0	0	22	33	0	11	11	27.6
Silver Bow	12	43	3.7	12	100.0	16	1.3	67	33	0	0	0	0	0	0	66.7
DISTRICT 4	193	3,890	20.2	193	100.0	5,681	29.4	9	11	11	15	9	8	4	32	28.9
Cascade	47	728	15.4	47	100.0	1,512	32.0	8	8	17	0	0	17	8	42	21.4
Chouteau	20	409	20.8	20	100.0	1,240	63.0	0	0	20	0	0	20	0	60	44.2
Fergus	35	677	19.1	35	100.0	925	26.1	22	0	0	33	0	0	0	44	38.1
Judith Basin	16	343	21.7	16	100.0	244	15.5	0	0	0	50	25	0	0	25	24.0
Lewis & Clark	55	1,138	20.6	55	100.0	1,327	24.1	7	29	14	7	14	7	0	21	28.4
Liberty	4	59	15.0	4	100.0	87	22.0	0	0	0	0	0	0	100	0	16.2
Meagher	8	150	19.0	8	100.0	51	6.5	0	0	50	50	0	0	0	0	46.4
Petroleum	4	12	3.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	3.5
Pondera	4	8	2.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	11.1
Teton	16	366	23.3	16	100.0	283	18.0	0	0	0	25	50	0	0	25	48.6
DISTRICT 5	142	3,079	21.7	142	100.0	3,453	24.4	10	14	14	10	7	24	7	14	28.3
Bighorn	24	551	23.3	24	100.0	905	38.3	0	0	33	0	0	33	0	33	28.3
Carbon	51	1,114	21.8	51	100.0	953	18.6	8	15	0	23	8	23	8	15	19.5
Golden Valley	8	236	30.0	8	100.0	193	24.5	0	0	0	0	0	0	100	0	26.1
Musselshell	12	59	5.0	12	100.0	87	7.3	33	0	33	0	0	33	0	0	16.9
Stillwater	16	83	5.3	16	100.0	83	5.3	0	50	25	0	25	0	0	0	21.2
Sweetgrass	12	165	14.0	12	100.0	146	12.3	0	0	33	0	33	33	0	0	75.5
Wheatland	12	232	19.7	12	100.0	228	19.3	33	0	0	0	0	33	0	33	64.4
Yellowstone	31	638	20.3	31	100.0	858	27.2	13	25	13	13	0	25	0	13	44.7
DISTRICT 6	51	803	15.7	51	100.0	1,590	31.1	12	24	24	0	0	12	12	18	26.5
Blaine	8	83	10.5	8	100.0	87	11.0	0	50	0	0	0	50	0	0	6.8
Hill	20	311	15.8	20	100.0	354	18.0	20	20	20	0	0	0	0	40	21.5
Mccone	4	118	30.0	4	100.0	114	29.0	0	0	0	0	0	0	100	0	28.7
Phillips	4	20	5.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	36.4
Valley	31	272	8.6	31	100.0	1,020	32.4	13	25	25	0	0	13	13	13	40.4
DISTRICT 7	39	827	21.0	35	90.0	1,122	28.5	33	0	11	0	11	22	0	22	17.7
Custer	4	16	4.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	2.4
Dawson	4	47	12.0	4	100.0	59	15.0	0	0	0	0	100	0	0	0	8.2
Garfield	4	55	14.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	3.6
Powder River	4	39	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Prairie	4	236	60.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	25.0
Treasure	20	433	22.0	20	100.0	1,039	52.8	20	0	0	0	0	40	0	40	36.0

Statistical Estimates

Detail of All Furbearer Activities Combined

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: OTTER

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	102	1,831	17.9	87	84.6	87	0.8	100	0	0	0	0	0	0	0	0.1
DISTRICT 1	28	248	9.0	24	85.7	24	0.9	100	0	0	0	0	0	0	0	0.4
Flathead	12	98	8.3	8	66.7	8	0.7	100	0	0	0	0	0	0	0	0.3
Lincoln	8	24	3.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	0.4
Sanders	8	126	16.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	1.1
DISTRICT 2	16	126	8.0	12	75.0	12	0.8	100	0	0	0	0	0	0	0	0.2
Missoula	12	87	7.3	8	66.7	8	0.7	100	0	0	0	0	0	0	0	0.5
Ravalli	4	39	10.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
DISTRICT 3	31	831	26.4	24	75.0	24	0.8	100	0	0	0	0	0	0	0	0.2
Beaverhead	4	39	10.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
Gallatin	12	256	21.7	12	100.0	12	1.0	100	0	0	0	0	0	0	0	0.4
Jefferson	4	79	20.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.5
Madison	8	142	18.0	4	50.0	4	0.5	100	0	0	0	0	0	0	0	0.2
Park	4	315	80.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	28	626	22.7	28	100.0	28	1.0	100	0	0	0	0	0	0	0	0.1
Cascade	4	79	20.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
Chouteau	8	165	21.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	0.3
Fergus	4	20	5.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.2
Lewis & Clark	12	362	30.7	12	100.0	12	1.0	100	0	0	0	0	0	0	0	0.3

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: MUSKRAT

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	496	11,429	23.0	488	98.4	16,121	32.5	5	13	13	8	16	12	2	31	23.5
DISTRICT 1	79	1,279	16.3	79	100.0	2,980	37.9	5	27	14	5	9	5	5	32	49.2
Flathead	20	394	20.0	20	100.0	646	32.8	0	20	0	0	20	0	20	40	28.3
Lake	8	138	17.5	8	100.0	984	125.0	0	0	0	0	0	0	0	100	77.6
Lincoln	35	465	13.1	35	100.0	776	21.9	0	33	22	11	0	11	0	22	44.0
Sanders	24	283	12.0	24	100.0	575	24.3	17	33	17	0	17	0	0	17	77.7
DISTRICT 2	94	3,460	36.6	91	95.8	3,992	42.3	0	4	27	4	12	12	4	38	53.4
Deer Lodge	8	472	60.0	8	100.0	291	37.0	0	0	0	50	0	0	0	50	54.4
Granite	8	236	30.0	8	100.0	138	17.5	0	0	50	0	0	0	0	50	55.6
Mineral	4	12	3.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	23.1
Missoula	39	898	22.8	39	100.0	913	23.2	0	10	20	0	30	10	0	30	59.9
Powell	16	634	40.2	12	75.0	842	53.5	0	0	0	0	0	0	33	67	37.5
Ravalli	31	1,209	38.4	31	100.0	1,783	56.6	0	0	38	0	0	25	0	38	63.3
DISTRICT 3	110	3,004	27.2	106	96.4	2,732	24.8	7	7	14	14	14	18	0	25	25.1
Beaverhead	12	480	40.7	12	100.0	807	68.3	0	33	33	0	0	0	0	33	24.2
Gallatin	55	1,626	29.5	51	92.9	661	12.0	15	8	15	23	8	15	0	15	23.5
Jefferson	8	201	25.5	8	100.0	287	36.5	0	0	0	0	50	0	0	50	35.8
Madison	20	358	18.2	20	100.0	543	27.6	0	0	20	20	0	20	0	40	31.9
Park	20	339	17.2	20	100.0	433	22.0	0	0	0	0	40	40	0	20	21.6
DISTRICT 4	110	2,020	18.3	110	100.0	3,712	33.7	0	4	4	11	29	14	4	36	18.9
Cascade	31	311	9.9	31	100.0	1,173	37.3	0	13	0	13	13	0	13	50	16.6
Chouteau	12	173	14.7	12	100.0	283	24.0	0	0	0	0	33	33	0	33	10.1
Fergus	24	531	22.5	24	100.0	890	37.7	0	0	0	17	33	0	0	50	36.6
Glacier	4	12	3.0	4	100.0	118	30.0	0	0	0	0	0	0	0	100	65.2
Judith Basin	12	315	26.7	12	100.0	161	13.7	0	0	33	0	33	33	0	0	15.9
Lewis & Clark	12	516	43.7	12	100.0	913	77.3	0	0	0	0	0	67	0	33	19.6
Petroleum	4	28	7.0	4	100.0	47	12.0	0	0	0	0	100	0	0	0	21.1
Teton	12	134	11.3	12	100.0	126	10.7	0	0	0	33	67	0	0	0	21.6
DISTRICT 5	63	1,035	16.4	63	100.0	1,799	28.6	6	31	0	13	13	13	0	25	14.7
Bighorn	16	260	16.5	16	100.0	339	21.5	25	0	0	25	0	25	0	25	10.6
Carbon	31	646	20.5	31	100.0	961	30.5	0	50	0	0	13	13	0	25	19.6
Golden Valley	4	59	15.0	4	100.0	394	100.0	0	0	0	0	0	0	0	100	53.2
Stillwater	4	39	10.0	4	100.0	35	9.0	0	0	0	100	0	0	0	0	9.1
Yellowstone	8	31	4.0	8	100.0	71	9.0	0	50	0	0	50	0	0	0	3.7
DISTRICT 6	28	339	12.3	28	100.0	772	28.0	13	13	25	0	13	0	0	38	12.8
Blaine	8	47	6.0	8	100.0	177	22.5	0	0	50	0	0	0	0	50	13.9
Hill	8	126	16.0	8	100.0	28	3.5	0	50	50	0	0	0	0	0	1.7
Mccone	4	118	30.0	4	100.0	165	42.0	0	0	0	0	0	0	0	100	41.6
Valley	12	47	4.0	12	100.0	402	34.0	33	0	0	0	33	0	0	33	15.9
DISTRICT 7	16	291	18.5	16	100.0	134	8.5	25	25	0	0	25	25	0	0	2.1
Dawson	4	118	30.0	4	100.0	59	15.0	0	0	0	0	100	0	0	0	8.2
Powder River	4	8	2.0	4	100.0	63	16.0	0	0	0	0	0	100	0	0	7.9
Prairie	4	157	40.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	25.0
Treasure	4	8	2.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	0.3

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: MINK

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	343	7,425	21.7	311	90.8	1,638	4.8	37	32	15	9	4	1	0	4	2.4
DISTRICT 1	59	803	13.6	59	100.0	252	4.3	40	33	13	7	0	0	0	7	4.2
Flathead	28	413	15.0	28	100.0	83	3.0	14	57	14	14	0	0	0	0	3.6
Lake	12	146	12.3	12	100.0	126	10.7	67	0	0	0	0	0	0	33	9.9
Lincoln	12	106	9.0	12	100.0	31	2.7	67	0	33	0	0	0	0	0	1.8
Sanders	8	138	17.5	8	100.0	12	1.5	50	50	0	0	0	0	0	0	1.6
DISTRICT 2	51	1,563	30.5	39	76.9	134	2.6	45	18	18	18	0	0	0	0	1.8
Deer Lodge	4	118	30.0	4	100.0	20	5.0	0	0	100	0	0	0	0	0	3.7
Granite	8	236	30.0	4	50.0	20	2.5	0	0	100	0	0	0	0	0	7.9
Missoula	20	307	15.6	16	80.0	20	1.0	75	25	0	0	0	0	0	0	1.3
Powell	8	362	46.0	4	50.0	12	1.5	0	100	0	0	0	0	0	0	0.5
Ravalli	20	539	27.4	16	80.0	63	3.2	50	0	0	50	0	0	0	0	2.2
DISTRICT 3	71	1,673	23.6	71	100.0	339	4.8	20	45	15	10	10	0	0	0	3.1
Beaverhead	12	413	35.0	12	100.0	43	3.7	0	67	33	0	0	0	0	0	1.3
Broadwater	4	55	14.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	3.6
Gallatin	28	591	21.4	28	100.0	142	5.1	14	43	14	14	14	0	0	0	5.0
Jefferson	8	157	20.0	8	100.0	24	3.0	0	50	50	0	0	0	0	0	2.9
Madison	4	28	7.0	4	100.0	51	13.0	0	0	0	0	100	0	0	0	3.0
Park	24	429	18.2	24	100.0	71	3.0	50	33	0	17	0	0	0	0	3.5
DISTRICT 4	87	1,925	22.2	83	95.5	488	5.6	48	33	10	5	0	0	0	5	2.5
Cascade	16	236	15.0	16	100.0	24	1.5	50	50	0	0	0	0	0	0	0.3
Chouteau	8	165	21.0	8	100.0	24	3.0	50	0	50	0	0	0	0	0	0.8
Fergus	24	441	18.7	24	100.0	35	1.5	67	33	0	0	0	0	0	0	1.5
Judith Basin	12	315	26.7	12	100.0	28	2.3	67	0	33	0	0	0	0	0	2.7
Lewis & Clark	12	594	50.3	12	100.0	350	29.7	0	33	0	33	0	0	0	33	7.5
Meagher	4	83	21.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Pondera	4	16	4.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	11.1
Teton	8	75	9.5	8	100.0	24	3.0	0	100	0	0	0	0	0	0	4.1
DISTRICT 5	31	618	19.6	24	75.0	126	4.0	33	33	0	17	0	17	0	0	1.0
Bighorn	12	283	24.0	8	66.7	83	7.0	0	50	0	0	0	50	0	0	2.6
Carbon	8	157	20.0	4	50.0	8	1.0	0	100	0	0	0	0	0	0	0.2
Yellowstone	12	177	15.0	12	100.0	35	3.0	67	0	0	33	0	0	0	0	1.8
DISTRICT 6	24	390	16.5	24	100.0	280	11.8	17	0	50	0	17	0	0	17	4.7
Blaine	4	55	14.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	1.9
Hill	8	228	29.0	8	100.0	213	27.0	0	0	0	0	50	0	0	50	12.9
Valley	12	106	9.0	12	100.0	43	3.7	33	0	67	0	0	0	0	0	1.7
DISTRICT 7	20	453	23.0	12	60.0	20	1.0	67	33	0	0	0	0	0	0	0.3
Dawson	4	39	10.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.5
Powder River	4	28	7.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Prairie	4	236	60.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Treasure	8	150	19.0	8	100.0	16	2.0	50	50	0	0	0	0	0	0	0.5

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: MARTEN

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	130	4,342	33.4	110	84.8	1,563	12.0	13	32	13	10	13	0	6	13	2.3
DISTRICT 1	59	2,043	34.6	47	80.0	1,150	19.5	8	15	15	15	8	0	8	31	19.0
Flathead	35	1,272	35.9	35	100.0	858	24.2	11	11	11	22	11	0	11	22	37.6
Lake	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	24	768	32.5	16	66.7	291	12.3	0	25	25	0	0	0	0	50	16.5
DISTRICT 2	28	760	27.6	28	100.0	157	5.7	22	44	22	0	11	0	0	0	2.1
Deer Lodge	4	118	30.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	2.2
Granite	4	118	30.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	9.5
Missoula	8	114	14.5	8	100.0	28	3.5	50	0	50	0	0	0	0	0	1.8
Powell	4	118	30.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	0.5
Ravalli	16	291	18.5	16	100.0	83	5.3	25	50	0	0	25	0	0	0	2.9
DISTRICT 3	31	1,295	41.1	24	75.0	236	7.5	0	33	0	17	33	0	17	0	2.2
Beaverhead	8	319	40.5	8	100.0	122	15.5	0	0	0	50	0	0	50	0	3.7
Gallatin	16	630	40.0	12	75.0	102	6.5	0	33	0	0	67	0	0	0	3.6
Jefferson	4	295	75.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	1.5
Park	4	51	13.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	4	8	2.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.0
Cascade	4	8	2.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
DISTRICT 5	8	236	30.0	8	100.0	16	2.0	0	100	0	0	0	0	0	0	0.1
Carbon	8	236	30.0	8	100.0	16	2.0	0	100	0	0	0	0	0	0	0.3

Species: FISHER

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	12	453	38.3	8	66.7	8	0.7	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	4	59	15.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	4	59	15.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 2	8	394	50.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	0.1
Ravalli	8	394	50.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	0.3

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: WOLVERINE

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	55	1,433	26.0	12	21.4	12	0.2	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	24	382	16.2	4	16.7	4	0.2	100	0	0	0	0	0	0	0	0.1
Flathead	20	378	19.2	4	20.0	4	0.2	100	0	0	0	0	0	0	0	0.2
Lincoln	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	16	551	35.0	8	50.0	8	0.5	100	0	0	0	0	0	0	0	0.1
Gallatin	8	118	15.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	0.3
Jefferson	4	295	75.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Park	4	138	35.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	12	382	32.3	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lewis & Clark	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Teton	8	378	48.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 5	4	118	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Musselshell	4	118	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Species: LYNX

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	20	236	12.0	4	20.0	8	0.4	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	8	31	4.0	4	50.0	8	1.0	100	0	0	0	0	0	0	0	0.1
Flathead	4	24	6.0	4	100.0	8	2.0	100	0	0	0	0	0	0	0	0.3
Lincoln	4	8	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Beaverhead	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	4	83	21.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Teton	4	83	21.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 5	4	118	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Musselshell	4	118	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: BOBCAT

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	630	17,275	27.4	449	71.3	2,000	3.2	50	31	12	5	0	1	0	1	2.9
DISTRICT 1	98	1,984	20.2	71	72.0	154	1.6	63	21	16	0	0	0	0	0	2.5
Flathead	39	689	17.5	31	80.0	39	1.0	88	13	0	0	0	0	0	0	1.7
Lake	4	16	4.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	55	1,110	20.1	35	64.3	98	1.8	44	22	33	0	0	0	0	0	5.6
Sanders	8	169	21.5	8	100.0	16	2.0	50	50	0	0	0	0	0	0	2.1
DISTRICT 2	75	1,150	15.4	43	57.9	83	1.1	50	42	8	0	0	0	0	0	1.1
Granite	8	63	8.0	8	100.0	12	1.5	50	50	0	0	0	0	0	0	4.8
Mineral	20	130	6.6	12	60.0	28	1.4	67	0	33	0	0	0	0	0	26.9
Missoula	24	382	16.2	4	16.7	4	0.2	100	0	0	0	0	0	0	0	0.3
Powell	16	398	25.3	12	75.0	20	1.3	33	67	0	0	0	0	0	0	0.9
Ravalli	20	177	9.0	12	60.0	20	1.0	33	67	0	0	0	0	0	0	0.7
DISTRICT 3	122	3,709	30.4	98	80.6	201	1.6	56	37	4	4	0	0	0	0	1.8
Beaverhead	20	500	25.4	16	80.0	39	2.0	50	25	25	0	0	0	0	0	1.2
Broadwater	12	83	7.0	12	100.0	20	1.7	33	67	0	0	0	0	0	0	9.1
Gallatin	12	661	56.0	8	66.7	12	1.0	50	50	0	0	0	0	0	0	0.4
Jefferson	24	846	35.8	20	83.3	31	1.3	60	40	0	0	0	0	0	0	3.9
Madison	24	413	17.5	12	50.0	39	1.7	33	33	0	33	0	0	0	0	2.3
Park	39	1,122	28.5	31	80.0	55	1.4	67	33	0	0	0	0	0	0	2.7
Silver Bow	4	83	21.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	16.7
DISTRICT 4	134	5,071	37.9	98	73.5	1,039	7.8	43	36	11	7	0	0	0	4	5.3
Cascade	28	724	26.3	16	57.1	823	29.9	0	50	25	0	0	0	0	25	11.7
Chouteau	20	531	27.0	16	80.0	35	1.8	50	25	25	0	0	0	0	0	1.3
Fergus	8	354	45.0	4	50.0	4	0.5	100	0	0	0	0	0	0	0	0.2
Judith Basin	31	689	21.9	24	75.0	43	1.4	43	57	0	0	0	0	0	0	4.3
Lewis & Clark	39	1,063	27.0	24	60.0	59	1.5	50	33	0	17	0	0	0	0	1.3
Liberty	4	118	30.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Meagher	12	323	27.3	12	100.0	28	2.3	67	0	33	0	0	0	0	0	25.0
Petroleum	8	43	5.5	4	50.0	31	4.0	0	0	0	100	0	0	0	0	14.0
Pondera	8	433	55.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Teton	8	791	100.5	8	100.0	16	2.0	50	50	0	0	0	0	0	0	2.7
DISTRICT 5	122	2,157	17.7	75	61.3	177	1.5	43	43	10	5	0	0	0	0	1.5
Bighorn	8	98	12.5	8	100.0	16	2.0	50	50	0	0	0	0	0	0	0.5
Carbon	43	961	22.2	24	54.5	47	1.1	50	33	17	0	0	0	0	0	1.0
Golden Valley	4	79	20.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	1.6
Musselshell	12	409	34.7	12	100.0	51	4.3	0	33	33	33	0	0	0	0	10.0
Stillwater	28	102	3.7	4	14.3	4	0.1	100	0	0	0	0	0	0	0	1.0
Sweetgrass	4	39	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Yellowstone	35	468	13.2	28	77.8	47	1.3	50	50	0	0	0	0	0	0	2.5
DISTRICT 6	16	823	52.3	12	75.0	87	5.5	33	33	0	0	0	33	0	0	1.4
Blaine	4	39	10.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.3
Hill	4	709	180.0	4	100.0	75	19.0	0	0	0	0	0	100	0	0	4.5
Mccone	4	35	9.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	2.0
Phillips	4	39	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 7	91	2,382	26.3	75	82.6	260	2.9	47	5	32	16	0	0	0	0	4.1
Carter	8	413	52.5	8	100.0	31	4.0	0	50	50	0	0	0	0	0	2.6
Custer	24	461	19.5	16	66.7	16	0.7	100	0	0	0	0	0	0	0	9.8
Garfield	12	551	46.7	8	66.7	67	5.7	0	0	0	100	0	0	0	0	15.2
Powder River	35	661	18.7	31	88.9	122	3.4	38	0	50	13	0	0	0	0	15.3
Rosebud	4	39	10.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	3.6
Treasure	8	256	32.5	8	100.0	20	2.5	50	0	50	0	0	0	0	0	0.7

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: WEASEL

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	102	3,441	33.6	94	92.3	1,094	10.7	54	13	4	0	13	8	4	4	1.6
DISTRICT 1	28	571	20.7	28	100.0	217	7.9	29	14	14	0	29	14	0	0	3.6
Flathead	12	276	23.3	12	100.0	79	6.7	0	33	33	0	33	0	0	0	3.4
Lake	8	39	5.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	0.6
Lincoln	8	256	32.5	8	100.0	130	16.5	0	0	0	0	50	50	0	0	7.4
DISTRICT 2	8	173	22.0	8	100.0	16	2.0	50	50	0	0	0	0	0	0	0.2
Granite	4	118	30.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	1.6
Ravalli	4	55	14.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	0.4
DISTRICT 3	24	870	36.8	16	66.7	154	6.5	50	0	0	0	25	0	25	0	1.4
Beaverhead	8	453	57.5	4	50.0	98	12.5	0	0	0	0	0	0	100	0	3.0
Gallatin	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
Jefferson	8	374	47.5	4	50.0	47	6.0	0	0	0	0	100	0	0	0	5.9
Park	4	31	8.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.2
DISTRICT 4	28	1,299	47.1	28	100.0	618	22.4	71	14	0	0	0	0	0	14	3.1
Cascade	4	28	7.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
Chouteau	4	110	28.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	0.3
Judith Basin	4	118	30.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.4
Lewis & Clark	12	748	63.3	12	100.0	598	50.7	67	0	0	0	0	0	0	33	12.8
Teton	4	295	75.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.7
DISTRICT 5	8	161	20.5	8	100.0	8	1.0	100	0	0	0	0	0	0	0	0.1
Bighorn	4	157	40.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
Golden Valley	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.5
DISTRICT 6	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
Blaine	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.3
DISTRICT 7	4	354	90.0	4	100.0	79	20.0	0	0	0	0	0	100	0	0	1.2
Carter	4	354	90.0	4	100.0	79	20.0	0	0	0	0	0	100	0	0	6.6

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: SKUNK

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	283	8,059	28.4	283	100.0	3,382	11.9	19	19	15	16	5	5	8	11	4.9
DISTRICT 1	24	339	14.3	24	100.0	142	6.0	33	17	33	0	0	17	0	0	2.3
Flathead	12	177	15.0	12	100.0	39	3.3	33	33	33	0	0	0	0	0	1.7
Lake	8	122	15.5	8	100.0	83	10.5	50	0	0	0	0	50	0	0	6.5
Lincoln	4	39	10.0	4	100.0	20	5.0	0	0	100	0	0	0	0	0	1.1
DISTRICT 2	39	854	21.7	39	100.0	169	4.3	50	10	0	40	0	0	0	0	2.3
Missoula	12	51	4.3	12	100.0	47	4.0	33	33	0	33	0	0	0	0	3.1
Powell	8	280	35.5	8	100.0	8	1.0	100	0	0	0	0	0	0	0	0.4
Ravalli	20	524	26.6	20	100.0	114	5.8	40	0	0	60	0	0	0	0	4.1
DISTRICT 3	59	2,350	39.8	59	100.0	638	10.8	20	33	13	7	7	0	13	7	5.9
Beaverhead	4	394	100.0	4	100.0	256	65.0	0	0	0	0	0	0	0	100	7.7
Broadwater	4	4	1.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	5.5
Gallatin	16	1,142	72.5	16	100.0	181	11.5	25	0	0	25	25	0	25	0	6.4
Jefferson	8	35	4.5	8	100.0	16	2.0	50	50	0	0	0	0	0	0	2.0
Madison	4	94	24.0	4	100.0	102	26.0	0	0	0	0	0	0	100	0	6.0
Park	24	681	28.8	24	100.0	71	3.0	17	50	33	0	0	0	0	0	3.5
DISTRICT 4	51	1,386	27.1	51	100.0	260	5.1	15	38	23	15	0	8	0	0	1.3
Cascade	12	291	24.7	12	100.0	43	3.7	33	33	0	33	0	0	0	0	0.6
Chouteau	8	228	29.0	8	100.0	59	7.5	0	0	50	50	0	0	0	0	2.1
Judith Basin	4	79	20.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	2.3
Lewis & Clark	8	276	35.0	8	100.0	87	11.0	0	50	0	0	0	50	0	0	1.9
Liberty	4	118	30.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	2.9
Petroleum	4	55	14.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	5.3
Pondera	4	295	75.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	22.2
Teton	8	43	5.5	8	100.0	12	1.5	50	50	0	0	0	0	0	0	2.0
DISTRICT 5	51	1,677	32.8	51	100.0	705	13.8	8	8	23	8	23	0	23	8	5.8
Bighorn	20	870	44.2	20	100.0	217	11.0	20	0	20	20	20	0	20	0	6.8
Carbon	16	394	25.0	16	100.0	382	24.3	0	0	0	0	25	0	50	25	7.8
Golden Valley	4	79	20.0	4	100.0	20	5.0	0	0	100	0	0	0	0	0	2.7
Musselshell	4	157	40.0	4	100.0	51	13.0	0	0	0	0	100	0	0	0	10.0
Stillwater	4	59	15.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	3.0
Yellowstone	4	118	30.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	1.2
DISTRICT 6	28	768	27.9	28	100.0	539	19.6	13	13	13	13	0	13	0	38	9.0
Blaine	8	291	37.0	8	100.0	150	19.0	0	0	0	50	0	0	0	50	11.7
Hill	12	421	35.7	12	100.0	150	12.7	0	33	33	0	0	0	0	33	9.1
Valley	12	55	4.7	12	100.0	240	20.3	33	0	0	0	0	33	0	33	9.5
DISTRICT 7	31	685	21.8	31	100.0	929	29.5	0	0	0	38	0	13	13	38	14.6
Carter	4	118	30.0	4	100.0	236	60.0	0	0	0	0	0	0	0	100	19.7
Custer	4	236	60.0	4	100.0	39	10.0	0	0	0	100	0	0	0	0	24.4
Dawson	8	122	15.5	8	100.0	150	19.0	0	0	0	50	0	0	0	50	20.7
Powder River	12	205	17.3	12	100.0	205	17.3	0	0	0	33	0	33	33	0	25.7
Treasure	4	4	1.0	4	100.0	299	76.0	0	0	0	0	0	0	0	100	10.4

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: COYOTE

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	685	25,361	37.0	610	89.1	9,354	13.7	17	24	19	12	9	6	5	8	13.6
DISTRICT 1	63	890	14.1	47	75.0	189	3.0	15	23	54	8	0	0	0	0	3.1
Flathead	39	614	15.6	24	60.0	110	2.8	0	33	50	17	0	0	0	0	4.8
Lake	4	8	2.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.3
Lincoln	24	268	11.3	24	100.0	75	3.2	17	17	67	0	0	0	0	0	4.2
DISTRICT 2	98	4,149	42.2	83	84.0	1,193	12.1	16	28	12	20	0	4	8	12	16.0
Deer Lodge	4	394	100.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	4.4
Granite	16	543	34.5	16	100.0	31	2.0	25	75	0	0	0	0	0	0	12.7
Mineral	4	39	10.0	4	100.0	31	8.0	0	0	0	100	0	0	0	0	30.8
Missoula	24	598	25.3	16	66.7	35	1.5	50	25	25	0	0	0	0	0	2.3
Powell	31	1,583	50.2	31	100.0	866	27.5	0	27	9	27	0	0	9	27	38.5
Ravalli	24	992	42.0	16	66.7	205	8.7	25	0	0	25	0	25	25	0	7.3
DISTRICT 3	165	4,571	27.6	138	83.3	1,594	9.6	19	33	19	7	12	2	2	7	14.6
Beaverhead	35	1,240	35.0	31	88.9	571	16.1	0	33	11	11	22	11	0	11	17.1
Broadwater	12	94	8.0	12	100.0	35	3.0	50	25	25	0	0	0	0	0	16.4
Gallatin	20	961	48.8	20	100.0	508	25.8	14	14	43	0	0	0	0	29	18.1
Jefferson	31	854	27.1	24	75.0	87	2.8	29	43	14	14	0	0	0	0	10.8
Madison	24	331	14.0	20	83.3	146	6.2	33	17	0	17	33	0	0	0	8.5
Park	43	1,087	25.1	31	72.7	244	5.6	0	56	22	0	11	0	11	0	12.2
Silver Bow	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	16.7
DISTRICT 4	161	7,122	44.1	150	92.7	2,953	18.3	10	14	24	12	14	14	4	8	15.0
Cascade	31	1,268	40.2	31	100.0	1,157	36.8	0	13	13	25	13	13	0	25	16.4
Chouteau	24	1,039	44.0	24	100.0	614	26.0	0	0	22	11	22	22	11	11	21.9
Fergus	16	358	22.7	16	100.0	87	5.5	40	20	0	20	20	0	0	0	3.6
Glacier	4	55	14.0	4	100.0	47	12.0	0	0	0	0	100	0	0	0	26.1
Judith Basin	16	827	52.5	12	75.0	79	5.0	0	75	0	0	25	0	0	0	7.8
Lewis & Clark	35	2,027	57.2	31	88.9	504	14.2	0	9	36	9	9	27	9	0	10.8
Liberty	16	681	43.3	16	100.0	335	21.3	25	0	25	0	0	25	0	25	62.5
Meagher	4	185	47.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	14.3
Petroleum	12	98	8.3	12	100.0	67	5.7	0	0	100	0	0	0	0	0	29.8
Teton	16	571	36.2	12	75.0	43	2.8	33	33	0	33	0	0	0	0	7.4
Toole	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	50.0
DISTRICT 5	114	3,937	34.5	106	93.1	1,445	12.7	15	35	12	12	6	3	9	9	11.8
Bighorn	24	1,138	48.2	24	100.0	516	21.8	0	14	0	29	14	0	29	14	16.1
Carbon	28	1,024	37.1	24	85.7	614	22.3	13	38	0	13	0	0	13	25	12.5
Golden Valley	16	91	5.8	12	75.0	20	1.3	33	67	0	0	0	0	0	0	2.7
Musselshell	16	634	40.2	16	100.0	138	8.8	20	20	40	0	0	20	0	0	26.9
Stillwater	4	28	7.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	2.0
Sweetgrass	4	177	45.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	8.2
Wheatland	4	177	45.0	4	100.0	55	14.0	0	50	0	0	50	0	0	0	15.6
Yellowstone	28	669	24.3	24	85.7	79	2.9	29	43	14	14	0	0	0	0	4.1
DISTRICT 6	51	1,079	21.1	43	84.6	925	18.1	27	20	7	7	7	7	7	20	15.4
Blaine	16	425	27.0	16	100.0	319	20.3	0	25	25	0	0	25	0	25	25.0
Hill	12	213	18.0	8	66.7	260	22.0	50	0	0	0	0	0	0	50	15.8
Mccone	4	35	9.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	2.0
Phillips	8	12	1.5	4	50.0	4	0.5	100	0	0	0	0	0	0	0	9.1
Richland	4	177	45.0	4	100.0	87	22.0	0	0	0	0	0	0	100	0	71.0
Valley	20	217	11.0	20	100.0	248	12.6	33	17	0	17	17	0	0	17	9.8
DISTRICT 7	91	3,614	39.9	91	100.0	1,055	11.7	23	15	15	19	12	8	4	4	16.6
Carter	8	1,181	150.0	8	100.0	71	9.0	50	0	0	0	0	50	0	0	5.9
Custer	20	528	26.8	20	100.0	67	3.4	60	0	20	20	0	0	0	0	41.5
Dawson	8	295	37.5	8	100.0	110	14.0	0	0	0	0	100	0	0	0	15.2
Fallon	4	122	31.0	4	100.0	16	4.0	50	50	0	0	0	0	0	0	100.0
Garfield	8	409	52.0	8	100.0	102	13.0	50	0	0	0	0	0	50	0	23.2
Powder River	20	374	19.0	20	100.0	138	7.0	0	20	40	20	20	0	0	0	17.3
Rosebud	8	47	6.0	8	100.0	47	6.0	0	50	0	50	0	0	0	0	42.9
Treasure	16	657	41.8	16	100.0	504	32.0	0	17	17	33	0	17	0	17	17.4

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: FOX

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	500	18,535	37.1	480	96.1	5,764	11.5	17	27	22	13	3	8	3	6	8.4
DISTRICT 1	24	421	17.8	16	66.7	87	3.7	0	20	80	0	0	0	0	0	1.4
Flathead	24	343	14.5	16	66.7	71	3.0	0	25	75	0	0	0	0	0	3.1
Lincoln	4	79	20.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	0.9
DISTRICT 2	67	2,736	40.9	59	88.2	402	6.0	13	33	27	7	7	7	7	0	5.4
Deer Lodge	4	79	20.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	1.5
Granite	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	1.6
Mineral	4	39	10.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	7.7
Missoula	12	299	25.3	8	66.7	28	2.3	0	50	50	0	0	0	0	0	1.8
Powell	20	1,216	61.8	16	80.0	114	5.8	0	25	25	25	25	0	0	0	5.1
Ravalli	24	1,098	46.5	24	100.0	240	10.2	17	17	33	0	0	17	17	0	8.5
DISTRICT 3	126	4,090	32.5	122	96.9	898	7.1	19	33	17	17	0	8	6	0	8.2
Beaverhead	24	945	40.0	24	100.0	327	13.8	0	25	13	38	0	13	13	0	9.8
Broadwater	4	4	1.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	7.3
Gallatin	39	1,504	38.2	39	100.0	173	4.4	33	50	8	0	0	8	0	0	6.2
Jefferson	20	657	33.4	16	80.0	138	7.0	25	0	50	0	0	0	25	0	17.2
Madison	12	150	12.7	12	100.0	51	4.3	33	33	0	33	0	0	0	0	3.0
Park	28	831	30.1	28	100.0	193	7.0	13	38	13	25	0	13	0	0	9.6
DISTRICT 4	106	5,271	49.6	106	100.0	1,795	16.9	21	24	21	15	0	9	6	6	9.1
Cascade	24	949	40.2	24	100.0	1,110	47.0	0	17	33	0	0	0	17	33	15.7
Chouteau	24	866	36.7	24	100.0	220	9.3	17	33	17	0	0	17	17	0	7.9
Fergus	8	197	25.0	8	100.0	35	4.5	0	50	0	50	0	0	0	0	1.5
Glacier	4	83	21.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	8.7
Judith Basin	8	728	92.5	8	100.0	110	14.0	0	0	0	100	0	0	0	0	10.9
Lewis & Clark	24	1,583	67.0	24	100.0	189	8.0	38	25	13	0	0	25	0	0	4.0
Liberty	12	484	41.0	12	100.0	63	5.3	33	0	33	33	0	0	0	0	11.8
Petroleum	4	55	14.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	3.5
Pondera	8	303	38.5	8	100.0	16	2.0	50	50	0	0	0	0	0	0	44.4
Teton	4	12	3.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	4.1
Toole	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	50.0
DISTRICT 5	87	2,059	23.8	87	100.0	909	10.5	22	17	30	0	9	9	0	13	7.4
Bighorn	16	551	35.0	16	100.0	244	15.5	0	0	25	0	50	0	0	25	7.6
Carbon	31	1,047	33.3	31	100.0	567	18.0	0	0	50	0	0	25	0	25	11.6
Golden Valley	8	8	1.0	8	100.0	12	1.5	50	50	0	0	0	0	0	0	1.6
Musselshell	8	87	11.0	8	100.0	16	2.0	0	100	0	0	0	0	0	0	3.1
Stillwater	8	63	8.0	8	100.0	28	3.5	50	0	50	0	0	0	0	0	7.1
Wheatland	4	118	30.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	6.7
Yellowstone	16	185	11.8	16	100.0	20	1.3	75	25	0	0	0	0	0	0	1.0
DISTRICT 6	39	1,067	27.1	39	100.0	677	17.2	9	27	18	18	0	9	0	18	11.3
Blaine	16	315	20.0	16	100.0	260	16.5	0	50	0	0	0	25	0	25	20.4
Hill	8	224	28.5	8	100.0	311	39.5	0	0	50	0	0	0	0	50	18.9
Richland	4	177	45.0	4	100.0	35	9.0	0	0	0	100	0	0	0	0	29.0
Valley	16	350	22.3	16	100.0	71	4.5	25	25	25	25	0	0	0	0	2.8
DISTRICT 7	67	2,890	43.2	67	100.0	996	14.9	16	26	11	21	5	11	0	11	15.7
Carter	12	1,653	140.0	12	100.0	445	37.7	0	0	25	50	0	0	0	25	37.2
Custer	8	165	21.0	8	100.0	12	1.5	50	50	0	0	0	0	0	0	7.3
Dawson	16	327	20.7	16	100.0	150	9.5	25	0	25	0	25	25	0	0	20.7
Garfield	4	394	100.0	4	100.0	217	55.0	0	0	0	0	0	0	0	100	49.1
Powder River	12	232	19.7	12	100.0	146	12.3	0	25	0	50	0	25	0	0	18.3
Rosebud	4	39	10.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	7.1
Treasure	12	79	6.7	12	100.0	20	1.7	33	67	0	0	0	0	0	0	0.7

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: RACCOON

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	575	14,625	25.4	555	96.6	9,216	16.0	14	16	17	15	15	8	4	12	13.4
DISTRICT 1	28	484	17.6	28	100.0	220	8.0	14	14	29	0	29	14	0	0	3.6
Flathead	16	311	19.7	16	100.0	161	10.2	0	0	50	0	25	25	0	0	7.1
Lake	4	118	30.0	4	100.0	47	12.0	0	0	0	0	100	0	0	0	3.7
Lincoln	8	55	7.0	8	100.0	12	1.5	50	50	0	0	0	0	0	0	0.7
DISTRICT 2	47	1,047	22.2	43	91.7	189	4.0	55	27	0	0	9	0	9	0	2.5
Granite	8	146	18.5	4	50.0	4	0.5	100	0	0	0	0	0	0	0	1.6
Missoula	16	311	19.7	16	100.0	24	1.5	50	50	0	0	0	0	0	0	1.6
Ravalli	28	591	21.4	24	85.7	161	5.9	50	17	0	0	17	0	17	0	5.7
DISTRICT 3	114	2,945	25.8	110	96.6	1,012	8.9	19	10	16	23	23	6	0	3	9.3
Beaverhead	20	579	29.4	20	100.0	244	12.4	0	0	17	33	50	0	0	0	7.3
Broadwater	8	126	16.0	8	100.0	63	8.0	0	0	0	100	0	0	0	0	29.1
Gallatin	47	1,232	26.1	43	91.7	331	7.0	36	9	18	9	18	0	0	9	11.8
Jefferson	8	102	13.0	8	100.0	31	4.0	50	0	0	50	0	0	0	0	3.9
Madison	8	94	12.0	8	100.0	31	4.0	0	50	50	0	0	0	0	0	1.8
Park	31	811	25.7	31	100.0	311	9.9	13	13	13	13	25	25	0	0	15.5
DISTRICT 4	150	4,303	28.8	142	94.7	1,807	12.1	12	16	26	9	21	7	2	7	9.2
Cascade	35	539	15.2	28	77.8	378	10.7	0	29	0	14	14	29	0	14	5.4
Chouteau	16	323	20.5	16	100.0	260	16.5	0	0	0	25	50	0	25	0	9.3
Fergus	20	370	18.8	20	100.0	441	22.4	0	17	0	17	50	0	0	17	18.2
Judith Basin	24	1,216	51.5	20	83.3	307	13.0	0	0	50	13	25	13	0	0	30.2
Lewis & Clark	31	988	31.4	31	100.0	272	8.6	13	38	38	0	0	0	0	13	5.8
Liberty	8	126	16.0	8	100.0	28	3.5	0	50	50	0	0	0	0	0	5.1
Meagher	4	118	30.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	14.3
Petroleum	8	173	22.0	8	100.0	51	6.5	50	0	0	0	50	0	0	0	22.8
Pondera	8	28	3.5	4	50.0	4	0.5	100	0	0	0	0	0	0	0	11.1
Teton	16	421	26.7	16	100.0	51	3.3	50	0	50	0	0	0	0	0	8.8
DISTRICT 5	138	3,165	23.0	134	97.1	3,547	25.7	5	18	8	23	8	13	5	21	29.1
Bighorn	24	709	30.0	24	100.0	870	36.8	0	0	0	33	17	0	17	33	27.2
Carbon	35	1,315	37.1	35	100.0	1,346	38.0	0	11	0	22	11	22	0	33	27.5
Golden Valley	8	47	6.0	8	100.0	87	11.0	0	50	0	0	0	50	0	0	11.7
Musselshell	12	71	6.0	12	100.0	165	14.0	0	0	67	0	0	0	0	33	32.3
Stillwater	12	102	8.7	12	100.0	220	18.7	0	33	0	33	0	0	0	33	56.6
Sweetgrass	4	59	15.0	4	100.0	31	8.0	0	0	0	100	0	0	0	0	16.3
Wheatland	4	118	30.0	4	100.0	47	12.0	0	0	0	0	100	0	0	0	13.3
Yellowstone	51	744	14.5	47	92.3	779	15.2	14	29	7	21	0	14	7	7	40.6
DISTRICT 6	51	1,102	21.5	51	100.0	976	19.1	15	15	23	8	0	0	15	23	16.3
Blaine	12	161	13.7	12	100.0	110	9.3	33	0	33	0	0	0	33	0	8.6
Hill	16	571	36.2	12	75.0	240	15.2	33	0	0	33	0	0	0	33	14.6
Mccone	4	55	14.0	4	100.0	102	26.0	0	0	0	0	0	0	100	0	25.7
Phillips	4	79	20.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	54.5
Valley	20	236	12.0	20	100.0	500	25.4	0	40	20	0	0	0	0	40	19.8
DISTRICT 7	59	1,579	26.7	59	100.0	1,465	24.8	0	12	18	18	12	12	0	29	23.1
Carter	8	472	60.0	8	100.0	244	31.0	0	0	0	0	0	0	0	100	20.4
Custer	4	16	4.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	9.8
Dawson	8	240	30.5	8	100.0	193	24.5	0	0	0	50	0	0	0	50	26.6
Garfield	4	8	2.0	4	100.0	39	10.0	0	0	0	100	0	0	0	0	8.9
Powder River	12	232	19.7	12	100.0	83	7.0	0	25	50	25	0	0	0	0	10.4
Prairie	4	79	20.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	50.0
Rosebud	4	39	10.0	4	100.0	47	12.0	0	0	0	0	100	0	0	0	42.9
Treasure	16	492	31.3	16	100.0	835	53.0	0	0	0	0	20	40	0	40	28.9

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping, Hunting, and Harvest
Detail of All Furbearer Activities Combined, by Species and Location

Species: BADGER

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	154	5,382	35.1	146	94.9	1,819	11.8	34	34	15	0	2	5	0	10	2.6
DISTRICT 1	4	31	8.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
Flathead	4	31	8.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.2
DISTRICT 2	8	59	7.5	4	50.0	4	0.5	100	0	0	0	0	0	0	0	0.1
Deer Lodge	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.7
Ravalli	4	55	14.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	31	563	17.9	28	87.5	102	3.2	43	14	29	0	14	0	0	0	0.9
Beaverhead	8	201	25.5	8	100.0	12	1.5	50	50	0	0	0	0	0	0	0.4
Gallatin	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
Madison	8	83	10.5	4	50.0	16	2.0	0	0	100	0	0	0	0	0	0.9
Park	12	276	23.3	12	100.0	71	6.0	33	0	33	0	33	0	0	0	3.5
DISTRICT 4	47	3,012	63.8	47	100.0	1,260	26.7	0	67	13	0	0	7	0	13	6.4
Cascade	16	531	33.8	16	100.0	819	52.0	0	75	0	0	0	0	0	25	11.6
Chouteau	16	591	37.5	16	100.0	51	3.3	0	50	50	0	0	0	0	0	1.8
Fergus	4	39	10.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	0.3
Judith Basin	4	236	60.0	4	100.0	16	4.0	0	100	0	0	0	0	0	0	1.6
Lewis & Clark	8	1,496	190.0	8	100.0	358	45.5	0	33	0	0	0	33	0	33	7.7
Liberty	4	118	30.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	1.5
DISTRICT 5	20	315	16.0	20	100.0	24	1.2	80	20	0	0	0	0	0	0	0.2
Bighorn	4	16	4.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	0.2
Carbon	4	20	5.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
Musselshell	4	157	40.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.8
Yellowstone	8	122	15.5	8	100.0	8	1.0	100	0	0	0	0	0	0	0	0.4
DISTRICT 6	20	642	32.6	20	100.0	157	8.0	60	20	0	0	0	0	0	20	2.6
Blaine	12	268	22.7	12	100.0	142	12.0	67	0	0	0	0	0	0	33	11.1
Hill	8	374	47.5	8	100.0	16	2.0	50	50	0	0	0	0	0	0	1.0
DISTRICT 7	24	760	32.2	24	100.0	268	11.3	29	14	29	0	0	14	0	14	4.2
Carter	8	472	60.0	8	100.0	91	11.5	0	0	50	0	0	50	0	0	7.6
Custer	4	8	2.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	4.9
Powder River	4	236	60.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	2.0
Rosebud	4	35	9.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	3.6
Treasure	4	8	2.0	4	100.0	150	38.0	50	0	0	0	0	0	0	50	5.2

Species: OTHER

Location	Active In Fur	Activity Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	4	4	1.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	0.0
DISTRICT 7	4	4	1.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	0.4
Powder River	4	4	1.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	3.0

Statistical Estimates
Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: ALL

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	1,240	116,979	94.3	65,726	53.0	2,796,567	2,255	1,169	94.3	60,371	48.7	46.3	20	21	15	10	9	8	4	13	100.0
DISTRICT 1	169	9,067	53.6	6,130	36.2	151,316	894	161	95.3	5,807	34.3	26.1	27	24	16	7	7	6	2	11	100.0
Flathead	87	4,268	49.3	2,756	31.8	77,709	897	87	100.0	2,193	25.3	35.4	27	25	15	11	7	4	4	7	100.0
Lake	16	606	38.5	441	28.0	6,059	385	12	75.0	1,264	80.3	4.8	45	0	9	0	9	9	0	27	100.0
Lincoln	63	3,260	51.8	2,398	38.1	59,253	941	59	93.8	1,614	25.6	36.7	21	24	21	6	6	9	0	15	100.0
Sanders	28	933	33.9	535	19.4	8,295	301	28	100.0	736	26.7	11.3	25	38	19	0	6	6	0	6	100.0
DISTRICT 2	165	17,672	106.9	9,374	56.7	449,343	2,718	165	100.0	7,047	42.6	63.8	20	26	18	10	6	4	7	10	100.0
Deer Lodge	24	1,524	64.5	378	16.0	20,779	880	24	100.0	531	22.5	39.1	0	22	33	22	0	0	0	22	100.0
Granite	20	1,480	75.2	539	27.4	18,346	932	20	100.0	236	12.0	77.7	18	45	27	0	0	0	0	9	100.0
Mineral	8	106	13.5	146	18.5	1,276	162	8	100.0	75	9.5	17.1	0	50	25	25	0	0	0	0	100.0
Missoula	55	3,413	61.9	2,043	37.1	44,388	805	55	100.0	1,520	27.6	29.2	26	24	21	5	10	2	2	10	100.0
Powell	39	5,177	131.5	3,000	76.2	201,342	5,114	39	100.0	1,886	47.9	106.8	11	26	11	11	7	4	15	15	100.0
Ravalli	47	5,972	126.4	3,268	69.2	163,214	3,455	47	100.0	2,799	59.3	58.3	25	20	11	14	5	9	9	7	100.0
DISTRICT 3	315	26,613	84.5	11,972	38.0	509,652	1,618	280	88.8	9,630	30.6	52.9	24	21	14	10	11	8	4	7	100.0
Beaverhead	59	5,579	94.5	2,886	48.9	192,468	3,259	51	86.7	2,921	49.5	65.9	6	26	17	11	11	6	11	11	100.0
Broadwater	12	280	23.7	189	16.0	2,047	173	12	100.0	79	6.7	26.0	33	17	50	0	0	0	0	0	100.0
Gallatin	87	8,200	94.7	3,047	35.2	153,025	1,767	79	90.9	2,299	26.5	66.6	30	19	12	9	9	12	1	7	100.0
Jefferson	43	4,224	97.5	1,008	23.3	35,471	819	39	90.9	764	17.6	46.4	34	24	14	10	7	3	3	3	100.0
Madison	55	2,457	44.6	1,527	27.7	28,826	523	51	92.9	1,697	30.8	17.0	10	17	17	17	13	7	7	13	100.0
Park	67	5,748	85.9	3,272	48.9	97,445	1,456	51	76.5	1,850	27.6	52.7	27	22	11	9	15	9	4	4	100.0
Silver Bow	12	126	10.7	43	3.7	370	31	12	100.0	20	1.7	18.8	75	25	0	0	0	0	0	0	100.0
DISTRICT 4	276	28,656	104.0	16,283	59.1	790,337	2,868	264	95.7	15,322	55.6	51.6	18	22	15	10	10	8	3	15	100.0
Cascade	51	4,055	79.2	2,838	55.5	82,233	1,607	51	100.0	3,846	75.2	21.4	14	24	10	8	6	10	6	24	100.0
Chouteau	43	4,480	103.5	2,819	65.1	119,625	2,762	39	90.9	2,587	59.7	46.2	16	16	21	5	11	13	5	13	100.0
Fergus	43	2,831	65.4	1,894	43.7	43,986	1,016	39	90.9	2,366	54.6	18.6	24	18	0	21	15	0	0	24	100.0
Glacier	4	150	38.0	197	50.0	1,961	498	4	100.0	181	46.0	10.8	0	0	33	0	33	0	0	33	100.0
Judith Basin	31	3,630	115.3	1,339	42.5	46,671	1,482	31	100.0	768	24.4	60.8	16	20	24	16	12	8	0	4	100.0
Lewis & Clark	75	8,102	108.3	4,693	62.7	425,990	5,695	71	94.7	4,331	57.9	98.4	19	26	13	6	6	13	2	15	100.0
Liberty	8	965	122.5	1,295	164.5	37,302	4,738	8	100.0	402	51.0	92.9	0	14	57	0	0	0	14	14	100.0
Meagher	12	846	71.7	189	16.0	6,649	563	12	100.0	91	7.7	73.4	20	0	60	20	0	0	0	0	100.0
Petroleum	8	402	51.0	319	40.5	4,516	574	8	100.0	177	22.5	25.5	13	38	13	13	25	0	0	0	100.0
Pondera	8	756	96.0	75	9.5	2,606	331	8	100.0	35	4.5	73.6	67	33	0	0	0	0	0	0	100.0
Teton	28	2,441	88.6	626	22.7	18,798	682	24	85.7	539	19.6	34.9	17	28	17	11	22	0	0	6	100.0
DISTRICT 5	213	17,629	82.9	10,334	48.6	328,100	1,543	189	88.9	11,468	53.9	28.6	15	21	14	11	8	12	5	14	100.0
Bighorn	31	4,323	137.3	2,500	79.4	85,414	2,712	31	100.0	3,083	97.9	27.7	11	11	11	14	14	11	8	19	100.0
Carbon	63	6,815	108.2	3,425	54.4	138,707	2,202	59	93.8	4,850	77.0	28.6	9	25	9	9	7	14	7	21	100.0
Golden Valley	12	579	49.0	315	26.7	5,031	426	12	100.0	705	59.7	7.1	25	13	13	0	0	13	25	13	100.0
Musselshell	28	1,685	61.1	1,850	67.1	56,045	2,034	24	85.7	346	12.6	161.8	15	15	38	8	8	15	0	0	100.0
Stillwater	31	429	13.6	870	27.6	7,059	224	20	62.5	382	12.1	18.5	0	45	18	18	9	0	0	9	100.0
Sweetgrass	16	441	28.0	197	12.5	4,677	297	12	75.0	193	12.2	24.2	0	0	40	20	20	20	0	0	100.0
Wheatland	12	587	49.7	146	12.3	4,201	356	12	100.0	307	26.0	13.7	17	17	17	0	17	17	0	17	100.0
Yellowstone	59	2,772	46.9	1,031	17.5	26,967	457	55	93.3	1,602	27.1	16.8	35	26	9	12	3	9	0	6	100.0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: ALL

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 6	79	6,138	78.0	4,567	58.0	136,321	1,731	75	95.0	5,870	74.6	23.2	15	18	19	6	4	6	6	24	100.0
Blaine	16	1,657	105.3	1,563	99.3	73,174	4,647	16	100.0	1,248	79.3	58.6	16	11	21	5	0	16	5	26	100.0
Hill	24	2,468	104.5	874	37.0	27,700	1,173	20	83.3	1,571	66.5	17.6	19	19	19	5	5	0	0	33	100.0
Mccone	4	362	92.0	122	31.0	2,850	724	4	100.0	398	101.0	7.2	0	40	0	0	0	0	40	20	100.0
Phillips	4	20	5.0	98	25.0	492	125	4	100.0	16	4.0	31.3	0	0	100	0	0	0	0	0	100.0
Richland	4	354	90.0	220	56.0	9,921	2,520	4	100.0	122	31.0	81.3	0	0	0	50	0	0	50	0	100.0
Valley	43	1,276	29.5	1,689	39.0	22,184	512	43	100.0	2,516	58.1	8.8	17	20	20	7	7	7	3	20	100.0
DISTRICT 7	110	11,204	101.6	7,067	64.1	431,498	3,914	106	96.4	5,228	47.4	82.5	22	9	14	15	10	13	3	15	100.0
Carter	12	3,248	275.0	3,023	256.0	286,051	24,220	12	100.0	1,165	98.7	245.5	0	8	25	8	0	25	0	33	100.0
Custer	20	1,232	62.6	661	33.6	22,137	1,125	20	100.0	114	5.8	193.9	67	0	11	22	0	0	0	0	100.0
Dawson	16	1,189	75.5	787	50.0	22,440	1,425	16	100.0	724	46.0	31.0	15	0	8	15	38	8	0	15	100.0
Fallon	4	118	30.0	24	6.0	709	180	4	100.0	12	3.0	60.0	0	100	0	0	0	0	0	0	100.0
Garfield	16	1,402	89.0	539	34.2	40,967	2,602	12	75.0	437	27.7	93.7	0	0	17	50	0	0	17	17	100.0
Powder River	16	1,626	103.3	976	62.0	36,097	2,292	16	100.0	512	32.5	70.5	8	0	33	17	8	25	8	0	100.0
Prairie	4	709	180.0	43	11.0	1,732	440	4	100.0	16	4.0	110.0	67	33	0	0	0	0	0	0	100.0
Rosebud	8	193	24.5	370	47.0	3,673	467	8	100.0	102	13.0	35.9	40	20	0	20	20	0	0	0	100.0
Treasure	20	1,488	75.6	642	32.6	17,692	899	20	100.0	2,146	109.0	8.2	22	17	6	6	6	17	0	28	100.0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: BEAVER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	760	16,220	21.3	10,149	13.4	303,381	399	744	97.9	16,531	21.8	18.4	11	17	17	10	7	14	7	17	27.4
DISTRICT 1	75	1,216	16.3	492	6.6	10,082	135	75	100.0	626	8.4	16.1	14	29	19	14	5	14	0	5	10.8
Flathead	31	260	8.3	161	5.1	1,878	60	31	100.0	173	5.5	10.8	25	38	0	25	0	13	0	0	7.9
Lake	4	39	10.0	12	3.0	118	30	4	100.0	16	4.0	7.5	0	0	100	0	0	0	0	0	1.2
Lincoln	28	650	23.6	224	8.1	6,661	242	28	100.0	307	11.1	21.7	14	14	14	14	14	14	0	14	19.0
Sanders	20	268	13.6	94	4.8	1,425	72	20	100.0	130	6.6	11.0	0	40	40	0	0	20	0	0	17.6
DISTRICT 2	98	2,083	21.2	1,142	11.6	30,070	306	98	100.0	1,118	11.4	26.9	0	33	26	7	7	4	15	7	15.9
Deer Lodge	12	343	29.0	75	6.3	1,764	149	12	100.0	177	15.0	10.0	0	0	33	33	0	0	0	33	33.3
Granite	4	28	7.0	16	4.0	110	28	4	100.0	12	3.0	9.3	0	100	0	0	0	0	0	0	5.0
Mineral	4	16	4.0	12	3.0	47	12	4	100.0	12	3.0	4.0	0	100	0	0	0	0	0	0	15.8
Missoula	43	642	14.8	386	8.9	5,921	137	43	100.0	417	9.6	14.2	0	27	36	9	9	0	9	9	27.5
Powell	28	921	33.4	531	19.3	20,479	743	28	100.0	374	13.6	54.8	0	14	29	0	14	14	29	0	19.8
Ravalli	16	134	8.5	122	7.8	1,748	111	16	100.0	126	8.0	13.9	0	75	0	0	0	0	25	0	4.5
DISTRICT 3	185	4,323	23.4	2,287	12.4	96,110	519	173	93.6	2,941	15.9	32.7	15	11	17	11	9	19	9	11	30.5
Beaverhead	24	799	33.8	748	31.7	57,710	2,443	24	100.0	807	34.2	71.5	0	0	33	0	0	17	33	17	27.6
Broadwater	12	114	9.7	161	13.7	1,661	141	12	100.0	63	5.3	26.4	0	0	100	0	0	0	0	0	80.0
Gallatin	55	1,319	23.9	378	6.9	10,622	193	47	85.7	654	11.9	16.3	17	17	0	8	0	50	0	8	28.4
Jefferson	20	394	20.0	122	6.2	2,472	126	20	100.0	126	6.4	19.6	20	20	20	20	0	20	0	0	16.5
Madison	35	815	23.0	390	11.0	11,153	315	35	100.0	720	20.3	15.5	0	11	22	11	11	11	11	22	42.5
Park	39	839	21.3	457	11.6	12,370	314	35	90.0	555	14.1	22.3	22	0	0	22	33	0	11	11	30.0
Silver Bow	12	43	3.7	31	2.7	122	10	12	100.0	16	1.3	7.8	67	33	0	0	0	0	0	0	80.0
DISTRICT 4	193	3,890	20.2	3,169	16.4	105,488	547	193	100.0	5,681	29.4	18.6	9	11	11	15	9	8	4	32	37.1
Cascade	47	728	15.4	697	14.8	13,972	296	47	100.0	1,512	32.0	9.2	8	8	17	0	0	17	8	42	39.3
Chouteau	20	409	20.8	441	22.4	9,661	491	20	100.0	1,240	63.0	7.8	0	0	20	0	0	20	0	60	47.9
Fergus	35	677	19.1	433	12.2	10,736	303	35	100.0	925	26.1	11.6	22	0	0	33	0	0	0	44	39.1
Judith Basin	16	343	21.7	189	12.0	3,543	225	16	100.0	244	15.5	14.5	0	0	0	50	25	0	0	25	31.8
Lewis & Clark	55	1,138	20.6	905	16.4	53,805	976	55	100.0	1,327	24.1	40.6	7	29	14	7	14	7	0	21	30.6
Liberty	4	59	15.0	177	45.0	2,657	675	4	100.0	87	22.0	30.7	0	0	0	0	0	0	100	0	21.6
Meagher	8	150	19.0	59	7.5	1,098	140	8	100.0	51	6.5	21.5	0	0	50	50	0	0	0	0	56.5
Petroleum	4	12	3.0	8	2.0	24	6	4	100.0	8	2.0	3.0	0	100	0	0	0	0	0	0	4.4
Pondera	4	8	2.0	4	1.0	8	2	4	100.0	4	1.0	2.0	100	0	0	0	0	0	0	0	11.1
Teton	16	366	23.3	256	16.2	9,984	634	16	100.0	283	18.0	35.2	0	0	0	25	50	0	0	25	52.6
DISTRICT 5	142	3,079	21.7	2,000	14.1	43,856	309	142	100.0	3,453	24.4	12.7	10	14	14	10	7	24	7	14	30.1
Bighorn	24	551	23.3	417	17.7	12,677	537	24	100.0	905	38.3	14.0	0	0	33	0	0	33	0	33	29.4
Carbon	51	1,114	21.8	543	10.6	11,940	233	51	100.0	953	18.6	12.5	8	15	0	23	8	23	8	15	19.6
Golden Valley	8	236	30.0	63	8.0	1,890	240	8	100.0	193	24.5	9.8	0	0	0	0	0	0	100	0	27.4
Musselshell	12	59	5.0	75	6.3	528	45	12	100.0	87	7.3	6.1	33	0	33	0	0	33	0	0	25.0
Stillwater	16	83	5.3	461	29.3	4,315	274	16	100.0	83	5.3	52.2	0	50	25	0	25	0	0	0	21.6
Sweetgrass	12	165	14.0	91	7.7	1,449	123	12	100.0	146	12.3	9.9	0	0	33	0	33	33	0	0	75.5
Wheatland	12	232	19.7	71	6.0	1,957	166	12	100.0	228	19.3	8.6	33	0	0	0	0	33	0	33	74.4
Yellowstone	31	638	20.3	280	8.9	9,102	289	31	100.0	858	27.2	10.6	13	25	13	13	0	25	0	13	53.6

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: BEAVER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 6	51	803	15.7	709	13.8	9,948	194	51	100.0	1,590	31.1	6.3	12	24	24	0	0	12	12	18	27.1
Blaine	8	83	10.5	51	6.5	661	84	8	100.0	87	11.0	7.6	0	50	0	0	0	50	0	0	6.9
Hill	20	311	15.8	157	8.0	2,775	141	20	100.0	354	18.0	7.8	20	20	20	0	0	0	0	40	22.6
Mccone	4	118	30.0	39	10.0	1,181	300	4	100.0	114	29.0	10.3	0	0	0	0	0	0	100	0	28.7
Phillips	4	20	5.0	98	25.0	492	125	4	100.0	16	4.0	31.3	0	0	100	0	0	0	0	0	100.0
Valley	31	272	8.6	362	11.5	4,838	154	31	100.0	1,020	32.4	4.7	13	25	25	0	0	13	13	13	40.5
DISTRICT 7	39	827	21.0	350	8.9	7,826	199	35	90.0	1,122	28.5	7.0	33	0	11	0	11	22	0	22	21.5
Custer	4	16	4.0	16	4.0	63	16	4	100.0	4	1.0	16.0	100	0	0	0	0	0	0	0	3.4
Dawson	4	47	12.0	59	15.0	709	180	4	100.0	59	15.0	12.0	0	0	0	0	100	0	0	0	8.2
Garfield	4	55	14.0	12	3.0	165	42	4	100.0	16	4.0	10.5	0	0	100	0	0	0	0	0	3.6
Powder River	4	39	10.0	24	6.0	236	60	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Prairie	4	236	60.0	8	2.0	472	120	4	100.0	4	1.0	120.0	100	0	0	0	0	0	0	0	25.0
Treasure	20	433	22.0	232	11.8	6,181	314	20	100.0	1,039	52.8	5.9	20	0	0	0	0	40	0	40	48.4

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: OTTER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	102	1,831	17.9	591	5.8	11,653	114	87	84.6	87	0.8	134.5	100	0	0	0	0	0	0	0	0.1
DISTRICT 1	28	248	9.0	118	4.3	1,260	46	24	85.7	24	0.9	53.3	100	0	0	0	0	0	0	0	0.4
Flathead	12	98	8.3	75	6.3	807	68	8	66.7	8	0.7	102.5	100	0	0	0	0	0	0	0	0.4
Lincoln	8	24	3.0	24	3.0	102	13	8	100.0	8	1.0	13.0	100	0	0	0	0	0	0	0	0.5
Sanders	8	126	16.0	20	2.5	350	45	8	100.0	8	1.0	44.5	100	0	0	0	0	0	0	0	1.1
DISTRICT 2	16	126	8.0	67	4.3	287	18	12	75.0	12	0.8	24.3	100	0	0	0	0	0	0	0	0.2
Missoula	12	87	7.3	59	5.0	209	18	8	66.7	8	0.7	26.5	100	0	0	0	0	0	0	0	0.5
Ravalli	4	39	10.0	8	2.0	79	20	4	100.0	4	1.0	20.0	100	0	0	0	0	0	0	0	0.1
DISTRICT 3	31	831	26.4	146	4.6	3,783	120	24	75.0	24	0.8	160.2	100	0	0	0	0	0	0	0	0.2
Beaverhead	4	39	10.0	35	9.0	354	90	4	100.0	4	1.0	90.0	100	0	0	0	0	0	0	0	0.1
Gallatin	12	256	21.7	71	6.0	2,027	172	12	100.0	12	1.0	171.7	100	0	0	0	0	0	0	0	0.5
Jefferson	4	79	20.0	8	2.0	157	40	4	100.0	4	1.0	40.0	100	0	0	0	0	0	0	0	0.5
Madison	8	142	18.0	24	3.0	614	78	4	50.0	4	0.5	156.0	100	0	0	0	0	0	0	0	0.2
Park	4	315	80.0	8	2.0	630	160	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	28	626	22.7	260	9.4	6,323	229	28	100.0	28	1.0	229.4	100	0	0	0	0	0	0	0	0.2
Cascade	4	79	20.0	59	15.0	1,181	300	4	100.0	4	1.0	300.0	100	0	0	0	0	0	0	0	0.1
Chouteau	8	165	21.0	122	15.5	1,764	224	8	100.0	8	1.0	224.0	100	0	0	0	0	0	0	0	0.3
Fergus	4	20	5.0	4	1.0	20	5	4	100.0	4	1.0	5.0	100	0	0	0	0	0	0	0	0.2
Lewis & Clark	12	362	30.7	75	6.3	3,358	284	12	100.0	12	1.0	284.3	100	0	0	0	0	0	0	0	0.3

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: MUSKRAT

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	496	11,429	23.0	8,224	16.6	299,543	604	488	98.4	16,121	32.5	18.6	5	13	13	8	16	12	2	31	26.7
DISTRICT 1	79	1,279	16.3	1,571	20.0	24,125	306	79	100.0	2,980	37.9	8.1	5	27	14	5	9	5	5	32	51.3
Flathead	20	394	20.0	350	17.8	6,968	354	20	100.0	646	32.8	10.8	0	20	0	0	20	0	20	40	29.4
Lake	8	138	17.5	217	27.5	2,815	358	8	100.0	984	125.0	2.9	0	0	0	0	0	0	0	100	77.9
Lincoln	35	465	13.1	642	18.1	9,319	263	35	100.0	776	21.9	12.0	0	33	22	11	0	11	0	22	48.0
Sanders	24	283	12.0	362	15.3	5,023	213	24	100.0	575	24.3	8.7	17	33	17	0	17	0	0	17	78.1
DISTRICT 2	94	3,460	36.6	1,783	18.9	72,316	765	91	95.8	3,992	42.3	18.1	0	4	27	4	12	12	4	38	56.6
Deer Lodge	8	472	60.0	83	10.5	6,023	765	8	100.0	291	37.0	20.7	0	0	0	50	0	0	0	50	54.8
Granite	8	236	30.0	228	29.0	6,850	870	8	100.0	138	17.5	49.7	0	0	50	0	0	0	0	50	58.3
Mineral	4	12	3.0	16	4.0	47	12	4	100.0	24	6.0	2.0	0	0	100	0	0	0	0	0	31.6
Missoula	39	898	22.8	728	18.5	19,346	491	39	100.0	913	23.2	21.2	0	10	20	0	30	10	0	30	60.1
Powell	16	634	40.2	201	12.8	12,913	820	12	75.0	842	53.5	15.3	0	0	0	0	0	0	33	67	44.7
Ravalli	31	1,209	38.4	528	16.7	27,137	862	31	100.0	1,783	56.6	15.2	0	0	38	0	0	25	0	38	63.7
DISTRICT 3	110	3,004	27.2	1,819	16.5	125,369	1,137	106	96.4	2,732	24.8	45.9	7	7	14	14	14	18	0	25	28.4
Beaverhead	12	480	40.7	276	23.3	24,086	2,039	12	100.0	807	68.3	29.8	0	33	33	0	0	0	0	33	27.6
Gallatin	55	1,626	29.5	1,024	18.6	93,445	1,695	51	92.9	661	12.0	141.3	15	8	15	23	8	15	0	15	28.8
Jefferson	8	201	25.5	71	9.0	1,772	225	8	100.0	287	36.5	6.2	0	0	0	0	50	0	0	50	37.6
Madison	20	358	18.2	177	9.0	2,945	150	20	100.0	543	27.6	5.4	0	0	20	20	0	20	0	40	32.0
Park	20	339	17.2	272	13.8	3,122	159	20	100.0	433	22.0	7.2	0	0	0	0	40	40	0	20	23.4
DISTRICT 4	110	2,020	18.3	2,083	18.9	61,190	555	110	100.0	3,712	33.7	16.5	0	4	4	11	29	14	4	36	24.2
Cascade	31	311	9.9	524	16.6	6,232	198	31	100.0	1,173	37.3	5.3	0	13	0	13	13	0	13	50	30.5
Chouteau	12	173	14.7	201	17.0	1,724	146	12	100.0	283	24.0	6.1	0	0	0	0	33	33	0	33	11.0
Fergus	24	531	22.5	405	17.2	6,787	287	24	100.0	890	37.7	7.6	0	0	0	17	33	0	0	50	37.6
Glacier	4	12	3.0	102	26.0	307	78	4	100.0	118	30.0	2.6	0	0	0	0	0	0	0	100	65.2
Judith Basin	12	315	26.7	177	15.0	4,527	383	12	100.0	161	13.7	28.0	0	0	33	0	33	33	0	0	21.0
Lewis & Clark	12	516	43.7	551	46.7	40,097	3,395	12	100.0	913	77.3	43.9	0	0	0	0	0	67	0	33	21.1
Petroleum	4	28	7.0	12	3.0	83	21	4	100.0	47	12.0	1.8	0	0	0	0	100	0	0	0	26.7
Teton	12	134	11.3	110	9.3	1,433	121	12	100.0	126	10.7	11.4	0	0	0	33	67	0	0	0	23.4
DISTRICT 5	63	1,035	16.4	614	9.7	12,267	195	63	100.0	1,799	28.6	6.8	6	31	0	13	13	13	0	25	15.7
Bighorn	16	260	16.5	264	16.8	5,555	353	16	100.0	339	21.5	16.4	25	0	0	25	0	25	0	25	11.0
Carbon	31	646	20.5	244	7.8	5,791	184	31	100.0	961	30.5	6.0	0	50	0	0	13	13	0	25	19.8
Golden Valley	4	59	15.0	28	7.0	413	105	4	100.0	394	100.0	1.1	0	0	0	0	0	0	0	100	55.9
Stillwater	4	39	10.0	28	7.0	276	70	4	100.0	35	9.0	7.8	0	0	0	100	0	0	0	0	9.3
Yellowstone	8	31	4.0	51	6.5	232	30	8	100.0	71	9.0	3.3	0	50	0	0	50	0	0	0	4.4
DISTRICT 6	28	339	12.3	260	9.4	2,614	95	28	100.0	772	28.0	3.4	13	13	25	0	13	0	0	38	13.1
Blaine	8	47	6.0	75	9.5	492	63	8	100.0	177	22.5	2.8	0	0	50	0	0	0	0	50	14.2
Hill	8	126	16.0	24	3.0	268	34	8	100.0	28	3.5	9.7	0	50	50	0	0	0	0	0	1.8
Mccone	4	118	30.0	39	10.0	1,181	300	4	100.0	165	42.0	7.1	0	0	0	0	0	0	0	100	41.6
Valley	12	47	4.0	122	10.3	673	57	12	100.0	402	34.0	1.7	33	0	0	0	33	0	0	33	16.0

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: MUSKRAT

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 7	16	291	18.5	94	6.0	1,661	106	16	100.0	134	8.5	12.4	25	25	0	0	25	25	0	0	2.6
Dawson	4	118	30.0	47	12.0	1,417	360	4	100.0	59	15.0	24.0	0	0	0	0	100	0	0	0	8.2
Powder River	4	8	2.0	39	10.0	79	20	4	100.0	63	16.0	1.3	0	0	0	0	0	100	0	0	12.3
Prairie	4	157	40.0	4	1.0	157	40	4	100.0	4	1.0	40.0	100	0	0	0	0	0	0	0	25.0
Treasure	4	8	2.0	4	1.0	8	2	4	100.0	8	2.0	1.0	0	100	0	0	0	0	0	0	0.4

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: MINK

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	343	7,425	21.7	4,201	12.3	126,920	371	311	90.8	1,638	4.8	77.5	37	32	15	9	4	1	0	4	2.7
DISTRICT 1	59	803	13.6	760	12.9	11,921	202	59	100.0	252	4.3	47.3	40	33	13	7	0	0	0	7	4.3
Flathead	28	413	15.0	303	11.0	5,240	190	28	100.0	83	3.0	63.4	14	57	14	14	0	0	0	0	3.8
Lake	12	146	12.3	118	10.0	1,968	167	12	100.0	126	10.7	15.6	67	0	0	0	0	0	0	33	10.0
Lincoln	12	106	9.0	319	27.0	4,397	372	12	100.0	31	2.7	139.6	67	0	33	0	0	0	0	0	2.0
Sanders	8	138	17.5	20	2.5	315	40	8	100.0	12	1.5	26.7	50	50	0	0	0	0	0	0	1.6
DISTRICT 2	51	1,563	30.5	717	14.0	22,204	434	39	76.9	134	2.6	165.9	45	18	18	18	0	0	0	0	1.9
Deer Lodge	4	118	30.0	79	20.0	2,362	600	4	100.0	20	5.0	120.0	0	0	100	0	0	0	0	0	3.7
Granite	8	236	30.0	98	12.5	2,953	375	4	50.0	20	2.5	150.0	0	0	100	0	0	0	0	0	8.3
Missoula	20	307	15.6	134	6.8	2,421	123	16	80.0	20	1.0	123.0	75	25	0	0	0	0	0	0	1.3
Powell	8	362	46.0	39	5.0	1,811	230	4	50.0	12	1.5	153.3	0	100	0	0	0	0	0	0	0.6
Ravalli	20	539	27.4	366	18.6	12,657	643	16	80.0	63	3.2	200.9	50	0	0	50	0	0	0	0	2.3
DISTRICT 3	71	1,673	23.6	1,016	14.3	19,405	274	71	100.0	339	4.8	57.3	20	45	15	10	10	0	0	0	3.5
Beaverhead	12	413	35.0	142	12.0	5,079	430	12	100.0	43	3.7	117.3	0	67	33	0	0	0	0	0	1.5
Broadwater	4	55	14.0	8	2.0	110	28	4	100.0	8	2.0	14.0	0	100	0	0	0	0	0	0	10.0
Gallatin	28	591	21.4	252	9.1	6,886	250	28	100.0	142	5.1	48.6	14	43	14	14	14	0	0	0	6.2
Jefferson	8	157	20.0	43	5.5	1,063	135	8	100.0	24	3.0	45.0	0	50	50	0	0	0	0	0	3.1
Madison	4	28	7.0	236	60.0	1,653	420	4	100.0	51	13.0	32.3	0	0	0	0	100	0	0	0	3.0
Park	24	429	18.2	335	14.2	4,614	195	24	100.0	71	3.0	65.1	50	33	0	17	0	0	0	0	3.8
DISTRICT 4	87	1,925	22.2	1,173	13.5	59,903	692	83	95.5	488	5.6	122.7	48	33	10	5	0	0	0	5	3.2
Cascade	16	236	15.0	169	10.8	7,177	456	16	100.0	24	1.5	303.8	50	50	0	0	0	0	0	0	0.6
Chouteau	8	165	21.0	63	8.0	1,213	154	8	100.0	24	3.0	51.3	50	0	50	0	0	0	0	0	0.9
Fergus	24	441	18.7	205	8.7	4,512	191	24	100.0	35	1.5	127.3	67	33	0	0	0	0	0	0	1.5
Judith Basin	12	315	26.7	177	15.0	4,527	383	12	100.0	28	2.3	164.3	67	0	33	0	0	0	0	0	3.6
Lewis & Clark	12	594	50.3	480	40.7	41,542	3,517	12	100.0	350	29.7	118.6	0	33	0	33	0	0	0	33	8.1
Meagher	4	83	21.0	24	6.0	496	126	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Pondera	4	16	4.0	12	3.0	47	12	4	100.0	4	1.0	12.0	100	0	0	0	0	0	0	0	11.1
Teton	8	75	9.5	43	5.5	390	49	8	100.0	24	3.0	16.5	0	100	0	0	0	0	0	0	4.4
DISTRICT 5	31	618	19.6	205	6.5	4,512	143	24	75.0	126	4.0	35.8	33	33	0	17	0	17	0	0	1.1
Bighorn	12	283	24.0	138	11.7	3,567	302	8	66.7	83	7.0	43.1	0	50	0	0	0	50	0	0	2.7
Carbon	8	157	20.0	24	3.0	315	40	4	50.0	8	1.0	40.0	0	100	0	0	0	0	0	0	0.2
Yellowstone	12	177	15.0	43	3.7	630	53	12	100.0	35	3.0	17.8	67	0	0	33	0	0	0	0	2.2
DISTRICT 6	24	390	16.5	287	12.2	7,598	322	24	100.0	280	11.8	27.2	17	0	50	0	17	0	0	17	4.8
Blaine	4	55	14.0	28	7.0	386	98	4	100.0	24	6.0	16.3	0	0	100	0	0	0	0	0	1.9
Hill	8	228	29.0	177	22.5	6,220	790	8	100.0	213	27.0	29.3	0	0	0	0	50	0	0	50	13.5
Valley	12	106	9.0	83	7.0	992	84	12	100.0	43	3.7	22.9	33	0	67	0	0	0	0	0	1.7

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: MINK

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 7	20	453	23.0	43	2.2	1,378	70	12	60.0	20	1.0	70.0	67	33	0	0	0	0	0	0	0.4
Dawson	4	39	10.0	8	2.0	79	20	4	100.0	4	1.0	20.0	100	0	0	0	0	0	0	0	0.5
Powder River	4	28	7.0	4	1.0	28	7	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Prairie	4	236	60.0	12	3.0	709	180	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Treasure	8	150	19.0	20	2.5	563	72	8	100.0	16	2.0	35.8	50	50	0	0	0	0	0	0	0.7

Species: MARTEN

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	130	4,342	33.4	2,575	19.8	102,976	793	110	84.8	1,563	12.0	65.9	13	32	13	10	13	0	6	13	2.6
DISTRICT 1	59	2,043	34.6	1,583	26.8	65,915	1,116	47	80.0	1,150	19.5	57.3	8	15	15	15	8	0	8	31	19.8
Flathead	35	1,272	35.9	917	25.9	41,660	1,176	35	100.0	858	24.2	48.5	11	11	11	22	11	0	11	22	39.1
Lake	4	4	1.0	24	6.0	24	6	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	24	768	32.5	642	27.2	24,231	1,026	16	66.7	291	12.3	83.2	0	25	25	0	0	0	0	50	18.0
DISTRICT 2	28	760	27.6	315	11.4	6,917	251	28	100.0	157	5.7	43.9	22	44	22	0	11	0	0	0	2.2
Deer Lodge	4	118	30.0	24	6.0	709	180	4	100.0	12	3.0	60.0	0	100	0	0	0	0	0	0	2.2
Granite	4	118	30.0	31	8.0	945	240	4	100.0	24	6.0	40.0	0	0	100	0	0	0	0	0	10.0
Missoula	8	114	14.5	59	7.5	846	108	8	100.0	28	3.5	30.7	50	0	50	0	0	0	0	0	1.8
Powell	4	118	30.0	39	10.0	1,181	300	4	100.0	12	3.0	100.0	0	100	0	0	0	0	0	0	0.6
Ravalli	16	291	18.5	161	10.2	3,236	206	16	100.0	83	5.3	39.1	25	50	0	0	25	0	0	0	3.0
DISTRICT 3	31	1,295	41.1	496	15.7	24,932	792	24	75.0	236	7.5	105.6	0	33	0	17	33	0	17	0	2.5
Beaverhead	8	319	40.5	217	27.5	10,689	1,357	8	100.0	122	15.5	87.6	0	0	0	50	0	0	50	0	4.2
Gallatin	16	630	40.0	217	13.8	10,984	697	12	75.0	102	6.5	107.3	0	33	0	0	67	0	0	0	4.5
Jefferson	4	295	75.0	39	10.0	2,953	750	4	100.0	12	3.0	250.0	0	100	0	0	0	0	0	0	1.5
Park	4	51	13.0	24	6.0	307	78	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	4	8	2.0	8	2.0	16	4	4	100.0	4	1.0	4.0	100	0	0	0	0	0	0	0	0.0
Cascade	4	8	2.0	8	2.0	16	4	4	100.0	4	1.0	4.0	100	0	0	0	0	0	0	0	0.1
DISTRICT 5	8	236	30.0	173	22.0	5,197	660	8	100.0	16	2.0	330.0	0	100	0	0	0	0	0	0	0.1
Carbon	8	236	30.0	173	22.0	5,197	660	8	100.0	16	2.0	330.0	0	100	0	0	0	0	0	0	0.3

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: FISHER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	12	453	38.3	177	15.0	9,626	815	8	66.7	8	0.7	######	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	4	59	15.0	59	15.0	886	225	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lincoln	4	59	15.0	59	15.0	886	225	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 2	8	394	50.0	118	15.0	8,740	1,110	8	100.0	8	1.0	######	100	0	0	0	0	0	0	0	0.1
Ravalli	8	394	50.0	118	15.0	8,740	1,110	8	100.0	8	1.0	######	100	0	0	0	0	0	0	0	0.3

Species: WOLVERINE

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	43	1,173	27.1	213	4.9	5,126	118	12	27.3	12	0.3	434.0	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	12	122	10.3	63	5.3	358	30	4	33.3	4	0.3	91.0	100	0	0	0	0	0	0	0	0.1
Flathead	8	118	15.0	20	2.5	315	40	4	50.0	4	0.5	80.0	100	0	0	0	0	0	0	0	0.2
Lincoln	4	4	1.0	43	11.0	43	11	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	16	551	35.0	67	4.3	3,543	225	8	50.0	8	0.5	450.0	100	0	0	0	0	0	0	0	0.1
Gallatin	8	118	15.0	20	2.5	315	40	8	100.0	8	1.0	40.0	100	0	0	0	0	0	0	0	0.3
Jefferson	4	295	75.0	39	10.0	2,953	750	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Park	4	138	35.0	8	2.0	276	70	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	12	382	32.3	67	5.7	752	64	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Lewis & Clark	4	4	1.0	43	11.0	43	11	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Teton	8	378	48.0	24	3.0	709	90	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 5	4	118	30.0	16	4.0	472	120	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Musselshell	4	118	30.0	16	4.0	472	120	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Detail of Trapping and Snaring Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: LYNX

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	20	224	11.4	110	5.6	1,000	51	4	20.0	4	0.2	254.0	100	0	0	0	0	0	0	0	0.0
DISTRICT 1	8	20	2.5	31	4.0	71	9	4	50.0	4	0.5	18.0	100	0	0	0	0	0	0	0	0.1
Flathead	4	12	3.0	8	2.0	24	6	4	100.0	4	1.0	6.0	100	0	0	0	0	0	0	0	0.2
Lincoln	4	8	2.0	24	6.0	47	12	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	4	4	1.0	43	11.0	43	11	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Beaverhead	4	4	1.0	43	11.0	43	11	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	4	83	21.0	20	5.0	413	105	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Teton	4	83	21.0	20	5.0	413	105	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 5	4	118	30.0	16	4.0	472	120	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Musselshell	4	118	30.0	16	4.0	472	120	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: BOBCAT

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	417	12,669	30.4	4,586	11.0	155,297	372	307	73.6	807	1.9	192.4	46	35	11	8	0	0	0	0	1.3
DISTRICT 1	43	1,260	29.1	437	10.1	15,507	358	28	63.6	59	1.4	262.6	63	25	13	0	0	0	0	0	1.0
Flathead	20	461	23.4	110	5.6	3,913	199	20	100.0	20	1.0	198.8	100	0	0	0	0	0	0	0	0.9
Lincoln	24	681	28.8	287	12.2	10,413	441	8	33.3	28	1.2	377.9	0	50	50	0	0	0	0	0	1.7
Sanders	4	118	30.0	39	10.0	1,181	300	4	100.0	12	3.0	100.0	0	100	0	0	0	0	0	0	1.6
DISTRICT 2	24	575	24.3	157	6.7	4,492	190	20	83.3	35	1.5	126.8	20	80	0	0	0	0	0	0	0.5
Granite	4	59	15.0	16	4.0	236	60	4	100.0	8	2.0	30.0	0	100	0	0	0	0	0	0	3.3
Missoula	4	118	30.0	39	10.0	1,181	300	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Powell	12	319	27.0	94	8.0	2,917	247	12	100.0	20	1.7	148.2	33	67	0	0	0	0	0	0	1.0
Ravalli	4	79	20.0	8	2.0	157	40	4	100.0	8	2.0	20.0	0	100	0	0	0	0	0	0	0.3
DISTRICT 3	94	3,256	34.5	713	7.5	29,585	313	75	79.2	130	1.4	227.7	63	32	0	5	0	0	0	0	1.3
Beaverhead	8	449	57.0	165	21.0	11,763	1,494	4	50.0	8	1.0	######	0	100	0	0	0	0	0	0	0.3
Broadwater	4	55	14.0	8	2.0	110	28	4	100.0	4	1.0	28.0	100	0	0	0	0	0	0	0	5.0
Gallatin	8	583	74.0	35	4.5	2,917	371	4	50.0	4	0.5	741.0	100	0	0	0	0	0	0	0	0.2
Jefferson	24	846	35.8	181	7.7	5,905	250	20	83.3	31	1.3	187.5	60	40	0	0	0	0	0	0	4.1
Madison	16	394	25.0	110	7.0	2,874	183	12	75.0	39	2.5	73.0	33	33	0	33	0	0	0	0	2.3
Park	31	846	26.9	201	6.4	5,767	183	28	87.5	39	1.3	146.5	71	29	0	0	0	0	0	0	2.1
Silver Bow	4	83	21.0	12	3.0	248	63	4	100.0	4	1.0	63.0	100	0	0	0	0	0	0	0	20.0
DISTRICT 4	94	3,256	34.5	1,130	12.0	36,093	382	75	79.2	220	2.3	163.7	35	40	15	10	0	0	0	0	1.4
Cascade	12	339	28.7	118	10.0	3,795	321	12	100.0	39	3.3	96.4	0	67	33	0	0	0	0	0	1.0
Chouteau	20	531	27.0	252	12.8	6,968	354	16	80.0	35	1.8	196.7	50	25	25	0	0	0	0	0	1.4
Fergus	8	354	45.0	35	4.5	1,713	218	4	50.0	4	0.5	435.0	100	0	0	0	0	0	0	0	0.2
Judith Basin	16	374	23.7	122	7.8	2,874	183	12	75.0	20	1.3	146.0	33	67	0	0	0	0	0	0	2.6
Lewis & Clark	24	685	29.0	291	12.3	9,645	408	20	83.3	55	2.3	175.0	40	40	0	20	0	0	0	0	1.3
Liberty	4	118	30.0	177	45.0	5,315	1,350	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Meagher	8	319	40.5	75	9.5	3,874	492	8	100.0	24	3.0	164.0	50	0	50	0	0	0	0	0	26.1
Petroleum	4	39	10.0	20	5.0	197	50	4	100.0	31	8.0	6.3	0	0	0	100	0	0	0	0	17.8
Pondera	4	118	30.0	4	1.0	118	30	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Teton	8	378	48.0	35	4.5	1,594	203	4	50.0	12	1.5	135.0	0	100	0	0	0	0	0	0	2.2
DISTRICT 5	98	2,059	20.9	1,083	11.0	25,030	254	63	64.0	154	1.6	163.0	41	41	12	6	0	0	0	0	1.3
Bighorn	8	98	12.5	94	12.0	1,024	130	8	100.0	16	2.0	65.0	50	50	0	0	0	0	0	0	0.5
Carbon	39	953	24.2	402	10.2	10,275	261	24	60.0	47	1.2	217.5	50	33	17	0	0	0	0	0	1.0
Golden Valley	4	79	20.0	31	8.0	630	160	4	100.0	12	3.0	53.3	0	100	0	0	0	0	0	0	1.7
Musselshell	8	394	50.0	217	27.5	9,055	1,150	8	100.0	43	5.5	209.1	0	0	50	50	0	0	0	0	12.5
Stillwater	16	59	3.8	138	8.8	520	33	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Sweetgrass	4	39	10.0	28	7.0	276	70	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Yellowstone	28	437	15.9	173	6.3	3,252	118	24	85.7	35	1.3	91.8	50	50	0	0	0	0	0	0	2.2

March 27th, 2002

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: BOBCAT

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 6	8	75	9.5	24	3.0	224	28	8	100.0	12	1.5	19.0	50	50	0	0	0	0	0	0	0.2
Blaine	4	39	10.0	12	3.0	118	30	4	100.0	4	1.0	30.0	100	0	0	0	0	0	0	0	0.3
Mccone	4	35	9.0	12	3.0	106	27	4	100.0	8	2.0	13.5	0	100	0	0	0	0	0	0	2.0
DISTRICT 7	63	2,189	34.7	1,043	16.6	44,364	704	47	75.0	197	3.1	225.4	42	8	25	25	0	0	0	0	3.8
Carter	8	413	52.5	260	33.0	18,424	2,340	8	100.0	31	4.0	585.0	0	50	50	0	0	0	0	0	2.7
Custer	16	453	28.7	146	9.2	3,996	254	8	50.0	8	0.5	507.5	100	0	0	0	0	0	0	0	6.9
Garfield	12	551	46.7	205	17.3	9,291	787	8	66.7	67	5.7	138.8	0	0	0	100	0	0	0	0	15.3
Powder River	16	476	30.3	327	20.7	10,645	676	12	75.0	67	4.3	159.1	33	0	33	33	0	0	0	0	13.1
Rosebud	4	39	10.0	79	20.0	787	200	4	100.0	4	1.0	200.0	100	0	0	0	0	0	0	0	3.8
Treasure	8	256	32.5	28	3.5	1,220	155	8	100.0	20	2.5	62.0	50	0	50	0	0	0	0	0	0.9

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: WEASEL

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	102	3,441	33.6	1,610	15.7	114,861	1,122	94	92.3	1,094	10.7	104.9	54	13	4	0	13	8	4	4	1.8
DISTRICT 1	28	571	20.7	224	8.1	5,795	210	28	100.0	217	7.9	26.8	29	14	14	0	29	14	0	0	3.7
Flathead	12	276	23.3	130	11.0	3,740	317	12	100.0	79	6.7	47.5	0	33	33	0	33	0	0	0	3.6
Lake	8	39	5.0	35	4.5	185	24	8	100.0	8	1.0	23.5	100	0	0	0	0	0	0	0	0.6
Lincoln	8	256	32.5	59	7.5	1,870	238	8	100.0	130	16.5	14.4	0	0	0	0	50	50	0	0	8.0
DISTRICT 2	8	173	22.0	55	7.0	1,276	162	8	100.0	16	2.0	81.0	50	50	0	0	0	0	0	0	0.2
Granite	4	118	30.0	31	8.0	945	240	4	100.0	4	1.0	240.0	100	0	0	0	0	0	0	0	1.7
Ravalli	4	55	14.0	24	6.0	331	84	4	100.0	12	3.0	28.0	0	100	0	0	0	0	0	0	0.4
DISTRICT 3	24	870	36.8	193	8.2	13,543	573	16	66.7	154	6.5	88.2	50	0	0	0	25	0	25	0	1.6
Beaverhead	8	453	57.5	118	15.0	10,137	1,288	4	50.0	98	12.5	103.0	0	0	0	0	0	0	100	0	3.4
Gallatin	4	12	3.0	4	1.0	12	3	4	100.0	4	1.0	3.0	100	0	0	0	0	0	0	0	0.2
Jefferson	8	374	47.5	55	7.0	3,268	415	4	50.0	47	6.0	69.2	0	0	0	0	100	0	0	0	6.2
Park	4	31	8.0	16	4.0	126	32	4	100.0	4	1.0	32.0	100	0	0	0	0	0	0	0	0.2
DISTRICT 4	28	1,299	47.1	575	20.9	46,593	1,691	28	100.0	618	22.4	75.4	71	14	0	0	0	0	0	14	4.0
Cascade	4	28	7.0	4	1.0	28	7	4	100.0	4	1.0	7.0	100	0	0	0	0	0	0	0	0.1
Chouteau	4	110	28.0	4	1.0	110	28	4	100.0	8	2.0	14.0	0	100	0	0	0	0	0	0	0.3
Judith Basin	4	118	30.0	79	20.0	2,362	600	4	100.0	4	1.0	600.0	100	0	0	0	0	0	0	0	0.5
Lewis & Clark	12	748	63.3	472	40.0	42,912	3,633	12	100.0	598	50.7	71.7	67	0	0	0	0	0	0	33	13.8
Teton	4	295	75.0	16	4.0	1,181	300	4	100.0	4	1.0	300.0	100	0	0	0	0	0	0	0	0.7
DISTRICT 5	8	161	20.5	47	6.0	1,583	201	8	100.0	8	1.0	201.0	100	0	0	0	0	0	0	0	0.1
Bighorn	4	157	40.0	39	10.0	1,575	400	4	100.0	4	1.0	400.0	100	0	0	0	0	0	0	0	0.1
Golden Valley	4	4	1.0	8	2.0	8	2	4	100.0	4	1.0	2.0	100	0	0	0	0	0	0	0	0.6
DISTRICT 6	4	12	3.0	4	1.0	12	3	4	100.0	4	1.0	3.0	100	0	0	0	0	0	0	0	0.1
Blaine	4	12	3.0	4	1.0	12	3	4	100.0	4	1.0	3.0	100	0	0	0	0	0	0	0	0.3
DISTRICT 7	4	354	90.0	512	130.0	46,061	11,700	4	100.0	79	20.0	585.0	0	0	0	0	0	100	0	0	1.5
Carter	4	354	90.0	512	130.0	46,061	11,700	4	100.0	79	20.0	585.0	0	0	0	0	0	100	0	0	6.8

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: SKUNK

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	268	7,102	26.5	3,827	14.3	154,387	577	268	100.0	3,283	12.3	47.0	20	17	16	16	4	6	9	12	5.4
DISTRICT 1	24	339	14.3	213	9.0	3,744	159	24	100.0	142	6.0	26.4	33	17	33	0	0	17	0	0	2.4
Flathead	12	177	15.0	177	15.0	3,031	257	12	100.0	39	3.3	77.0	33	33	33	0	0	0	0	0	1.8
Lake	8	122	15.5	24	3.0	594	76	8	100.0	83	10.5	7.2	50	0	0	0	0	50	0	0	6.5
Lincoln	4	39	10.0	12	3.0	118	30	4	100.0	20	5.0	6.0	0	0	100	0	0	0	0	0	1.2
DISTRICT 2	39	850	21.6	461	11.7	28,999	737	39	100.0	169	4.3	171.3	50	10	0	40	0	0	0	0	2.4
Missoula	12	51	4.3	39	3.3	169	14	12	100.0	47	4.0	3.6	33	33	0	33	0	0	0	0	3.1
Powell	8	280	35.5	142	18.0	9,649	1,226	8	100.0	8	1.0	######	100	0	0	0	0	0	0	0	0.4
Ravalli	20	520	26.4	280	14.2	19,180	974	20	100.0	114	5.8	168.0	40	0	0	60	0	0	0	0	4.1
DISTRICT 3	47	1,402	29.7	669	14.2	37,278	789	47	100.0	567	12.0	65.8	25	25	17	8	0	0	17	8	5.9
Beaverhead	4	394	100.0	181	46.0	18,109	4,600	4	100.0	256	65.0	70.8	0	0	0	0	0	0	0	100	8.8
Gallatin	12	433	36.7	51	4.3	1,713	145	12	100.0	134	11.3	12.8	33	0	0	33	0	0	33	0	5.8
Jefferson	8	35	4.5	16	2.0	91	12	8	100.0	16	2.0	5.8	50	50	0	0	0	0	0	0	2.1
Madison	4	94	24.0	43	11.0	1,039	264	4	100.0	102	26.0	10.2	0	0	0	0	0	0	100	0	6.0
Park	20	445	22.6	378	19.2	16,326	829	20	100.0	59	3.0	276.5	20	40	40	0	0	0	0	0	3.2
DISTRICT 4	51	1,386	27.1	709	13.8	21,495	420	51	100.0	260	5.1	82.7	15	38	23	15	0	8	0	0	1.7
Cascade	12	291	24.7	240	20.3	8,244	698	12	100.0	43	3.7	190.4	33	33	0	33	0	0	0	0	1.1
Chouteau	8	228	29.0	51	6.5	1,512	192	8	100.0	59	7.5	25.6	0	0	50	50	0	0	0	0	2.3
Judith Basin	4	79	20.0	79	20.0	1,575	400	4	100.0	24	6.0	66.7	0	0	100	0	0	0	0	0	3.1
Lewis & Clark	8	276	35.0	51	6.5	2,480	315	8	100.0	87	11.0	28.6	0	50	0	0	0	50	0	0	2.0
Liberty	4	118	30.0	177	45.0	5,315	1,350	4	100.0	16	4.0	337.5	0	0	100	0	0	0	0	0	3.9
Petroleum	4	55	14.0	79	20.0	1,102	280	4	100.0	12	3.0	93.3	0	100	0	0	0	0	0	0	6.7
Pondera	4	295	75.0	16	4.0	1,181	300	4	100.0	8	2.0	150.0	0	100	0	0	0	0	0	0	22.2
Teton	8	43	5.5	16	2.0	87	11	8	100.0	12	1.5	7.3	50	50	0	0	0	0	0	0	2.2
DISTRICT 5	51	1,677	32.8	894	17.5	35,199	688	51	100.0	705	13.8	49.9	8	8	23	8	23	0	23	8	6.1
Bighorn	20	870	44.2	409	20.8	21,224	1,078	20	100.0	217	11.0	98.0	20	0	20	20	20	0	20	0	7.0
Carbon	16	394	25.0	193	12.2	3,937	250	16	100.0	382	24.3	10.3	0	0	0	0	25	0	50	25	7.9
Golden Valley	4	79	20.0	31	8.0	630	160	4	100.0	20	5.0	32.0	0	0	100	0	0	0	0	0	2.8
Musselshell	4	157	40.0	197	50.0	7,874	2,000	4	100.0	51	13.0	153.8	0	0	0	0	100	0	0	0	14.8
Stillwater	4	59	15.0	24	6.0	354	90	4	100.0	12	3.0	30.0	0	100	0	0	0	0	0	0	3.1
Yellowstone	4	118	30.0	39	10.0	1,181	300	4	100.0	24	6.0	50.0	0	0	100	0	0	0	0	0	1.5
DISTRICT 6	28	768	27.9	520	18.9	19,298	700	28	100.0	539	19.6	35.8	13	13	13	13	0	13	0	38	9.2
Blaine	8	291	37.0	315	40.0	17,086	2,170	8	100.0	150	19.0	114.2	0	0	0	50	0	0	0	50	12.0
Hill	12	421	35.7	43	3.7	1,342	114	12	100.0	150	12.7	9.0	0	33	33	0	0	0	0	33	9.5
Valley	12	55	4.7	161	13.7	870	74	12	100.0	240	20.3	3.6	33	0	0	0	0	33	0	33	9.5

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: SKUNK

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 7	28	681	24.7	362	13.1	8,374	304	28	100.0	902	32.7	9.3	0	0	0	29	0	14	14	43	17.2
Carter	4	118	30.0	79	20.0	2,362	600	4	100.0	236	60.0	10.0	0	0	0	0	0	0	0	100	20.3
Custer	4	236	60.0	4	1.0	236	60	4	100.0	39	10.0	6.0	0	0	0	100	0	0	0	0	34.5
Dawson	8	122	15.5	134	17.0	2,874	365	8	100.0	150	19.0	19.2	0	0	0	50	0	0	0	50	20.7
Powder River	8	201	25.5	102	13.0	2,858	363	8	100.0	177	22.5	16.1	0	0	0	0	0	50	50	0	34.6
Treasure	4	4	1.0	43	11.0	43	11	4	100.0	299	76.0	0.1	0	0	0	0	0	0	0	100	13.9

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: COYOTE

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	472	18,570	39.3	11,685	24.7	623,954	1,321	441	93.3	6,114	12.9	102.1	10	26	13	11	14	8	7	11	10.1
DISTRICT 1	24	472	20.0	244	10.3	4,945	209	24	100.0	87	3.7	57.1	17	50	17	17	0	0	0	0	1.5
Flathead	16	327	20.7	197	12.5	3,890	247	16	100.0	75	4.8	52.0	0	50	25	25	0	0	0	0	3.4
Lincoln	8	146	18.5	47	6.0	1,055	134	8	100.0	12	1.5	89.3	50	50	0	0	0	0	0	0	0.7
DISTRICT 2	79	3,878	49.3	2,472	31.4	157,391	1,999	71	90.0	827	10.5	190.4	16	26	11	21	0	5	11	11	11.7
Deer Lodge	4	394	100.0	94	24.0	9,448	2,400	4	100.0	24	6.0	400.0	0	0	100	0	0	0	0	0	4.4
Granite	12	539	45.7	71	6.0	5,071	429	12	100.0	28	2.3	184.0	0	100	0	0	0	0	0	0	11.7
Mineral	4	39	10.0	79	20.0	787	200	4	100.0	31	8.0	25.0	0	0	0	100	0	0	0	0	42.1
Missoula	20	591	30.0	413	21.0	9,724	494	16	80.0	35	1.8	274.4	50	25	25	0	0	0	0	0	2.3
Powell	24	1,327	56.2	1,012	42.8	84,709	3,586	24	100.0	504	21.3	168.1	0	17	0	33	0	0	17	33	26.7
Ravalli	20	988	50.2	803	40.8	47,652	2,421	16	80.0	205	10.4	232.8	25	0	0	25	0	25	25	0	7.3
DISTRICT 3	118	3,342	28.3	2,047	17.3	67,304	570	98	83.3	1,106	9.4	60.8	12	31	15	8	19	4	4	8	11.5
Beaverhead	28	890	32.3	433	15.7	24,904	904	24	85.7	496	18.0	50.2	0	33	0	0	33	17	0	17	17.0
Broadwater	4	55	14.0	12	3.0	165	42	4	100.0	4	1.0	42.0	100	0	0	0	0	0	0	0	5.0
Gallatin	16	508	32.2	327	20.7	8,401	534	16	100.0	201	12.8	41.8	0	25	50	0	0	0	0	25	8.7
Jefferson	28	815	29.6	232	8.4	8,067	293	20	71.4	63	2.3	128.1	40	20	20	20	0	0	0	0	8.2
Madison	20	307	15.6	417	21.2	6,043	307	16	80.0	138	7.0	43.9	0	25	0	25	50	0	0	0	8.1
Park	28	768	27.9	626	22.7	19,724	716	24	85.7	205	7.4	96.3	0	50	17	0	17	0	17	0	11.1
DISTRICT 4	110	4,634	42.0	2,445	22.2	162,867	1,477	106	96.4	1,587	14.4	102.7	0	21	14	7	25	18	4	11	10.4
Cascade	20	846	43.0	358	18.2	17,558	892	20	100.0	323	16.4	54.4	0	20	0	20	20	20	0	20	8.4
Chouteau	24	957	40.5	685	29.0	40,927	1,733	24	100.0	457	19.3	89.6	0	0	17	0	33	33	0	17	17.7
Fergus	12	209	17.7	209	17.7	4,366	370	12	100.0	79	6.7	55.5	0	33	0	33	33	0	0	0	3.3
Glacier	4	55	14.0	47	12.0	661	168	4	100.0	47	12.0	14.0	0	0	0	0	100	0	0	0	26.1
Judith Basin	12	571	48.3	177	15.0	10,137	858	12	100.0	67	5.7	151.5	0	67	0	0	33	0	0	0	8.7
Lewis & Clark	24	1,169	49.5	685	29.0	79,060	3,347	24	100.0	335	14.2	236.3	0	17	17	0	17	33	17	0	7.7
Liberty	8	315	40.0	232	29.5	8,071	1,025	8	100.0	252	32.0	32.0	0	0	50	0	0	0	0	50	62.7
Meagher	4	177	45.0	16	4.0	709	180	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Petroleum	4	39	10.0	20	5.0	197	50	4	100.0	20	5.0	10.0	0	0	100	0	0	0	0	0	11.1
Teton	4	295	75.0	16	4.0	1,181	300	4	100.0	8	2.0	150.0	0	100	0	0	0	0	0	0	1.5
DISTRICT 5	79	3,149	40.0	1,768	22.5	83,870	1,065	79	100.0	1,150	14.6	73.0	10	30	20	5	5	5	10	15	10.0
Bighorn	20	827	42.0	457	23.2	20,708	1,052	20	100.0	398	20.2	52.1	0	20	0	20	20	0	20	20	12.9
Carbon	20	933	47.4	531	27.0	34,518	1,754	20	100.0	567	28.8	60.9	0	40	0	0	0	0	20	40	11.7
Golden Valley	8	83	10.5	75	9.5	673	86	4	50.0	4	0.5	171.0	100	0	0	0	0	0	0	0	0.6
Musselshell	12	591	50.0	480	40.7	20,787	1,760	12	100.0	122	10.3	170.3	0	0	67	0	0	33	0	0	35.2
Stillwater	4	28	7.0	39	10.0	276	70	4	100.0	8	2.0	35.0	0	100	0	0	0	0	0	0	2.1
Sweetgrass	4	177	45.0	59	15.0	2,657	675	4	100.0	16	4.0	168.8	0	0	100	0	0	0	0	0	8.2
Wheatland	4	118	30.0	16	4.0	472	120	4	100.0	8	2.0	60.0	0	100	0	0	0	0	0	0	2.6
Yellowstone	12	394	33.3	110	9.3	3,779	320	12	100.0	28	2.3	137.1	33	33	33	0	0	0	0	0	1.7

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: COYOTE

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 6	39	1,043	26.5	1,106	28.1	37,774	959	35	90.0	905	23.0	41.7	9	18	9	9	9	9	9	27	15.4
Blaine	12	409	34.7	394	33.3	19,322	1,636	12	100.0	311	26.3	62.1	0	0	33	0	0	33	0	33	24.9
Hill	12	213	18.0	157	13.3	5,000	423	8	66.7	260	22.0	19.2	50	0	0	0	0	0	0	50	16.5
Mccone	4	35	9.0	12	3.0	106	27	4	100.0	8	2.0	13.5	0	100	0	0	0	0	0	0	2.0
Richland	4	177	45.0	197	50.0	8,858	2,250	4	100.0	87	22.0	102.3	0	0	0	0	0	0	100	0	71.0
Valley	16	209	13.2	346	22.0	4,488	285	16	100.0	240	15.2	18.7	0	25	0	25	25	0	0	25	9.5
DISTRICT 7	51	2,051	40.1	1,602	31.3	109,802	2,145	47	92.3	453	8.8	242.5	17	17	0	25	25	8	8	0	8.7
Carter	4	472	120.0	512	130.0	61,415	15,600	4	100.0	67	17.0	917.6	0	0	0	0	0	100	0	0	5.7
Custer	12	354	30.0	453	38.3	16,535	1,400	12	100.0	43	3.7	381.8	67	0	0	33	0	0	0	0	37.9
Dawson	8	295	37.5	252	32.0	9,921	1,260	8	100.0	110	14.0	90.0	0	0	0	0	100	0	0	0	15.2
Fallon	4	118	30.0	24	6.0	709	180	4	100.0	12	3.0	60.0	0	100	0	0	0	0	0	0	100.0
Garfield	4	394	100.0	118	30.0	11,811	3,000	4	100.0	98	25.0	120.0	0	0	0	0	0	0	100	0	22.5
Powder River	4	236	60.0	138	35.0	8,267	2,100	4	100.0	43	11.0	190.9	0	0	0	0	100	0	0	0	8.5
Rosebud	4	39	10.0	28	7.0	276	70	4	100.0	39	10.0	7.0	0	0	0	100	0	0	0	0	38.5
Treasure	12	142	12.0	79	6.7	870	74	8	66.7	39	3.3	22.1	0	50	0	50	0	0	0	0	1.8

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: FOX

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	409	14,543	35.5	7,472	18.3	383,637	937	402	98.1	4,252	10.4	90.2	14	25	26	11	4	8	4	7	7.0
DISTRICT 1	12	177	15.0	165	14.0	2,913	247	12	100.0	55	4.7	52.9	0	33	67	0	0	0	0	0	0.9
Flathead	12	177	15.0	165	14.0	2,913	247	12	100.0	55	4.7	52.9	0	33	67	0	0	0	0	0	2.5
DISTRICT 2	59	2,724	46.1	1,669	28.3	102,992	1,744	55	93.3	398	6.7	259.0	7	36	29	7	7	7	7	0	5.6
Deer Lodge	4	79	20.0	24	6.0	472	120	4	100.0	8	2.0	60.0	0	100	0	0	0	0	0	0	1.5
Mineral	4	39	10.0	39	10.0	394	100	4	100.0	8	2.0	50.0	0	100	0	0	0	0	0	0	10.5
Missoula	8	295	37.5	51	6.5	2,185	278	8	100.0	28	3.5	79.3	0	50	50	0	0	0	0	0	1.8
Powell	20	1,216	61.8	941	47.8	67,682	3,438	16	80.0	114	5.8	592.8	0	25	25	25	25	0	0	0	6.1
Ravalli	24	1,094	46.3	614	26.0	32,258	1,366	24	100.0	240	10.2	134.3	17	17	33	0	0	17	17	0	8.6
DISTRICT 3	98	2,913	29.6	1,189	12.1	49,372	502	94	96.0	512	5.2	96.5	21	38	17	17	0	4	4	0	5.3
Beaverhead	20	634	32.2	291	14.8	19,657	999	20	100.0	118	6.0	166.4	0	40	20	40	0	0	0	0	4.0
Gallatin	28	921	33.4	205	7.4	6,638	241	28	100.0	71	2.6	93.7	29	57	14	0	0	0	0	0	3.1
Jefferson	16	630	40.0	154	9.8	5,905	375	12	75.0	122	7.8	48.4	33	0	33	0	0	0	33	0	16.0
Madison	12	150	12.7	71	6.0	1,827	155	12	100.0	51	4.3	35.7	33	33	0	33	0	0	0	0	3.0
Park	24	579	24.5	468	19.8	15,346	650	24	100.0	150	6.3	102.6	17	33	17	17	0	17	0	0	8.1
DISTRICT 4	91	3,527	39.0	1,630	18.0	73,690	814	91	100.0	835	9.2	88.3	12	28	28	12	0	8	8	4	5.4
Cascade	16	535	34.0	307	19.5	16,062	1,020	16	100.0	319	20.3	50.4	0	0	50	0	0	0	25	25	8.3
Chouteau	24	866	36.7	472	20.0	27,479	1,163	24	100.0	220	9.3	124.6	17	33	17	0	0	17	17	0	8.5
Fergus	8	197	25.0	138	17.5	3,740	475	8	100.0	35	4.5	105.6	0	50	0	50	0	0	0	0	1.5
Glacier	4	83	21.0	47	12.0	992	252	4	100.0	16	4.0	63.0	0	0	100	0	0	0	0	0	8.7
Judith Basin	8	492	62.5	138	17.5	8,464	1,075	8	100.0	71	9.0	119.4	0	0	0	100	0	0	0	0	9.2
Lewis & Clark	20	866	44.0	205	10.4	9,212	468	20	100.0	106	5.4	86.7	20	40	20	0	0	20	0	0	2.5
Liberty	4	118	30.0	177	45.0	5,315	1,350	4	100.0	20	5.0	270.0	0	0	100	0	0	0	0	0	4.9
Petroleum	4	55	14.0	79	20.0	1,102	280	4	100.0	8	2.0	140.0	0	100	0	0	0	0	0	0	4.4
Pondera	8	303	38.5	28	3.5	1,205	153	8	100.0	16	2.0	76.5	50	50	0	0	0	0	0	0	44.4
Teton	4	12	3.0	39	10.0	118	30	4	100.0	24	6.0	5.0	0	0	100	0	0	0	0	0	4.4
DISTRICT 5	71	2,039	28.8	957	13.5	32,999	466	71	100.0	882	12.4	37.4	11	11	39	0	11	11	0	17	7.7
Bighorn	16	551	35.0	228	14.5	6,614	420	16	100.0	244	15.5	27.1	0	0	25	0	50	0	0	25	7.9
Carbon	31	1,047	33.3	543	17.3	22,223	706	31	100.0	567	18.0	39.2	0	0	50	0	0	25	0	25	11.7
Musselshell	8	87	11.0	63	8.0	717	91	8	100.0	16	2.0	45.5	0	100	0	0	0	0	0	0	4.5
Stillwater	4	59	15.0	20	5.0	295	75	4	100.0	24	6.0	12.5	0	0	100	0	0	0	0	0	6.2
Wheatland	4	118	30.0	39	10.0	1,181	300	4	100.0	24	6.0	50.0	0	0	100	0	0	0	0	0	7.7
Yellowstone	8	177	22.5	63	8.0	1,968	250	8	100.0	8	1.0	250.0	100	0	0	0	0	0	0	0	0.5
DISTRICT 6	35	1,059	29.9	654	18.4	29,408	830	35	100.0	665	18.8	44.2	10	20	20	20	0	10	0	20	11.3
Blaine	12	307	26.0	335	28.3	17,086	1,447	12	100.0	248	21.0	68.9	0	33	0	0	0	33	0	33	19.9
Hill	8	224	28.5	161	20.5	6,874	873	8	100.0	311	39.5	22.1	0	0	50	0	0	0	0	50	19.8
Richland	4	177	45.0	24	6.0	1,063	270	4	100.0	35	9.0	30.0	0	0	0	100	0	0	0	0	29.0
Valley	16	350	22.3	134	8.5	4,386	279	16	100.0	71	4.5	61.9	25	25	25	25	0	0	0	0	2.8

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: FOX

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 7	51	2,102	41.1	1,209	23.6	92,264	1,803	51	100.0	905	17.7	101.9	23	8	15	15	8	15	0	15	17.3
Carter	12	945	80.0	559	47.3	63,304	5,360	12	100.0	417	35.3	151.7	0	0	33	33	0	0	0	33	35.8
Custer	4	157	40.0	31	8.0	1,260	320	4	100.0	4	1.0	320.0	100	0	0	0	0	0	0	0	3.4
Dawson	16	327	20.7	189	12.0	3,858	245	16	100.0	150	9.5	25.8	25	0	25	0	25	25	0	0	20.7
Garfield	4	394	100.0	197	50.0	19,684	5,000	4	100.0	217	55.0	90.9	0	0	0	0	0	0	0	100	49.5
Powder River	8	201	25.5	102	13.0	2,858	363	8	100.0	106	13.5	26.9	0	0	0	50	0	50	0	0	20.8
Rosebud	4	39	10.0	118	30.0	1,181	300	4	100.0	8	2.0	150.0	0	100	0	0	0	0	0	0	7.7
Treasure	4	39	10.0	12	3.0	118	30	4	100.0	4	1.0	30.0	100	0	0	0	0	0	0	0	0.2

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: RACCOON

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	488	13,393	27.4	7,594	15.6	307,160	629	480	98.4	7,929	16.2	38.7	14	14	17	13	14	9	4	14	13.1
DISTRICT 1	24	425	18.0	165	7.0	3,764	159	24	100.0	205	8.7	18.4	17	17	17	0	33	17	0	0	3.5
Flathead	12	252	21.3	138	11.7	3,299	279	12	100.0	146	12.3	22.6	0	0	33	0	33	33	0	0	6.6
Lake	4	118	30.0	12	3.0	354	90	4	100.0	47	12.0	7.5	0	0	0	0	100	0	0	0	3.7
Lincoln	8	55	7.0	16	2.0	110	14	8	100.0	12	1.5	9.3	50	50	0	0	0	0	0	0	0.7
DISTRICT 2	39	1,031	26.2	405	10.3	13,495	343	35	90.0	181	4.6	74.5	44	33	0	0	11	0	11	0	2.6
Granite	8	146	18.5	47	6.0	1,236	157	4	50.0	4	0.5	314.0	100	0	0	0	0	0	0	0	1.7
Missoula	16	311	19.7	134	8.5	2,386	152	16	100.0	24	1.5	101.0	50	50	0	0	0	0	0	0	1.6
Ravalli	20	575	29.2	224	11.4	9,874	502	16	80.0	154	7.8	64.3	25	25	0	0	25	0	25	0	5.5
DISTRICT 3	98	2,594	26.4	1,153	11.7	35,770	363	94	96.0	779	7.9	45.9	24	12	20	12	20	8	0	4	8.1
Beaverhead	16	504	32.0	193	12.2	7,964	506	16	100.0	150	9.5	53.2	0	0	25	25	50	0	0	0	5.1
Gallatin	43	1,201	27.7	461	10.6	9,063	209	39	90.9	303	7.0	29.9	40	10	20	0	20	0	0	10	13.2
Jefferson	8	102	13.0	47	6.0	866	110	8	100.0	31	4.0	27.5	50	0	0	50	0	0	0	0	4.1
Madison	8	94	12.0	35	4.5	457	58	8	100.0	31	4.0	14.5	0	50	50	0	0	0	0	0	1.9
Park	28	693	25.1	417	15.1	17,421	632	28	100.0	264	9.6	66.0	14	14	14	14	14	29	0	0	14.3
DISTRICT 4	130	3,791	29.2	1,945	15.0	112,271	864	130	100.0	1,496	11.5	75.0	12	12	30	9	15	9	3	9	9.8
Cascade	24	476	20.2	256	10.8	6,295	267	24	100.0	366	15.5	17.2	0	17	0	17	17	33	0	17	9.5
Chouteau	12	283	24.0	197	16.7	4,488	380	12	100.0	201	17.0	22.4	0	0	0	33	33	0	33	0	7.8
Fergus	20	362	18.4	445	22.6	11,917	605	20	100.0	386	19.6	30.9	0	20	0	20	40	0	0	20	16.3
Judith Basin	16	905	57.5	161	10.2	7,480	475	16	100.0	142	9.0	52.8	0	0	75	0	0	25	0	0	18.5
Lewis & Clark	28	957	34.7	528	19.1	72,737	2,639	28	100.0	264	9.6	275.8	14	29	43	0	0	0	0	14	6.1
Liberty	4	118	30.0	177	45.0	5,315	1,350	4	100.0	20	5.0	270.0	0	0	100	0	0	0	0	0	4.9
Meagher	4	118	30.0	16	4.0	472	120	4	100.0	16	4.0	30.0	0	0	100	0	0	0	0	0	17.4
Petroleum	8	173	22.0	102	13.0	1,811	230	8	100.0	51	6.5	35.4	50	0	0	0	50	0	0	0	28.9
Pondera	4	16	4.0	12	3.0	47	12	4	100.0	4	1.0	12.0	100	0	0	0	0	0	0	0	11.1
Teton	12	382	32.3	51	4.3	1,709	145	12	100.0	47	4.0	36.2	33	0	67	0	0	0	0	0	8.8
DISTRICT 5	110	3,027	27.5	2,134	19.4	66,135	600	110	100.0	3,157	28.6	20.9	7	13	3	27	10	13	3	23	27.5
Bighorn	24	709	30.0	445	18.8	12,440	527	24	100.0	870	36.8	14.3	0	0	0	33	17	0	17	33	28.2
Carbon	35	1,315	37.1	768	21.7	44,490	1,256	35	100.0	1,346	38.0	33.0	0	11	0	22	11	22	0	33	27.8
Golden Valley	4	39	10.0	79	20.0	787	200	4	100.0	79	20.0	10.0	0	0	0	0	0	100	0	0	11.2
Musselshell	4	4	1.0	394	100.0	394	100	4	100.0	24	6.0	16.7	0	0	100	0	0	0	0	0	6.8
Stillwater	12	102	8.7	161	13.7	1,024	87	12	100.0	220	18.7	4.6	0	33	0	33	0	0	0	33	57.7
Sweetgrass	4	59	15.0	20	5.0	295	75	4	100.0	31	8.0	9.4	0	0	0	100	0	0	0	0	16.3
Wheatland	4	118	30.0	20	5.0	591	150	4	100.0	47	12.0	12.5	0	0	0	0	100	0	0	0	15.4
Yellowstone	31	681	21.6	248	7.9	6,114	194	31	100.0	539	17.1	11.3	25	25	0	25	0	13	0	13	33.7
DISTRICT 6	43	1,016	23.5	701	16.2	11,759	272	43	100.0	949	21.9	12.4	9	18	18	9	0	0	18	27	16.2
Blaine	8	154	19.5	67	8.5	1,429	182	8	100.0	106	13.5	13.4	0	0	50	0	0	0	50	0	8.5
Hill	16	571	36.2	134	8.5	4,118	262	12	75.0	240	15.2	17.1	33	0	0	33	0	0	0	33	15.3
Mccone	4	55	14.0	20	5.0	276	70	4	100.0	102	26.0	2.7	0	0	0	0	0	0	100	0	25.7
Valley	20	236	12.0	480	24.4	5,937	302	20	100.0	500	25.4	11.9	0	40	20	0	0	0	0	40	19.9

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: RACCOON

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
DISTRICT 7	51	1,508	29.5	1,091	21.3	63,966	1,250	51	100.0	1,161	22.7	55.1	0	8	23	15	15	8	0	31	22.2
Carter	8	472	60.0	551	70.0	47,242	6,000	8	100.0	244	31.0	193.5	0	0	0	0	0	0	0	100	20.9
Custer	4	16	4.0	12	3.0	47	12	4	100.0	16	4.0	3.0	0	0	100	0	0	0	0	0	13.8
Dawson	8	240	30.5	98	12.5	3,583	455	8	100.0	193	24.5	18.6	0	0	0	50	0	0	0	50	26.6
Garfield	4	8	2.0	8	2.0	16	4	4	100.0	39	10.0	0.4	0	0	0	100	0	0	0	0	9.0
Powder River	8	201	25.5	102	13.0	2,858	363	8	100.0	39	5.0	72.6	0	0	100	0	0	0	0	0	7.7
Prairie	4	79	20.0	20	5.0	394	100	4	100.0	8	2.0	50.0	0	100	0	0	0	0	0	0	50.0
Rosebud	4	39	10.0	118	30.0	1,181	300	4	100.0	47	12.0	25.0	0	0	0	0	100	0	0	0	46.2
Treasure	12	453	38.3	181	15.3	8,645	732	12	100.0	575	48.7	15.0	0	0	0	0	33	33	0	33	26.8

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Trapping Effort and Catch
Detail of Trapping and Snaring Activities, by Species and Location

Species: BADGER

Location	Active Trapper	Activity Days	Days/ Hunter	Traps Set	Traps/ Hunter	Trap Days	TrapDay /Hunter	Success Hunters	Percent Success	Total Catch	Mean Catch	T Days /Catch	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	138	4,165	30.2	2,712	19.7	197,047	1,430	130	94.3	929	6.7	212.1	30	36	18	0	3	3	0	9	1.5
DISTRICT 1	4	31	8.0	4	1.0	31	8	4	100.0	4	1.0	8.0	100	0	0	0	0	0	0	0	0.1
Flathead	4	31	8.0	4	1.0	31	8	4	100.0	4	1.0	8.0	100	0	0	0	0	0	0	0	0.2
DISTRICT 2	4	55	14.0	12	3.0	165	42	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Ravalli	4	55	14.0	12	3.0	165	42	0	0.0	0	0.0	-0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	31	555	17.6	134	4.2	3,614	115	28	87.5	102	3.2	35.3	43	14	29	0	14	0	0	0	1.1
Beaverhead	8	201	25.5	43	5.5	1,972	251	8	100.0	12	1.5	167.0	50	50	0	0	0	0	0	0	0.4
Gallatin	4	4	1.0	4	1.0	4	1	4	100.0	4	1.0	1.0	100	0	0	0	0	0	0	0	0.2
Madison	8	75	9.5	24	3.0	220	28	4	50.0	16	2.0	14.0	0	0	100	0	0	0	0	0	0.9
Park	12	276	23.3	63	5.3	1,417	120	12	100.0	71	6.0	20.0	33	0	33	0	33	0	0	0	3.8
DISTRICT 4	47	1,831	38.8	1,071	22.7	103,244	2,185	47	100.0	394	8.3	262.3	0	75	17	0	0	0	0	8	2.6
Cascade	12	177	15.0	98	8.3	1,673	142	12	100.0	35	3.0	47.2	0	100	0	0	0	0	0	0	0.9
Chouteau	16	591	37.5	331	21.0	23,779	1,510	16	100.0	51	3.3	464.6	0	50	50	0	0	0	0	0	2.0
Fergus	4	39	10.0	20	5.0	197	50	4	100.0	8	2.0	25.0	0	100	0	0	0	0	0	0	0.3
Judith Basin	4	118	30.0	39	10.0	1,181	300	4	100.0	8	2.0	150.0	0	100	0	0	0	0	0	0	1.0
Lewis & Clark	8	787	100.0	405	51.5	71,099	9,030	8	100.0	283	36.0	250.8	0	50	0	0	0	0	0	50	6.5
Liberty	4	118	30.0	177	45.0	5,315	1,350	4	100.0	8	2.0	675.0	0	100	0	0	0	0	0	0	2.0
DISTRICT 5	16	311	19.7	429	27.3	16,507	1,048	16	100.0	20	1.3	838.6	75	25	0	0	0	0	0	0	0.2
Bighorn	4	16	4.0	8	2.0	31	8	4	100.0	8	2.0	4.0	0	100	0	0	0	0	0	0	0.3
Carbon	4	20	5.0	4	1.0	20	5	4	100.0	4	1.0	5.0	100	0	0	0	0	0	0	0	0.1
Musselshell	4	157	40.0	394	100.0	15,747	4,000	4	100.0	4	1.0	######	100	0	0	0	0	0	0	0	1.1
Yellowstone	4	118	30.0	24	6.0	709	180	4	100.0	4	1.0	180.0	100	0	0	0	0	0	0	0	0.2
DISTRICT 6	16	634	40.2	303	19.3	17,684	1,123	16	100.0	154	9.8	115.2	50	25	0	0	0	0	0	25	2.6
Blaine	8	260	33.0	283	36.0	16,582	2,106	8	100.0	138	17.5	120.3	50	0	0	0	0	0	0	50	11.0
Hill	8	374	47.5	20	2.5	1,102	140	8	100.0	16	2.0	70.0	50	50	0	0	0	0	0	0	1.0
DISTRICT 7	20	748	38.0	760	38.6	55,801	2,835	20	100.0	256	13.0	218.1	20	0	40	0	0	20	0	20	4.9
Carter	8	472	60.0	551	70.0	47,242	6,000	8	100.0	91	11.5	521.7	0	0	50	0	0	50	0	0	7.8
Powder River	4	236	60.0	138	35.0	8,267	2,100	4	100.0	16	4.0	525.0	0	0	100	0	0	0	0	0	3.1
Rosebud	4	35	9.0	28	7.0	248	63	4	100.0	4	1.0	63.0	100	0	0	0	0	0	0	0	3.8
Treasure	4	4	1.0	43	11.0	43	11	4	100.0	146	37.0	0.3	0	0	0	0	0	0	0	100	6.8

Detail of Hunting (without hounds) Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: ALL

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	405	15,669	38.6	350	86.4	7,468	18.4	29	24	18	13	3	5	2	5	100.0
DISTRICT 1	47	1,035	21.9	35	75.0	146	3.1	33	0	67	0	0	0	0	0	100.0
Flathead	28	823	29.9	16	57.1	59	2.1	40	0	60	0	0	0	0	0	100.0
Lake	4	8	2.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Lincoln	20	205	10.4	20	100.0	83	4.2	17	0	83	0	0	0	0	0	100.0
DISTRICT 2	39	409	10.4	28	70.0	374	9.5	38	25	13	13	0	0	0	13	100.0
Deer Lodge	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Granite	4	8	2.0	4	100.0	8	2.0	100	0	0	0	0	0	0	0	100.0
Missoula	12	51	4.3	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Powell	20	335	17.0	20	100.0	362	18.4	0	40	20	20	0	0	0	20	100.0
Ravalli	4	12	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
DISTRICT 3	94	3,752	39.7	79	83.3	1,067	11.3	24	34	16	11	5	5	3	3	100.0
Beaverhead	16	748	47.5	16	100.0	386	24.5	20	10	10	30	10	10	10	0	100.0
Broadwater	16	63	4.0	16	100.0	67	4.3	17	50	33	0	0	0	0	0	100.0
Gallatin	28	1,827	66.3	24	85.7	484	17.6	27	27	18	0	9	9	0	9	100.0
Jefferson	4	20	5.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	100.0
Madison	16	39	2.5	8	50.0	8	0.5	100	0	0	0	0	0	0	0	100.0
Park	24	1,051	44.5	12	50.0	106	4.5	0	71	14	14	0	0	0	0	100.0
Silver Bow	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 4	98	6,130	62.3	91	92.0	4,145	42.1	24	12	20	17	5	10	2	10	100.0
Cascade	12	1,563	132.3	12	100.0	3,193	270.3	0	14	14	14	0	0	0	57	100.0
Chouteau	8	43	5.5	8	100.0	134	17.0	0	0	0	50	0	0	50	0	100.0
Fergus	8	157	20.0	8	100.0	63	8.0	67	0	0	0	33	0	0	0	100.0
Judith Basin	16	976	62.0	16	100.0	193	12.2	0	50	13	25	13	0	0	0	100.0
Lewis & Clark	28	2,283	82.9	24	85.7	327	11.9	22	0	33	11	0	33	0	0	100.0
Liberty	8	732	93.0	8	100.0	126	16.0	50	0	0	25	0	25	0	0	100.0
Meagher	8	12	1.5	8	100.0	20	2.5	50	0	50	0	0	0	0	0	100.0
Petroleum	8	63	8.0	8	100.0	47	6.0	0	0	100	0	0	0	0	0	100.0
Teton	12	276	23.3	8	66.7	35	3.0	50	0	0	50	0	0	0	0	100.0
Toole	4	24	6.0	4	100.0	8	2.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 5	79	882	11.2	67	85.0	492	6.3	31	42	0	15	4	0	8	0	100.0
Bighorn	8	311	39.5	8	100.0	118	15.0	0	0	0	50	0	0	50	0	100.0
Carbon	16	91	5.8	12	75.0	47	3.0	33	33	0	33	0	0	0	0	100.0
Golden Valley	16	24	1.5	16	100.0	35	2.3	20	80	0	0	0	0	0	0	100.0
Musselshell	12	59	5.0	12	100.0	24	2.0	33	67	0	0	0	0	0	0	100.0
Stillwater	8	12	1.5	4	50.0	4	0.5	100	0	0	0	0	0	0	0	100.0
Wheatland	4	59	15.0	4	100.0	47	12.0	0	0	0	0	100	0	0	0	100.0
Yellowstone	35	327	9.2	28	77.8	217	6.1	36	36	0	18	0	0	9	0	100.0
DISTRICT 6	28	886	32.1	24	85.7	138	5.0	56	22	11	0	0	11	0	0	100.0
Blaine	8	39	5.0	8	100.0	28	3.5	50	50	0	0	0	0	0	0	100.0
Hill	4	709	180.0	4	100.0	75	19.0	0	0	0	0	0	100	0	0	100.0
Phillips	12	130	11.0	8	66.7	28	2.3	50	0	50	0	0	0	0	0	100.0
Valley	8	8	1.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 7	75	2,575	34.4	75	100.0	1,106	14.8	26	24	21	18	0	6	0	6	100.0
Carter	4	1,417	360.0	4	100.0	31	8.0	50	0	0	50	0	0	0	0	100.0
Custer	16	197	12.5	16	100.0	47	3.0	50	33	17	0	0	0	0	0	100.0
Fallon	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Garfield	4	16	4.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Powder River	28	335	12.1	28	100.0	268	9.7	14	21	36	29	0	0	0	0	100.0
Rosebud	4	8	2.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	100.0
Treasure	16	598	38.0	16	100.0	744	47.3	11	22	11	11	0	22	0	22	100.0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: BEAVER

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	4	4	1.0	4	100.0	20	5.0	0	0	100	0	0	0	0	0	0.3
DISTRICT 3	4	4	1.0	4	100.0	20	5.0	0	0	100	0	0	0	0	0	1.8
Gallatin	4	4	1.0	4	100.0	20	5.0	0	0	100	0	0	0	0	0	4.1

Species: WOLVERINE

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	12	260	22.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 1	12	260	22.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Flathead	12	260	22.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0

Species: LYNX

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.1
DISTRICT 1	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	2.7
Flathead	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	6.7

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: BOBCAT

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	106	2,027	19.1	75	70.4	980	9.2	50	30	10	0	0	5	0	5	13.1
DISTRICT 1	12	102	8.7	8	66.7	8	0.7	100	0	0	0	0	0	0	0	5.4
Flathead	8	98	12.5	4	50.0	4	0.5	100	0	0	0	0	0	0	0	6.7
Lincoln	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	4.8
DISTRICT 2	8	118	15.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Missoula	4	39	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Powell	8	79	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 3	24	358	15.2	20	83.3	35	1.5	40	60	0	0	0	0	0	0	3.3
Beaverhead	8	12	1.5	8	100.0	8	1.0	100	0	0	0	0	0	0	0	2.0
Broadwater	4	16	4.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	11.8
Gallatin	4	79	20.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	1.6
Madison	4	8	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Park	8	244	31.0	4	50.0	12	1.5	0	100	0	0	0	0	0	0	11.1
DISTRICT 4	28	531	19.3	16	57.1	803	29.1	25	50	0	0	0	0	0	25	19.4
Cascade	8	374	47.5	4	50.0	783	99.5	0	0	0	0	0	0	0	100	24.5
Judith Basin	12	150	12.7	8	66.7	16	1.3	0	100	0	0	0	0	0	0	8.2
Meagher	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	20.0
Petroleum	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 5	12	35	3.0	8	66.7	12	1.0	50	50	0	0	0	0	0	0	2.4
Musselshell	4	16	4.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	33.3
Stillwater	4	8	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Yellowstone	8	12	1.5	4	50.0	4	0.5	100	0	0	0	0	0	0	0	1.8
DISTRICT 6	8	748	95.0	4	50.0	75	9.5	0	0	0	0	0	100	0	0	54.3
Hill	4	709	180.0	4	100.0	75	19.0	0	0	0	0	0	100	0	0	100.0
Phillips	4	39	10.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 7	24	134	5.7	24	100.0	47	2.0	67	0	33	0	0	0	0	0	4.3
Custer	8	8	1.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	16.7
Powder River	16	126	8.0	16	100.0	39	2.5	50	0	50	0	0	0	0	0	14.7

Species: SKUNK

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	20	957	48.6	16	80.0	98	5.0	0	50	0	25	25	0	0	0	1.3
DISTRICT 2	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Ravalli	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
DISTRICT 3	12	949	80.3	12	100.0	71	6.0	0	67	0	0	33	0	0	0	6.6
Broadwater	4	4	1.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	17.6
Gallatin	4	709	180.0	4	100.0	47	12.0	0	0	0	0	100	0	0	0	9.8
Park	4	236	60.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	11.1
DISTRICT 7	4	4	1.0	4	100.0	28	7.0	0	0	0	100	0	0	0	0	2.5
Powder River	4	4	1.0	4	100.0	28	7.0	0	0	0	100	0	0	0	0	10.3

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: COYOTE

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	323	6,732	20.9	264	81.7	3,205	9.9	27	21	27	13	1	4	2	5	42.9
DISTRICT 1	39	417	10.6	24	60.0	102	2.6	14	0	86	0	0	0	0	0	70.3
Flathead	24	287	12.2	8	33.3	35	1.5	0	0	100	0	0	0	0	0	60.0
Lake	4	8	2.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Lincoln	16	122	7.8	16	100.0	63	4.0	0	0	100	0	0	0	0	0	76.2
DISTRICT 2	31	272	8.6	24	75.0	366	11.6	17	33	17	17	0	0	0	17	97.9
Granite	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	50.0
Missoula	4	8	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Powell	20	256	13.0	20	100.0	362	18.4	0	40	20	20	0	0	0	20	100.0
Ravalli	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
DISTRICT 3	79	1,209	15.4	63	80.0	476	6.1	31	31	25	6	0	0	0	6	44.6
Beaverhead	12	350	29.7	12	100.0	75	6.3	0	33	33	33	0	0	0	0	19.4
Broadwater	12	39	3.3	12	100.0	31	2.7	33	33	33	0	0	0	0	0	47.1
Gallatin	12	453	38.3	12	100.0	307	26.0	33	0	33	0	0	0	0	33	63.4
Jefferson	4	20	5.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	100.0
Madison	12	24	2.0	8	66.7	8	0.7	100	0	0	0	0	0	0	0	100.0
Park	24	319	13.5	12	50.0	39	1.7	0	67	33	0	0	0	0	0	37.0
Silver Bow	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 4	83	2,449	29.6	71	85.7	1,342	16.2	24	5	33	19	0	10	5	5	32.4
Cascade	12	421	35.7	12	100.0	835	70.7	0	0	33	33	0	0	0	33	26.1
Chouteau	8	43	5.5	8	100.0	134	17.0	0	0	0	50	0	0	50	0	100.0
Fergus	8	150	19.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	12.5
Judith Basin	8	256	32.5	4	50.0	12	1.5	0	100	0	0	0	0	0	0	6.1
Lewis & Clark	24	858	36.3	20	83.3	169	7.2	0	0	60	20	0	20	0	0	51.8
Liberty	8	366	46.5	8	100.0	83	10.5	50	0	0	0	0	50	0	0	65.6
Meagher	4	8	2.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	80.0
Petroleum	8	59	7.5	8	100.0	47	6.0	0	0	100	0	0	0	0	0	100.0
Teton	12	276	23.3	8	66.7	35	3.0	50	0	0	50	0	0	0	0	100.0
Toole	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	50.0
DISTRICT 5	59	787	13.3	51	86.7	295	5.0	21	43	0	21	7	0	7	0	60.0
Bighorn	8	311	39.5	8	100.0	118	15.0	0	0	0	50	0	0	50	0	100.0
Carbon	16	91	5.8	12	75.0	47	3.0	33	33	0	33	0	0	0	0	100.0
Golden Valley	8	8	1.0	8	100.0	16	2.0	0	100	0	0	0	0	0	0	44.4
Musselshell	8	43	5.5	8	100.0	16	2.0	50	50	0	0	0	0	0	0	66.7
Wheatland	4	59	15.0	4	100.0	47	12.0	0	0	0	0	100	0	0	0	100.0
Yellowstone	20	276	14.0	16	80.0	51	2.6	25	50	0	25	0	0	0	0	23.6
DISTRICT 6	16	35	2.3	12	75.0	20	1.3	75	25	0	0	0	0	0	0	14.3
Blaine	4	16	4.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	28.6
Phillips	8	12	1.5	4	50.0	4	0.5	100	0	0	0	0	0	0	0	14.3
Valley	8	8	1.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 7	55	1,563	28.4	55	100.0	602	10.9	29	14	29	14	0	7	0	7	54.4
Carter	4	709	180.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	12.5
Custer	8	173	22.0	8	100.0	24	3.0	50	0	50	0	0	0	0	0	50.0
Fallon	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Garfield	4	16	4.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Powder River	16	138	8.8	16	100.0	94	6.0	0	25	50	25	0	0	0	0	35.3
Rosebud	4	8	2.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	100.0
Treasure	16	516	32.8	16	100.0	465	29.5	0	0	25	25	0	25	0	25	62.4

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: FOX

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	134	3,964	29.6	114	85.3	1,496	11.2	29	31	9	17	0	9	3	3	20.0
DISTRICT 1	12	244	20.7	4	33.3	31	2.7	0	0	100	0	0	0	0	0	21.6
Flathead	12	165	14.0	4	33.3	16	1.3	0	0	100	0	0	0	0	0	26.7
Lincoln	4	79	20.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	19.0
DISTRICT 2	12	12	1.0	4	33.3	4	0.3	100	0	0	0	0	0	0	0	1.1
Granite	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	50.0
Missoula	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Ravalli	4	4	1.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
DISTRICT 3	47	1,150	24.3	43	91.7	370	7.8	18	27	9	18	0	18	9	0	34.7
Beaverhead	12	311	26.3	12	100.0	209	17.7	0	0	0	33	0	33	33	0	54.1
Broadwater	4	4	1.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	23.5
Gallatin	24	583	24.7	20	83.3	102	4.3	40	40	0	0	0	20	0	0	21.1
Park	8	252	32.0	8	100.0	43	5.5	0	50	0	50	0	0	0	0	40.7
DISTRICT 4	28	1,744	63.3	28	100.0	961	34.9	44	11	0	22	0	11	0	11	23.2
Cascade	8	413	52.5	8	100.0	791	100.5	0	50	0	0	0	0	0	50	24.8
Judith Basin	4	236	60.0	4	100.0	39	10.0	0	0	0	100	0	0	0	0	20.4
Lewis & Clark	12	717	60.7	12	100.0	83	7.0	67	0	0	0	0	33	0	0	25.3
Liberty	8	366	46.5	8	100.0	43	5.5	50	0	0	50	0	0	0	0	34.4
Toole	4	12	3.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	50.0
DISTRICT 5	16	20	1.3	16	100.0	28	1.8	60	40	0	0	0	0	0	0	5.6
Golden Valley	8	8	1.0	8	100.0	12	1.5	50	50	0	0	0	0	0	0	33.3
Stillwater	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Yellowstone	8	8	1.0	8	100.0	12	1.5	50	50	0	0	0	0	0	0	5.5
DISTRICT 6	4	8	2.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	8.6
Blaine	4	8	2.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	42.9
DISTRICT 7	24	787	33.3	24	100.0	91	3.8	0	67	0	33	0	0	0	0	8.2
Carter	4	709	180.0	4	100.0	28	7.0	0	0	0	100	0	0	0	0	87.5
Custer	4	8	2.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	16.7
Powder River	8	31	4.0	8	100.0	39	5.0	0	50	0	50	0	0	0	0	14.7
Treasure	8	39	5.0	8	100.0	16	2.0	0	100	0	0	0	0	0	0	2.1

Species: RACCOON

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	59	492	8.3	59	100.0	752	12.7	6	19	13	25	19	6	6	6	10.1
DISTRICT 3	8	75	9.5	8	100.0	94	12.0	0	0	0	50	50	0	0	0	8.9
Beaverhead	8	75	9.5	8	100.0	94	12.0	0	0	0	50	50	0	0	0	24.5
DISTRICT 4	16	224	14.2	16	100.0	173	11.0	0	0	25	25	50	0	0	0	4.2
Fergus	4	8	2.0	4	100.0	55	14.0	0	0	0	0	100	0	0	0	87.5
Judith Basin	12	217	18.3	12	100.0	118	10.0	0	0	33	33	33	0	0	0	61.2
DISTRICT 5	12	35	3.0	12	100.0	154	13.0	0	50	0	25	0	0	25	0	31.2
Golden Valley	4	8	2.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	22.2
Yellowstone	12	28	2.3	12	100.0	146	12.3	0	33	0	33	0	0	33	0	67.3
DISTRICT 6	8	87	11.0	8	100.0	28	3.5	50	0	50	0	0	0	0	0	20.0
Blaine	4	8	2.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	14.3
Phillips	4	79	20.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	85.7
DISTRICT 7	16	71	4.5	16	100.0	303	19.3	0	25	0	25	0	25	0	25	27.4
Powder River	8	31	4.0	8	100.0	43	5.5	0	50	0	50	0	0	0	0	16.2
Treasure	8	39	5.0	8	100.0	260	33.0	0	0	0	0	0	50	0	50	34.9

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting (without hounds) Activities, by Species and Location

Species: BADGER

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	31	1,216	38.6	28	87.5	890	28.2	50	25	0	0	0	13	0	13	11.9
DISTRICT 2	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	1.1
Deer Lodge	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 3	4	8	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Madison	4	8	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
DISTRICT 4	8	1,181	150.0	8	100.0	866	110.0	0	33	0	0	0	33	0	33	20.9
Cascade	4	354	90.0	4	100.0	783	199.0	0	0	0	0	0	0	0	100	24.5
Judith Basin	4	118	30.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	4.1
Lewis & Clark	4	709	180.0	4	100.0	75	19.0	0	0	0	0	0	100	0	0	22.9
DISTRICT 5	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.8
Yellowstone	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	1.8
DISTRICT 6	4	8	2.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	2.9
Blaine	4	8	2.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	14.3
DISTRICT 7	8	12	1.5	8	100.0	12	1.5	50	50	0	0	0	0	0	0	1.1
Custer	4	8	2.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	16.7
Treasure	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	0.5

Species: OTHER

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	4	4	1.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	0.3
DISTRICT 7	4	4	1.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	2.1
Powder River	4	4	1.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	8.8

Detail of Hunting with Hounds Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting with Hounds Activities, by Species and Location

Species: ALL

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	201	3,405	17.0	126	62.7	799	4.0	40	21	21	6	6	2	0	2	100.0
DISTRICT 1	51	681	13.3	39	76.9	102	2.0	50	10	10	10	20	0	0	0	100.0
Flathead	20	189	9.6	12	60.0	31	1.6	33	33	33	0	0	0	0	0	100.0
Lake	4	16	4.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Lincoln	28	425	15.4	24	85.7	67	2.4	50	17	33	0	0	0	0	0	100.0
Sanders	4	51	13.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 2	55	472	8.6	31	57.1	55	1.0	78	11	0	0	11	0	0	0	100.0
Granite	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Mineral	20	130	6.6	12	60.0	28	1.4	67	0	33	0	0	0	0	0	100.0
Missoula	16	224	14.2	4	25.0	4	0.3	100	0	0	0	0	0	0	0	100.0
Ravalli	24	114	4.8	16	66.7	20	0.8	75	25	0	0	0	0	0	0	100.0
DISTRICT 3	28	417	15.1	20	71.4	201	7.3	11	11	11	11	44	11	0	0	100.0
Beaverhead	4	39	10.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	100.0
Broadwater	12	138	11.7	12	100.0	71	6.0	0	33	0	67	0	0	0	0	100.0
Gallatin	4	31	8.0	4	100.0	28	7.0	0	0	0	100	0	0	0	0	100.0
Jefferson	4	47	12.0	4	100.0	28	7.0	0	50	50	0	0	0	0	0	100.0
Madison	4	12	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Park	8	150	19.0	4	50.0	51	6.5	50	0	0	0	50	0	0	0	100.0
DISTRICT 4	43	1,610	37.2	24	54.5	177	4.1	45	18	9	0	9	18	0	0	100.0
Cascade	16	75	4.8	4	25.0	12	0.8	0	100	0	0	0	0	0	0	100.0
Chouteau	8	79	10.0	8	100.0	83	10.5	0	0	50	0	50	0	0	0	100.0
Judith Basin	16	260	16.5	12	75.0	55	3.5	67	0	0	0	33	0	0	0	100.0
Lewis & Clark	20	409	20.8	8	40.0	12	0.6	50	50	0	0	0	0	0	0	100.0
Liberty	4	8	2.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	100.0
Pondera	8	327	41.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Teton	8	453	57.5	4	50.0	8	1.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 5	35	165	4.7	24	66.7	248	7.0	14	29	0	14	14	14	0	14	100.0
Carbon	4	8	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Musselshell	8	67	8.5	8	100.0	142	18.0	0	0	50	0	0	0	0	50	100.0
Stillwater	12	35	3.0	4	33.3	4	0.3	100	0	0	0	0	0	0	0	100.0
Yellowstone	20	55	2.8	12	60.0	102	5.2	0	50	25	0	0	25	0	0	100.0
DISTRICT 7	4	59	15.0	4	100.0	16	4.0	0	0	0	100	0	0	0	0	100.0
Powder River	4	59	15.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	100.0

Statistical Estimates
Detail of Hunting with Hounds Activities

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting with Hounds Activities, by Species and Location

Species: BOBCAT

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	169	2,579	15.2	87	51.2	213	1.3	62	19	19	0	0	0	0	0	26.6
DISTRICT 1	47	622	13.2	35	75.0	87	1.8	56	22	22	0	0	0	0	0	84.6
Flathead	16	130	8.2	8	50.0	16	1.0	50	50	0	0	0	0	0	0	50.0
Lake	4	16	4.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Lincoln	28	425	15.4	24	85.7	67	2.4	50	17	33	0	0	0	0	0	100.0
Sanders	4	51	13.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
DISTRICT 2	51	457	8.9	24	46.2	47	0.9	71	14	14	0	0	0	0	0	85.7
Granite	4	4	1.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	100.0
Mineral	20	130	6.6	12	60.0	28	1.4	67	0	33	0	0	0	0	0	100.0
Missoula	16	224	14.2	4	25.0	4	0.3	100	0	0	0	0	0	0	0	100.0
Ravalli	20	98	5.0	8	40.0	12	0.6	50	50	0	0	0	0	0	0	60.0
DISTRICT 3	16	94	6.0	8	50.0	35	2.3	33	33	33	0	0	0	0	0	17.6
Beaverhead	4	39	10.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	100.0
Broadwater	4	12	3.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	11.1
Madison	4	12	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Park	8	31	4.0	4	50.0	4	0.5	100	0	0	0	0	0	0	0	7.7
DISTRICT 4	39	1,283	32.6	16	40.0	16	0.4	100	0	0	0	0	0	0	0	8.9
Cascade	8	12	1.5	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	0.0
Judith Basin	16	165	10.5	8	50.0	8	0.5	100	0	0	0	0	0	0	0	14.3
Lewis & Clark	20	378	19.2	4	20.0	4	0.2	100	0	0	0	0	0	0	0	33.3
Pondera	8	315	40.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Teton	8	413	52.5	4	50.0	4	0.5	100	0	0	0	0	0	0	0	50.0
DISTRICT 5	20	63	3.2	8	40.0	12	0.6	50	50	0	0	0	0	0	0	4.8
Carbon	4	8	2.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Stillwater	12	35	3.0	4	33.3	4	0.3	100	0	0	0	0	0	0	0	100.0
Yellowstone	8	20	2.5	4	50.0	8	1.0	0	100	0	0	0	0	0	0	7.7
DISTRICT 7	4	59	15.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	100.0
Powder River	4	59	15.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	100.0

Species: COYOTE

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	8	59	7.5	8	100.0	35	4.5	0	50	50	0	0	0	0	0	4.4
DISTRICT 3	4	20	5.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	5.9
Jefferson	4	20	5.0	4	100.0	12	3.0	0	100	0	0	0	0	0	0	42.9
DISTRICT 4	4	39	10.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	13.3
Chouteau	4	39	10.0	4	100.0	24	6.0	0	0	100	0	0	0	0	0	28.6

Species: FOX

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	4	28	7.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	2.0
DISTRICT 3	4	28	7.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	7.8
Jefferson	4	28	7.0	4	100.0	16	4.0	0	0	100	0	0	0	0	0	57.1

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Statistical Estimates of Hunting and Harvest
Detail of Hunting with Hounds Activities, by Species and Location

Species: RACCOON

Location	Active Hunter	Hunter Days	Days/ Hunter	Success Hunters	Percent Success	Total Harvest	Mean Harvest	%Take 1	%Take 2-3	%Take 4-6	%Take 7-10	%Take 11-15	%Take 16-21	%Take 22-29	%Take 30+	Species % Comp.
STATEWIDE	67	740	11.1	51	76.5	535	8.0	17	22	17	17	17	6	0	6	67.0
DISTRICT 1	8	59	7.5	4	50.0	16	2.0	0	0	100	0	0	0	0	0	15.4
Flathead	8	59	7.5	4	50.0	16	2.0	0	0	100	0	0	0	0	0	50.0
DISTRICT 2	8	16	2.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	14.3
Ravalli	8	16	2.0	8	100.0	8	1.0	100	0	0	0	0	0	0	0	40.0
DISTRICT 3	12	276	23.3	12	100.0	138	11.7	0	0	0	75	25	0	0	0	68.6
Broadwater	8	126	16.0	8	100.0	63	8.0	0	0	0	100	0	0	0	0	88.9
Gallatin	4	31	8.0	4	100.0	28	7.0	0	0	0	100	0	0	0	0	100.0
Park	4	118	30.0	4	100.0	47	12.0	0	0	0	0	100	0	0	0	92.3
DISTRICT 4	20	287	14.6	12	60.0	138	7.0	17	50	0	0	33	0	0	0	77.8
Cascade	12	63	5.3	4	33.3	12	1.0	0	100	0	0	0	0	0	0	100.0
Chouteau	4	39	10.0	4	100.0	59	15.0	0	0	0	0	100	0	0	0	71.4
Judith Basin	8	94	12.0	4	50.0	47	6.0	0	0	0	0	100	0	0	0	85.7
Lewis & Clark	4	31	8.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	66.7
Liberty	4	8	2.0	4	100.0	8	2.0	0	100	0	0	0	0	0	0	100.0
Pondera	4	12	3.0	0	0.0	0	0.0	-0	-0	-0	-0	-0	-0	-0	-0	-0.0
Teton	4	39	10.0	4	100.0	4	1.0	100	0	0	0	0	0	0	0	50.0
DISTRICT 5	24	102	4.3	20	83.3	236	10.0	0	20	40	0	0	20	0	20	95.2
Musselshell	8	67	8.5	8	100.0	142	18.0	0	0	50	0	0	0	0	50	100.0
Yellowstone	16	35	2.3	12	75.0	94	6.0	0	33	33	0	0	33	0	0	92.3

1996 Furbearer Survey Report

Tables of Confidence Bounds on Statistical Estimates

Trapping and Hunting Effort and Harvest Success

6. All Furbearer Activities Combined

7. Trapping and Snaring Activities

8. Hunting (without hounds) Activities

9. Hunting with Hounds Activities

Each Table Ordered by
Furbearer Species (Including ALL Combined)
and
Location (Statewide, Furbearer District, and County)

Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
ALL	STATEWIDE	1,508	1,422	1,593	136,053	135,243	136,864	1,382	1,300	1,464	68,639	68,063	69,215
	DISTRICT 1	236	202	270	10,783	10,555	11,011	224	191	257	6,055	5,884	6,226
	Flathead	118	94	142	5,279	5,120	5,439	110	87	133	2,283	2,178	2,388
	Lake	16	7	24	630	575	685	16	7	24	1,268	1,189	1,346
	Lincoln	102	80	125	3,890	3,753	4,027	94	73	116	1,764	1,671	1,856
	Sanders	31	19	44	984	915	1,053	31	19	44	740	680	800
	DISTRICT 2	228	195	262	18,554	18,255	18,854	209	177	240	7,476	7,286	7,666
	Deer Lodge	24	13	34	1,527	1,442	1,613	24	13	34	535	485	586
	Granite	28	16	39	1,492	1,407	1,577	28	16	39	248	213	283
	Mineral	28	16	39	236	202	270	20	10	29	102	80	125
	Missoula	75	56	94	3,689	3,555	3,822	59	42	76	1,524	1,438	1,609
	Powell	47	32	62	5,512	5,348	5,675	47	32	62	2,248	2,144	2,352
	Ravalli	67	49	85	6,098	5,927	6,270	63	46	80	2,819	2,702	2,935
	DISTRICT 3	346	306	387	30,782	30,397	31,168	307	269	346	10,897	10,668	11,127
	Beaverhead	63	46	80	6,366	6,191	6,541	59	42	76	3,331	3,204	3,457
	Broadwater	31	19	44	480	432	528	31	19	44	217	184	249
	Gallatin	98	77	120	10,059	9,838	10,279	91	70	111	2,811	2,694	2,927
	Jefferson	43	29	58	4,291	4,147	4,435	39	26	53	803	741	865
	Madison	67	49	85	2,508	2,398	2,618	51	35	67	1,705	1,614	1,795
	Park	75	56	94	6,949	6,765	7,132	55	39	71	2,008	1,909	2,106
	Silver Bow	16	7	24	130	105	155	16	7	24	24	13	34
	DISTRICT 4	323	283	362	36,396	35,977	36,815	299	261	337	19,645	19,337	19,953
	Cascade	75	56	94	5,693	5,527	5,858	63	46	80	7,051	6,866	7,235
	Chouteau	43	29	58	4,602	4,453	4,751	43	29	58	2,803	2,687	2,919
	Fergus	43	29	58	2,988	2,868	3,108	39	26	53	2,429	2,321	2,537
	Glacier	4	0	8	150	123	176	4	0	8	181	152	211
	Judith Basin	47	32	62	4,866	4,713	5,019	43	29	58	1,016	946	1,086
	Lewis & Clark	91	70	111	10,795	10,567	11,023	79	59	98	4,669	4,519	4,819
	Liberty	16	7	24	1,705	1,614	1,795	16	7	24	535	485	586
	Meagher	16	7	24	858	794	923	16	7	24	110	87	133
	Petroleum	12	4	19	465	417	512	12	4	19	224	191	257
	Pondera	12	4	19	1,083	1,010	1,155	8	2	14	35	22	49
	Teton	35	22	49	3,169	3,045	3,293	31	19	44	583	530	636
	Toole	4	0	8	24	13	34	4	0	8	8	2	14
	DISTRICT 5	268	232	304	18,676	18,376	18,977	228	195	262	12,208	11,965	12,451
	Bighorn	31	19	44	4,634	4,484	4,783	31	19	44	3,201	3,076	3,325
	Carbon	67	49	85	6,913	6,730	7,096	63	46	80	4,897	4,744	5,051
	Golden Valley	24	13	34	602	548	656	24	13	34	740	680	800
	Musselshell	43	29	58	1,811	1,717	1,904	39	26	53	512	462	561
	Stillwater	47	32	62	476	428	524	28	16	39	390	346	433
	Sweetgrass	16	7	24	441	395	487	12	4	19	193	162	223
	Wheatland	12	4	19	646	590	701	12	4	19	354	313	396
	Yellowstone	91	70	111	3,153	3,030	3,277	75	56	94	1,921	1,825	2,017
	DISTRICT 6	98	77	120	7,023	6,839	7,207	91	70	111	6,008	5,837	6,178
	Blaine	24	13	34	1,697	1,606	1,787	24	13	34	1,276	1,197	1,354
	Hill	28	16	39	3,177	3,053	3,301	24	13	34	1,646	1,556	1,735
	Mccone	4	0	8	362	320	404	4	0	8	398	354	441
	Phillips	16	7	24	150	123	176	12	4	19	43	29	58
	Richland	4	0	8	354	313	396	4	0	8	122	98	146
	Valley	43	29	58	1,283	1,205	1,362	43	29	58	2,524	2,413	2,634
	DISTRICT 7	157	130	185	13,838	13,580	14,096	154	126	181	6,350	6,175	6,525
	Carter	12	4	19	4,665	4,515	4,815	12	4	19	1,197	1,121	1,273
	Custer	31	19	44	1,429	1,346	1,512	31	19	44	161	133	189
	Dawson	16	7	24	1,189	1,113	1,265	16	7	24	724	665	784
	Fallon	4	0	8	122	98	146	4	0	8	16	7	24
	Garfield	20	10	29	1,417	1,335	1,500	16	7	24	441	395	487
	Powder River	43	29	58	2,020	1,921	2,118	43	29	58	795	733	857
	Prairie	4	0	8	709	650	767	4	0	8	16	7	24
	Rosebud	12	4	19	201	170	232	12	4	19	110	87	133
	Treasure	20	10	29	2,087	1,986	2,187	20	10	29	2,890	2,772	3,008

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BEAVER	STATEWIDE	764	703	824	16,224	15,944	16,504	748	688	808	16,550	16,268	16,833
	DISTRICT 1	75	56	94	1,216	1,140	1,293	75	56	94	626	571	681
	Flathead	31	19	44	260	224	295	31	19	44	173	144	202
	Lake	4	0	8	39	26	53	4	0	8	16	7	24
	Lincoln	28	16	39	650	594	706	28	16	39	307	269	346
	Sanders	20	10	29	268	232	304	20	10	29	130	105	155
	DISTRICT 2	98	77	120	2,083	1,982	2,183	98	77	120	1,118	1,045	1,192
	Deer Lodge	12	4	19	343	302	383	12	4	19	177	148	206
	Granite	4	0	8	28	16	39	4	0	8	12	4	19
	Mineral	4	0	8	16	7	24	4	0	8	12	4	19
	Missoula	43	29	58	642	586	697	43	29	58	417	372	462
	Powell	28	16	39	921	855	988	28	16	39	374	332	416
	Ravalli	16	7	24	134	108	159	16	7	24	126	101	151
	DISTRICT 3	189	159	219	4,327	4,182	4,471	177	148	206	2,961	2,841	3,080
	Beaverhead	24	13	34	799	737	861	24	13	34	807	745	869
	Broadwater	12	4	19	114	91	138	12	4	19	63	46	80
	Gallatin	59	42	76	1,323	1,243	1,403	51	35	67	673	616	730
	Jefferson	20	10	29	394	350	437	20	10	29	126	101	151
	Madison	35	22	49	815	752	878	35	22	49	720	661	779
	Park	39	26	53	839	775	902	35	22	49	555	503	607
	Silver Bow	12	4	19	43	29	58	12	4	19	16	7	24
	DISTRICT 4	193	162	223	3,890	3,753	4,027	193	162	223	5,681	5,515	5,846
	Cascade	47	32	62	728	669	788	47	32	62	1,512	1,426	1,597
	Chouteau	20	10	29	409	365	454	20	10	29	1,240	1,163	1,317
	Fergus	35	22	49	677	620	734	35	22	49	925	858	992
	Judith Basin	16	7	24	343	302	383	16	7	24	244	210	278
	Lewis & Clark	55	39	71	1,138	1,064	1,212	55	39	71	1,327	1,247	1,407
	Liberty	4	0	8	59	42	76	4	0	8	87	66	107
	Meagher	8	2	14	150	123	176	8	2	14	51	35	67
	Petroleum	4	0	8	12	4	19	4	0	8	8	2	14
	Pondera	4	0	8	8	2	14	4	0	8	4	0	8
	Teton	16	7	24	366	324	408	16	7	24	283	246	320
	DISTRICT 5	142	116	168	3,079	2,957	3,201	142	116	168	3,453	3,323	3,582
	Bighorn	24	13	34	551	500	603	24	13	34	905	839	972
	Carbon	51	35	67	1,114	1,041	1,187	51	35	67	953	885	1,021
	Golden Valley	8	2	14	236	202	270	8	2	14	193	162	223
	Musselshell	12	4	19	59	42	76	12	4	19	87	66	107
	Stillwater	16	7	24	83	63	103	16	7	24	83	63	103
	Sweetgrass	12	4	19	165	137	194	12	4	19	146	119	172
	Wheatland	12	4	19	232	199	266	12	4	19	228	195	262
	Yellowstone	31	19	44	638	582	693	31	19	44	858	794	923
	DISTRICT 6	51	35	67	803	741	865	51	35	67	1,590	1,503	1,678
	Blaine	8	2	14	83	63	103	8	2	14	87	66	107
	Hill	20	10	29	311	272	350	20	10	29	354	313	396
	Mccone	4	0	8	118	94	142	4	0	8	114	91	138
	Phillips	4	0	8	20	10	29	4	0	8	16	7	24
	Valley	31	19	44	272	235	308	31	19	44	1,020	949	1,090
	DISTRICT 7	39	26	53	827	764	890	35	22	49	1,122	1,048	1,196
	Custer	4	0	8	16	7	24	4	0	8	4	0	8
	Dawson	4	0	8	47	32	62	4	0	8	59	42	76
	Garfield	4	0	8	55	39	71	4	0	8	16	7	24
	Powder River	4	0	8	39	26	53	0	0	0	0	0	0
	Prairie	4	0	8	236	202	270	4	0	8	4	0	8
	Treasure	20	10	29	433	387	479	20	10	29	1,039	968	1,110
OTTER	STATEWIDE	102	80	125	1,831	1,737	1,925	87	66	107	87	66	107
	DISTRICT 1	28	16	39	248	213	283	24	13	34	24	13	34
	Flathead	12	4	19	98	77	120	8	2	14	8	2	14
	Lincoln	8	2	14	24	13	34	8	2	14	8	2	14
	Sanders	8	2	14	126	101	151	8	2	14	8	2	14

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
OTTER	DISTRICT 2	16	7	24	126	101	151	12	4	19	12	4	19
	Missoula	12	4	19	87	66	107	8	2	14	8	2	14
	Ravalli	4	0	8	39	26	53	4	0	8	4	0	8
	DISTRICT 3	31	19	44	831	767	894	24	13	34	24	13	34
	Beaverhead	4	0	8	39	26	53	4	0	8	4	0	8
	Gallatin	12	4	19	256	221	291	12	4	19	12	4	19
	Jefferson	4	0	8	79	59	98	4	0	8	4	0	8
	Madison	8	2	14	142	116	168	4	0	8	4	0	8
	Park	4	0	8	315	276	354	0	0	0	0	0	0
	DISTRICT 4	28	16	39	626	571	681	28	16	39	28	16	39
	Cascade	4	0	8	79	59	98	4	0	8	4	0	8
	Chouteau	8	2	14	165	137	194	8	2	14	8	2	14
	Fergus	4	0	8	20	10	29	4	0	8	4	0	8
	Lewis & Clark	12	4	19	362	320	404	12	4	19	12	4	19
MUSKRAT	STATEWIDE	496	447	545	11,429	11,194	11,664	488	440	537	16,121	15,842	16,400
	DISTRICT 1	79	59	98	1,279	1,201	1,358	79	59	98	2,980	2,860	3,100
	Flathead	20	10	29	394	350	437	20	10	29	646	590	701
	Lake	8	2	14	138	112	164	8	2	14	984	915	1,053
	Lincoln	35	22	49	465	417	512	35	22	49	776	714	837
	Sanders	24	13	34	283	246	320	24	13	34	575	522	627
	DISTRICT 2	94	73	116	3,460	3,331	3,590	91	70	111	3,992	3,853	4,131
	Deer Lodge	8	2	14	472	425	520	8	2	14	291	254	329
	Granite	8	2	14	236	202	270	8	2	14	138	112	164
	Mineral	4	0	8	12	4	19	4	0	8	24	13	34
	Missoula	39	26	53	898	832	963	39	26	53	913	847	980
	Powell	16	7	24	634	579	689	12	4	19	842	779	906
	Ravalli	31	19	44	1,209	1,132	1,285	31	19	44	1,783	1,691	1,876
	DISTRICT 3	110	87	133	3,004	2,883	3,124	106	84	129	2,732	2,617	2,847
	Beaverhead	12	4	19	480	432	528	12	4	19	807	745	869
	Gallatin	55	39	71	1,626	1,537	1,715	51	35	67	661	605	718
	Jefferson	8	2	14	201	170	232	8	2	14	287	250	325
	Madison	20	10	29	358	317	400	20	10	29	543	492	595
	Park	20	10	29	339	298	379	20	10	29	433	387	479
	DISTRICT 4	110	87	133	2,020	1,921	2,118	110	87	133	3,712	3,579	3,846
	Cascade	31	19	44	311	272	350	31	19	44	1,173	1,098	1,248
	Chouteau	12	4	19	173	144	202	12	4	19	283	246	320
	Fergus	24	13	34	531	481	582	24	13	34	890	824	955
	Glacier	4	0	8	12	4	19	4	0	8	118	94	142
	Judith Basin	12	4	19	315	276	354	12	4	19	161	133	189
	Lewis & Clark	12	4	19	516	466	566	12	4	19	913	847	980
	Petroleum	4	0	8	28	16	39	4	0	8	47	32	62
	Teton	12	4	19	134	108	159	12	4	19	126	101	151
	DISTRICT 5	63	46	80	1,035	965	1,106	63	46	80	1,799	1,706	1,892
	Bighorn	16	7	24	260	224	295	16	7	24	339	298	379
	Carbon	31	19	44	646	590	701	31	19	44	961	892	1,029
	Golden Valley	4	0	8	59	42	76	4	0	8	394	350	437
	Stillwater	4	0	8	39	26	53	4	0	8	35	22	49
	Yellowstone	8	2	14	31	19	44	8	2	14	71	52	89
	DISTRICT 6	28	16	39	339	298	379	28	16	39	772	711	833
	Blaine	8	2	14	47	32	62	8	2	14	177	148	206
	Hill	8	2	14	126	101	151	8	2	14	28	16	39
	Mccone	4	0	8	118	94	142	4	0	8	165	137	194
	Valley	12	4	19	47	32	62	12	4	19	402	358	446

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
MUSKRAT	DISTRICT 7	16	7	24	291	254	329	16	7	24	134	108	159
	Dawson	4	0	8	118	94	142	4	0	8	59	42	76
	Powder River	4	0	8	8	2	14	4	0	8	63	46	80
	Prairie	4	0	8	157	130	185	4	0	8	4	0	8
	Treasure	4	0	8	8	2	14	4	0	8	8	2	14
MINK	STATEWIDE	343	302	383	7,425	7,236	7,614	311	272	350	1,638	1,549	1,727
	DISTRICT 1	59	42	76	803	741	865	59	42	76	252	217	287
	Flathead	28	16	39	413	369	458	28	16	39	83	63	103
	Lake	12	4	19	146	119	172	12	4	19	126	101	151
	Lincoln	12	4	19	106	84	129	12	4	19	31	19	44
	Sanders	8	2	14	138	112	164	8	2	14	12	4	19
	DISTRICT 2	51	35	67	1,563	1,476	1,650	39	26	53	134	108	159
	Deer Lodge	4	0	8	118	94	142	4	0	8	20	10	29
	Granite	8	2	14	236	202	270	4	0	8	20	10	29
	Missoula	20	10	29	307	269	346	16	7	24	20	10	29
	Powell	8	2	14	362	320	404	4	0	8	12	4	19
	Ravalli	20	10	29	539	488	590	16	7	24	63	46	80
	DISTRICT 3	71	52	89	1,673	1,583	1,763	71	52	89	339	298	379
	Beaverhead	12	4	19	413	369	458	12	4	19	43	29	58
	Broadwater	4	0	8	55	39	71	4	0	8	8	2	14
	Gallatin	28	16	39	591	537	644	28	16	39	142	116	168
	Jefferson	8	2	14	157	130	185	8	2	14	24	13	34
	Madison	4	0	8	28	16	39	4	0	8	51	35	67
	Park	24	13	34	429	384	475	24	13	34	71	52	89
	DISTRICT 4	87	66	107	1,925	1,829	2,022	83	63	103	488	440	537
	Cascade	16	7	24	236	202	270	16	7	24	24	13	34
	Chouteau	8	2	14	165	137	194	8	2	14	24	13	34
	Fergus	24	13	34	441	395	487	24	13	34	35	22	49
	Judith Basin	12	4	19	315	276	354	12	4	19	28	16	39
	Lewis & Clark	12	4	19	594	541	648	12	4	19	350	309	392
	Meagher	4	0	8	83	63	103	0	0	0	0	0	0
	Pondera	4	0	8	16	7	24	4	0	8	4	0	8
	Teton	8	2	14	75	56	94	8	2	14	24	13	34
	DISTRICT 5	31	19	44	618	563	673	24	13	34	126	101	151
	Bighorn	12	4	19	283	246	320	8	2	14	83	63	103
	Carbon	8	2	14	157	130	185	4	0	8	8	2	14
	Yellowstone	12	4	19	177	148	206	12	4	19	35	22	49
	DISTRICT 6	24	13	34	390	346	433	24	13	34	280	243	316
	Blaine	4	0	8	55	39	71	4	0	8	24	13	34
	Hill	8	2	14	228	195	262	8	2	14	213	181	245
	Valley	12	4	19	106	84	129	12	4	19	43	29	58
	DISTRICT 7	20	10	29	453	406	499	12	4	19	20	10	29
	Dawson	4	0	8	39	26	53	4	0	8	4	0	8
	Powder River	4	0	8	28	16	39	0	0	0	0	0	0
	Prairie	4	0	8	236	202	270	0	0	0	0	0	0
	Treasure	8	2	14	150	123	176	8	2	14	16	7	24
MARTEN	STATEWIDE	130	105	155	4,342	4,198	4,487	110	87	133	1,563	1,476	1,650
	DISTRICT 1	59	42	76	2,043	1,944	2,143	47	32	62	1,150	1,075	1,224
	Flathead	35	22	49	1,272	1,193	1,350	35	22	49	858	794	923
	Lake	4	0	8	4	0	8	0	0	0	0	0	0
	Lincoln	24	13	34	768	707	829	16	7	24	291	254	329

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
MARTEN	DISTRICT 2	28	16	39	760	699	820	28	16	39	157	130	185
	Deer Lodge	4	0	8	118	94	142	4	0	8	12	4	19
	Granite	4	0	8	118	94	142	4	0	8	24	13	34
	Missoula	8	2	14	114	91	138	8	2	14	28	16	39
	Powell	4	0	8	118	94	142	4	0	8	12	4	19
	Ravalli	16	7	24	291	254	329	16	7	24	83	63	103
	DISTRICT 3	31	19	44	1,295	1,216	1,374	24	13	34	236	202	270
	Beaverhead	8	2	14	319	280	358	8	2	14	122	98	146
	Gallatin	16	7	24	630	575	685	12	4	19	102	80	125
	Jefferson	4	0	8	295	258	333	4	0	8	12	4	19
	Park	4	0	8	51	35	67	0	0	0	0	0	0
	DISTRICT 4	4	0	8	8	2	14	4	0	8	4	0	8
	Cascade	4	0	8	8	2	14	4	0	8	4	0	8
	DISTRICT 5	8	2	14	236	202	270	8	2	14	16	7	24
	Carbon	8	2	14	236	202	270	8	2	14	16	7	24
FISHER	STATEWIDE	12	4	19	453	406	499	8	2	14	8	2	14
	DISTRICT 1	4	0	8	59	42	76	0	0	0	0	0	0
	Lincoln	4	0	8	59	42	76	0	0	0	0	0	0
	DISTRICT 2	8	2	14	394	350	437	8	2	14	8	2	14
	Ravalli	8	2	14	394	350	437	8	2	14	8	2	14
WOLVERINE	STATEWIDE	55	39	71	1,433	1,350	1,516	12	4	19	12	4	19
	DISTRICT 1	24	13	34	382	339	425	4	0	8	4	0	8
	Flathead	20	10	29	378	335	421	4	0	8	4	0	8
	Lincoln	4	0	8	4	0	8	0	0	0	0	0	0
	DISTRICT 3	16	7	24	551	500	603	8	2	14	8	2	14
	Gallatin	8	2	14	118	94	142	8	2	14	8	2	14
	Jefferson	4	0	8	295	258	333	0	0	0	0	0	0
	Park	4	0	8	138	112	164	0	0	0	0	0	0
	DISTRICT 4	12	4	19	382	339	425	0	0	0	0	0	0
	Lewis & Clark	4	0	8	4	0	8	0	0	0	0	0	0
	Teton	8	2	14	378	335	421	0	0	0	0	0	0
	DISTRICT 5	4	0	8	118	94	142	0	0	0	0	0	0
	Musselshell	4	0	8	118	94	142	0	0	0	0	0	0
LYNX	STATEWIDE	20	10	29	236	202	270	4	0	8	8	2	14
	DISTRICT 1	8	2	14	31	19	44	4	0	8	8	2	14
	Flathead	4	0	8	24	13	34	4	0	8	8	2	14
	Lincoln	4	0	8	8	2	14	0	0	0	0	0	0
	DISTRICT 3	4	0	8	4	0	8	0	0	0	0	0	0
	Beaverhead	4	0	8	4	0	8	0	0	0	0	0	0
	DISTRICT 4	4	0	8	83	63	103	0	0	0	0	0	0
	Teton	4	0	8	83	63	103	0	0	0	0	0	0
	DISTRICT 5	4	0	8	118	94	142	0	0	0	0	0	0
	Musselshell	4	0	8	118	94	142	0	0	0	0	0	0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BOBCAT	STATEWIDE	630	575	685	17,275	16,986	17,564	449	402	495	2,000	1,902	2,098
	DISTRICT 1	98	77	120	1,984	1,886	2,082	71	52	89	154	126	181
	Flathead	39	26	53	689	631	747	31	19	44	39	26	53
	Lake	4	0	8	16	7	24	0	0	0	0	0	0
	Lincoln	55	39	71	1,110	1,037	1,183	35	22	49	98	77	120
	Sanders	8	2	14	169	141	198	8	2	14	16	7	24
	DISTRICT 2	75	56	94	1,150	1,075	1,224	43	29	58	83	63	103
	Granite	8	2	14	63	46	80	8	2	14	12	4	19
	Mineral	20	10	29	130	105	155	12	4	19	28	16	39
	Missoula	24	13	34	382	339	425	4	0	8	4	0	8
	Powell	16	7	24	398	354	441	12	4	19	20	10	29
	Ravalli	20	10	29	177	148	206	12	4	19	20	10	29
	DISTRICT 3	122	98	146	3,709	3,575	3,842	98	77	120	201	170	232
	Beaverhead	20	10	29	500	451	549	16	7	24	39	26	53
	Broadwater	12	4	19	83	63	103	12	4	19	20	10	29
	Gallatin	12	4	19	661	605	718	8	2	14	12	4	19
	Jefferson	24	13	34	846	782	910	20	10	29	31	19	44
	Madison	24	13	34	413	369	458	12	4	19	39	26	53
	Park	39	26	53	1,122	1,048	1,196	31	19	44	55	39	71
	Silver Bow	4	0	8	83	63	103	4	0	8	4	0	8
	DISTRICT 4	134	108	159	5,071	4,914	5,227	98	77	120	1,039	968	1,110
	Cascade	28	16	39	724	665	784	16	7	24	823	760	886
	Chouteau	20	10	29	531	481	582	16	7	24	35	22	49
	Fergus	8	2	14	354	313	396	4	0	8	4	0	8
	Judith Basin	31	19	44	689	631	747	24	13	34	43	29	58
	Lewis & Clark	39	26	53	1,063	991	1,135	24	13	34	59	42	76
	Liberty	4	0	8	118	94	142	0	0	0	0	0	0
	Meagher	12	4	19	323	283	362	12	4	19	28	16	39
	Petroleum	8	2	14	43	29	58	4	0	8	31	19	44
	Pondera	8	2	14	433	387	479	0	0	0	0	0	0
	Teton	8	2	14	791	729	853	8	2	14	16	7	24
	DISTRICT 5	122	98	146	2,157	2,055	2,259	75	56	94	177	148	206
	Bighorn	8	2	14	98	77	120	8	2	14	16	7	24
	Carbon	43	29	58	961	892	1,029	24	13	34	47	32	62
	Golden Valley	4	0	8	79	59	98	4	0	8	12	4	19
	Musselshell	12	4	19	409	365	454	12	4	19	51	35	67
	Stillwater	28	16	39	102	80	125	4	0	8	4	0	8
	Sweetgrass	4	0	8	39	26	53	0	0	0	0	0	0
	Yellowstone	35	22	49	468	421	516	28	16	39	47	32	62
	DISTRICT 6	16	7	24	823	760	886	12	4	19	87	66	107
	Blaine	4	0	8	39	26	53	4	0	8	4	0	8
	Hill	4	0	8	709	650	767	4	0	8	75	56	94
	Mccone	4	0	8	35	22	49	4	0	8	8	2	14
	Phillips	4	0	8	39	26	53	0	0	0	0	0	0
	DISTRICT 7	91	70	111	2,382	2,275	2,489	75	56	94	260	224	295
	Carter	8	2	14	413	369	458	8	2	14	31	19	44
	Custer	24	13	34	461	413	508	16	7	24	16	7	24
	Garfield	12	4	19	551	500	603	8	2	14	67	49	85
	Powder River	35	22	49	661	605	718	31	19	44	122	98	146
	Rosebud	4	0	8	39	26	53	4	0	8	4	0	8
	Treasure	8	2	14	256	221	291	8	2	14	20	10	29
WEASEL	STATEWIDE	102	80	125	3,441	3,312	3,570	94	73	116	1,094	1,022	1,167
	DISTRICT 1	28	16	39	571	518	623	28	16	39	217	184	249
	Flathead	12	4	19	276	239	312	12	4	19	79	59	98
	Lake	8	2	14	39	26	53	8	2	14	8	2	14
	Lincoln	8	2	14	256	221	291	8	2	14	130	105	155

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
WEASEL	DISTRICT 2	8	2	14	173	144	202	8	2	14	16	7	24
	Granite	4	0	8	118	94	142	4	0	8	4	0	8
	Ravalli	4	0	8	55	39	71	4	0	8	12	4	19
	DISTRICT 3	24	13	34	870	805	935	16	7	24	154	126	181
	Beaverhead	8	2	14	453	406	499	4	0	8	98	77	120
	Gallatin	4	0	8	12	4	19	4	0	8	4	0	8
	Jefferson	8	2	14	374	332	416	4	0	8	47	32	62
	Park	4	0	8	31	19	44	4	0	8	4	0	8
	DISTRICT 4	28	16	39	1,299	1,220	1,378	28	16	39	618	563	673
	Cascade	4	0	8	28	16	39	4	0	8	4	0	8
	Chouteau	4	0	8	110	87	133	4	0	8	8	2	14
	Judith Basin	4	0	8	118	94	142	4	0	8	4	0	8
	Lewis & Clark	12	4	19	748	688	808	12	4	19	598	545	652
	Teton	4	0	8	295	258	333	4	0	8	4	0	8
	DISTRICT 5	8	2	14	161	133	189	8	2	14	8	2	14
	Bighorn	4	0	8	157	130	185	4	0	8	4	0	8
	Golden Valley	4	0	8	4	0	8	4	0	8	4	0	8
	DISTRICT 6	4	0	8	12	4	19	4	0	8	4	0	8
	Blaine	4	0	8	12	4	19	4	0	8	4	0	8
	DISTRICT 7	4	0	8	354	313	396	4	0	8	79	59	98
	Carter	4	0	8	354	313	396	4	0	8	79	59	98
SKUNK	STATEWIDE	283	246	320	8,059	7,861	8,256	283	246	320	3,382	3,254	3,510
	DISTRICT 1	24	13	34	339	298	379	24	13	34	142	116	168
	Flathead	12	4	19	177	148	206	12	4	19	39	26	53
	Lake	8	2	14	122	98	146	8	2	14	83	63	103
	Lincoln	4	0	8	39	26	53	4	0	8	20	10	29
	DISTRICT 2	39	26	53	854	790	919	39	26	53	169	141	198
	Missoula	12	4	19	51	35	67	12	4	19	47	32	62
	Powell	8	2	14	280	243	316	8	2	14	8	2	14
	Ravalli	20	10	29	524	473	574	20	10	29	114	91	138
	DISTRICT 3	59	42	76	2,350	2,244	2,457	59	42	76	638	582	693
	Beaverhead	4	0	8	394	350	437	4	0	8	256	221	291
	Broadwater	4	0	8	4	0	8	4	0	8	12	4	19
	Gallatin	16	7	24	1,142	1,067	1,216	16	7	24	181	152	211
	Jefferson	8	2	14	35	22	49	8	2	14	16	7	24
	Madison	4	0	8	94	73	116	4	0	8	102	80	125
	Park	24	13	34	681	624	738	24	13	34	71	52	89
	DISTRICT 4	51	35	67	1,386	1,304	1,468	51	35	67	260	224	295
	Cascade	12	4	19	291	254	329	12	4	19	43	29	58
	Chouteau	8	2	14	228	195	262	8	2	14	59	42	76
	Judith Basin	4	0	8	79	59	98	4	0	8	24	13	34
	Lewis & Clark	8	2	14	276	239	312	8	2	14	87	66	107
	Liberty	4	0	8	118	94	142	4	0	8	16	7	24
	Petroleum	4	0	8	55	39	71	4	0	8	12	4	19
	Pondera	4	0	8	295	258	333	4	0	8	8	2	14
	Teton	8	2	14	43	29	58	8	2	14	12	4	19
	DISTRICT 5	51	35	67	1,677	1,587	1,767	51	35	67	705	646	763
	Bighorn	20	10	29	870	805	935	20	10	29	217	184	249
	Carbon	16	7	24	394	350	437	16	7	24	382	339	425
	Golden Valley	4	0	8	79	59	98	4	0	8	20	10	29
	Musselshell	4	0	8	157	130	185	4	0	8	51	35	67
	Stillwater	4	0	8	59	42	76	4	0	8	12	4	19
	Yellowstone	4	0	8	118	94	142	4	0	8	24	13	34

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
SKUNK	DISTRICT 6	28	16	39	768	707	829	28	16	39	539	488	590
	Blaine	8	2	14	291	254	329	8	2	14	150	123	176
	Hill	12	4	19	421	376	466	12	4	19	150	123	176
	Valley	12	4	19	55	39	71	12	4	19	240	206	274
	DISTRICT 7	31	19	44	685	628	743	31	19	44	929	862	996
	Carter	4	0	8	118	94	142	4	0	8	236	202	270
	Custer	4	0	8	236	202	270	4	0	8	39	26	53
	Dawson	8	2	14	122	98	146	8	2	14	150	123	176
	Powder River	12	4	19	205	173	236	12	4	19	205	173	236
	Treasure	4	0	8	4	0	8	4	0	8	299	261	337
COYOTE	STATEWIDE	685	628	743	25,361	25,011	25,711	610	556	664	9,354	9,141	9,566
	DISTRICT 1	63	46	80	890	824	955	47	32	62	189	159	219
	Flathead	39	26	53	614	560	669	24	13	34	110	87	133
	Lake	4	0	8	8	2	14	4	0	8	4	0	8
	Lincoln	24	13	34	268	232	304	24	13	34	75	56	94
	DISTRICT 2	98	77	120	4,149	4,008	4,291	83	63	103	1,193	1,117	1,269
	Deer Lodge	4	0	8	394	350	437	4	0	8	24	13	34
	Granite	16	7	24	543	492	595	16	7	24	31	19	44
	Mineral	4	0	8	39	26	53	4	0	8	31	19	44
	Missoula	24	13	34	598	545	652	16	7	24	35	22	49
	Powell	31	19	44	1,583	1,495	1,670	31	19	44	866	801	931
	Ravalli	24	13	34	992	923	1,061	16	7	24	205	173	236
	DISTRICT 3	165	137	194	4,571	4,422	4,719	138	112	164	1,594	1,507	1,682
	Beaverhead	35	22	49	1,240	1,163	1,317	31	19	44	571	518	623
	Broadwater	12	4	19	94	73	116	12	4	19	35	22	49
	Gallatin	20	10	29	961	892	1,029	20	10	29	508	458	557
	Jefferson	31	19	44	854	790	919	24	13	34	87	66	107
	Madison	24	13	34	331	291	371	20	10	29	146	119	172
	Park	43	29	58	1,087	1,014	1,159	31	19	44	244	210	278
	Silver Bow	4	0	8	4	0	8	4	0	8	4	0	8
	DISTRICT 4	161	133	189	7,122	6,936	7,307	150	123	176	2,953	2,833	3,072
	Cascade	31	19	44	1,268	1,189	1,346	31	19	44	1,157	1,083	1,232
	Chouteau	24	13	34	1,039	968	1,110	24	13	34	614	560	669
	Fergus	16	7	24	358	317	400	16	7	24	87	66	107
	Glacier	4	0	8	55	39	71	4	0	8	47	32	62
	Judith Basin	16	7	24	827	764	890	12	4	19	79	59	98
	Lewis & Clark	35	22	49	2,027	1,929	2,126	31	19	44	504	455	553
	Liberty	16	7	24	681	624	738	16	7	24	335	294	375
	Meagher	4	0	8	185	155	215	4	0	8	16	7	24
	Petroleum	12	4	19	98	77	120	12	4	19	67	49	85
	Teton	16	7	24	571	518	623	12	4	19	43	29	58
	Toole	4	0	8	12	4	19	4	0	8	4	0	8
	DISTRICT 5	114	91	138	3,937	3,799	4,075	106	84	129	1,445	1,361	1,528
	Bighorn	24	13	34	1,138	1,064	1,212	24	13	34	516	466	566
	Carbon	28	16	39	1,024	953	1,094	24	13	34	614	560	669
	Golden Valley	16	7	24	91	70	111	12	4	19	20	10	29
	Musselshell	16	7	24	634	579	689	16	7	24	138	112	164
	Stillwater	4	0	8	28	16	39	4	0	8	8	2	14
	Sweetgrass	4	0	8	177	148	206	4	0	8	16	7	24
	Wheatland	4	0	8	177	148	206	4	0	8	55	39	71
	Yellowstone	28	16	39	669	612	726	24	13	34	79	59	98
	DISTRICT 6	51	35	67	1,079	1,007	1,151	43	29	58	925	858	992
	Blaine	16	7	24	425	380	470	16	7	24	319	280	358
	Hill	12	4	19	213	181	245	8	2	14	260	224	295
	Mccone	4	0	8	35	22	49	4	0	8	8	2	14
	Phillips	8	2	14	12	4	19	4	0	8	4	0	8
	Richland	4	0	8	177	148	206	4	0	8	87	66	107
	Valley	20	10	29	217	184	249	20	10	29	248	213	283

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
COYOTE	DISTRICT 7	91	70	111	3,614	3,482	3,746	91	70	111	1,055	984	1,126
	Carter	8	2	14	1,181	1,106	1,257	8	2	14	71	52	89
	Custer	20	10	29	528	477	578	20	10	29	67	49	85
	Dawson	8	2	14	295	258	333	8	2	14	110	87	133
	Fallon	4	0	8	122	98	146	4	0	8	16	7	24
	Garfield	8	2	14	409	365	454	8	2	14	102	80	125
	Powder River	20	10	29	374	332	416	20	10	29	138	112	164
	Rosebud	8	2	14	47	32	62	8	2	14	47	32	62
	Treasure	16	7	24	657	601	714	16	7	24	504	455	553
FOX	STATEWIDE	500	451	549	18,535	18,236	18,834	480	432	528	5,764	5,597	5,930
	DISTRICT 1	24	13	34	421	376	466	16	7	24	87	66	107
	Flathead	24	13	34	343	302	383	16	7	24	71	52	89
	Lincoln	4	0	8	79	59	98	4	0	8	16	7	24
	DISTRICT 2	67	49	85	2,736	2,621	2,851	59	42	76	402	358	446
	Deer Lodge	4	0	8	79	59	98	4	0	8	8	2	14
	Granite	4	0	8	4	0	8	4	0	8	4	0	8
	Mineral	4	0	8	39	26	53	4	0	8	8	2	14
	Missoula	12	4	19	299	261	337	8	2	14	28	16	39
	Powell	20	10	29	1,216	1,140	1,293	16	7	24	114	91	138
	Ravalli	24	13	34	1,098	1,026	1,171	24	13	34	240	206	274
	DISTRICT 3	126	101	151	4,090	3,950	4,231	122	98	146	898	832	963
	Beaverhead	24	13	34	945	877	1,012	24	13	34	327	287	366
	Broadwater	4	0	8	4	0	8	4	0	8	16	7	24
	Gallatin	39	26	53	1,504	1,419	1,589	39	26	53	173	144	202
	Jefferson	20	10	29	657	601	714	16	7	24	138	112	164
	Madison	12	4	19	150	123	176	12	4	19	51	35	67
	Park	28	16	39	831	767	894	28	16	39	193	162	223
	DISTRICT 4	106	84	129	5,271	5,112	5,431	106	84	129	1,795	1,702	1,888
	Cascade	24	13	34	949	881	1,016	24	13	34	1,110	1,037	1,183
	Chouteau	24	13	34	866	801	931	24	13	34	220	188	253
	Fergus	8	2	14	197	166	228	8	2	14	35	22	49
	Glacier	4	0	8	83	63	103	4	0	8	16	7	24
	Judith Basin	8	2	14	728	669	788	8	2	14	110	87	133
	Lewis & Clark	24	13	34	1,583	1,495	1,670	24	13	34	189	159	219
	Liberty	12	4	19	484	436	533	12	4	19	63	46	80
	Petroleum	4	0	8	55	39	71	4	0	8	8	2	14
	Pondera	8	2	14	303	265	341	8	2	14	16	7	24
	Teton	4	0	8	12	4	19	4	0	8	24	13	34
	Toole	4	0	8	12	4	19	4	0	8	4	0	8
	DISTRICT 5	87	66	107	2,059	1,959	2,159	87	66	107	909	843	976
	Bighorn	16	7	24	551	500	603	16	7	24	244	210	278
	Carbon	31	19	44	1,047	976	1,118	31	19	44	567	515	619
	Golden Valley	8	2	14	8	2	14	8	2	14	12	4	19
	Musselshell	8	2	14	87	66	107	8	2	14	16	7	24
	Stillwater	8	2	14	63	46	80	8	2	14	28	16	39
	Wheatland	4	0	8	118	94	142	4	0	8	24	13	34
	Yellowstone	16	7	24	185	155	215	16	7	24	20	10	29
	DISTRICT 6	39	26	53	1,067	995	1,139	39	26	53	677	620	734
	Blaine	16	7	24	315	276	354	16	7	24	260	224	295
	Hill	8	2	14	224	191	257	8	2	14	311	272	350
	Richland	4	0	8	177	148	206	4	0	8	35	22	49
	Valley	16	7	24	350	309	392	16	7	24	71	52	89
	DISTRICT 7	67	49	85	2,890	2,772	3,008	67	49	85	996	927	1,065
	Carter	12	4	19	1,653	1,564	1,743	12	4	19	445	399	491
	Custer	8	2	14	165	137	194	8	2	14	12	4	19
	Dawson	16	7	24	327	287	366	16	7	24	150	123	176
	Garfield	4	0	8	394	350	437	4	0	8	217	184	249
	Powder River	12	4	19	232	199	266	12	4	19	146	119	172
	Rosebud	4	0	8	39	26	53	4	0	8	8	2	14
	Treasure	12	4	19	79	59	98	12	4	19	20	10	29

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
RACCOON	STATEWIDE	575	522	627	14,625	14,360	14,891	555	503	607	9,216	9,005	9,427
	DISTRICT 1	28	16	39	484	436	533	28	16	39	220	188	253
	Flathead	16	7	24	311	272	350	16	7	24	161	133	189
	Lake	4	0	8	118	94	142	4	0	8	47	32	62
	Lincoln	8	2	14	55	39	71	8	2	14	12	4	19
	DISTRICT 2	47	32	62	1,047	976	1,118	43	29	58	189	159	219
	Granite	8	2	14	146	119	172	4	0	8	4	0	8
	Missoula	16	7	24	311	272	350	16	7	24	24	13	34
	Ravalli	28	16	39	591	537	644	24	13	34	161	133	189
	DISTRICT 3	114	91	138	2,945	2,826	3,064	110	87	133	1,012	942	1,082
	Beaverhead	20	10	29	579	526	632	20	10	29	244	210	278
	Broadwater	8	2	14	126	101	151	8	2	14	63	46	80
	Gallatin	47	32	62	1,232	1,155	1,309	43	29	58	331	291	371
	Jefferson	8	2	14	102	80	125	8	2	14	31	19	44
	Madison	8	2	14	94	73	116	8	2	14	31	19	44
	Park	31	19	44	811	748	874	31	19	44	311	272	350
	DISTRICT 4	150	123	176	4,303	4,159	4,447	142	116	168	1,807	1,714	1,900
	Cascade	35	22	49	539	488	590	28	16	39	378	335	421
	Chouteau	16	7	24	323	283	362	16	7	24	260	224	295
	Fergus	20	10	29	370	328	412	20	10	29	441	395	487
	Judith Basin	24	13	34	1,216	1,140	1,293	20	10	29	307	269	346
	Lewis & Clark	31	19	44	988	919	1,057	31	19	44	272	235	308
	Liberty	8	2	14	126	101	151	8	2	14	28	16	39
	Meagher	4	0	8	118	94	142	4	0	8	16	7	24
	Petroleum	8	2	14	173	144	202	8	2	14	51	35	67
	Pondera	8	2	14	28	16	39	4	0	8	4	0	8
	Teton	16	7	24	421	376	466	16	7	24	51	35	67
	DISTRICT 5	138	112	164	3,165	3,042	3,289	134	108	159	3,547	3,416	3,678
	Bighorn	24	13	34	709	650	767	24	13	34	870	805	935
	Carbon	35	22	49	1,315	1,235	1,395	35	22	49	1,346	1,266	1,427
	Golden Valley	8	2	14	47	32	62	8	2	14	87	66	107
	Musselshell	12	4	19	71	52	89	12	4	19	165	137	194
	Stillwater	12	4	19	102	80	125	12	4	19	220	188	253
	Sweetgrass	4	0	8	59	42	76	4	0	8	31	19	44
	Wheatland	4	0	8	118	94	142	4	0	8	47	32	62
	Yellowstone	51	35	67	744	684	804	47	32	62	779	718	841
	DISTRICT 6	51	35	67	1,102	1,029	1,175	51	35	67	976	908	1,045
	Blaine	12	4	19	161	133	189	12	4	19	110	87	133
	Hill	16	7	24	571	518	623	12	4	19	240	206	274
	Mccone	4	0	8	55	39	71	4	0	8	102	80	125
	Phillips	4	0	8	79	59	98	4	0	8	24	13	34
	Valley	20	10	29	236	202	270	20	10	29	500	451	549
	DISTRICT 7	59	42	76	1,579	1,491	1,666	59	42	76	1,465	1,380	1,549
	Carter	8	2	14	472	425	520	8	2	14	244	210	278
	Custer	4	0	8	16	7	24	4	0	8	16	7	24
	Dawson	8	2	14	240	206	274	8	2	14	193	162	223
	Garfield	4	0	8	8	2	14	4	0	8	39	26	53
	Powder River	12	4	19	232	199	266	12	4	19	83	63	103
	Prairie	4	0	8	79	59	98	4	0	8	8	2	14
	Rosebud	4	0	8	39	26	53	4	0	8	47	32	62
	Treasure	16	7	24	492	443	541	16	7	24	835	771	898
BADGER	STATEWIDE	154	126	181	5,382	5,220	5,543	146	119	172	1,819	1,725	1,913
	DISTRICT 1	4	0	8	31	19	44	4	0	8	4	0	8
	Flathead	4	0	8	31	19	44	4	0	8	4	0	8
	DISTRICT 2	8	2	14	59	42	76	4	0	8	4	0	8
	Deer Lodge	4	0	8	4	0	8	4	0	8	4	0	8
	Ravalli	4	0	8	55	39	71	0	0	0	0	0	0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
All Furbearer Activities Combined, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BADGER	DISTRICT 3	31	19	44	563	511	615	28	16	39	102	80	125
	Beaverhead	8	2	14	201	170	232	8	2	14	12	4	19
	Gallatin	4	0	8	4	0	8	4	0	8	4	0	8
	Madison	8	2	14	83	63	103	4	0	8	16	7	24
	Park	12	4	19	276	239	312	12	4	19	71	52	89
	DISTRICT 4	47	32	62	3,012	2,891	3,132	47	32	62	1,260	1,182	1,338
	Cascade	16	7	24	531	481	582	16	7	24	819	756	882
	Chouteau	16	7	24	591	537	644	16	7	24	51	35	67
	Fergus	4	0	8	39	26	53	4	0	8	8	2	14
	Judith Basin	4	0	8	236	202	270	4	0	8	16	7	24
	Lewis & Clark	8	2	14	1,496	1,411	1,581	8	2	14	358	317	400
	Liberty	4	0	8	118	94	142	4	0	8	8	2	14
	DISTRICT 5	20	10	29	315	276	354	20	10	29	24	13	34
	Bighorn	4	0	8	16	7	24	4	0	8	8	2	14
	Carbon	4	0	8	20	10	29	4	0	8	4	0	8
	Musselshell	4	0	8	157	130	185	4	0	8	4	0	8
	Yellowstone	8	2	14	122	98	146	8	2	14	8	2	14
	DISTRICT 6	20	10	29	642	586	697	20	10	29	157	130	185
	Blaine	12	4	19	268	232	304	12	4	19	142	116	168
	Hill	8	2	14	374	332	416	8	2	14	16	7	24
	DISTRICT 7	24	13	34	760	699	820	24	13	34	268	232	304
	Carter	8	2	14	472	425	520	8	2	14	91	70	111
	Custer	4	0	8	8	2	14	4	0	8	8	2	14
	Powder River	4	0	8	236	202	270	4	0	8	16	7	24
	Rosebud	4	0	8	35	22	49	4	0	8	4	0	8
	Treasure	4	0	8	8	2	14	4	0	8	150	123	176
OTHER	STATEWIDE	4	0	8	4	0	8	4	0	8	24	13	34
	DISTRICT 7	4	0	8	4	0	8	4	0	8	24	13	34
	Powder River	4	0	8	4	0	8	4	0	8	24	13	34

March 27th, 2002

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: ALL

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	1,240	1,163	1,317	116,979	116,228	117,731	65,726	65,162	66,289	2,796,567	2,792,893	2,800,242	1,169	1,094	1,244	60,371	59,832	60,911
DISTRICT 1	169	141	198	9,067	8,857	9,276	6,130	5,958	6,302	151,316	150,462	152,171	161	133	189	5,807	5,639	5,974
Flathead	87	66	107	4,268	4,124	4,411	2,756	2,640	2,871	77,709	77,097	78,322	87	66	107	2,193	2,090	2,296
Lake	16	7	24	606	552	660	441	395	487	6,059	5,888	6,230	12	4	19	1,264	1,186	1,342
Lincoln	63	46	80	3,260	3,134	3,385	2,398	2,290	2,505	59,253	58,719	59,788	59	42	76	1,614	1,526	1,702
Sanders	28	16	39	933	866	1,000	535	485	586	8,295	8,095	8,495	28	16	39	736	677	796
DISTRICT 2	165	137	194	17,672	17,380	17,965	9,374	9,161	9,586	449,343	447,870	450,816	165	137	194	7,047	6,862	7,231
Deer Lodge	24	13	34	1,524	1,438	1,609	378	335	421	20,779	20,462	21,095	24	13	34	531	481	582
Granite	20	10	29	1,480	1,396	1,565	539	488	590	18,346	18,048	18,643	20	10	29	236	202	270
Mineral	8	2	14	106	84	129	146	119	172	1,276	1,197	1,354	8	2	14	75	56	94
Missoula	55	39	71	3,413	3,285	3,542	2,043	1,944	2,143	44,388	43,925	44,851	55	39	71	1,520	1,434	1,605
Powell	39	26	53	5,177	5,019	5,335	3,000	2,880	3,120	201,342	200,356	202,328	39	26	53	1,886	1,790	1,981
Ravalli	47	32	62	5,972	5,802	6,142	3,268	3,142	3,393	163,214	162,326	164,101	47	32	62	2,799	2,683	2,915
DISTRICT 3	315	276	354	26,613	26,255	26,972	11,972	11,732	12,212	509,652	508,083	511,220	280	243	316	9,630	9,414	9,845
Beaverhead	59	42	76	5,579	5,414	5,743	2,886	2,768	3,004	192,468	191,504	193,432	51	35	67	2,921	2,802	3,040
Broadwater	12	4	19	280	243	316	189	159	219	2,047	1,948	2,147	12	4	19	79	59	98
Gallatin	87	66	107	8,200	8,001	8,399	3,047	2,926	3,168	153,025	152,165	153,885	79	59	98	2,299	2,194	2,404
Jefferson	43	29	58	4,224	4,081	4,367	1,008	938	1,078	35,471	35,057	35,885	39	26	53	764	703	824
Madison	55	39	71	2,457	2,348	2,565	1,527	1,442	1,613	28,826	28,452	29,199	51	35	67	1,697	1,606	1,787
Park	67	49	85	5,748	5,581	5,914	3,272	3,146	3,397	97,445	96,759	98,131	51	35	67	1,850	1,756	1,945
Silver Bow	12	4	19	126	101	151	43	29	58	370	328	412	12	4	19	20	10	29
DISTRICT 4	276	239	312	28,656	28,284	29,028	16,283	16,002	16,563	790,337	788,383	792,290	264	228	299	15,322	15,050	15,594
Cascade	51	35	67	4,055	3,915	4,195	2,838	2,721	2,956	82,233	81,603	82,863	51	35	67	3,846	3,710	3,983
Chouteau	43	29	58	4,480	4,333	4,627	2,819	2,702	2,935	119,625	118,865	120,385	39	26	53	2,587	2,475	2,698
Fergus	43	29	58	2,831	2,714	2,947	1,894	1,798	1,989	43,986	43,525	44,447	39	26	53	2,366	2,259	2,473
Glacier	4	0	8	150	123	176	197	166	228	1,961	1,863	2,058	4	0	8	181	152	211
Judith Basin	31	19	44	3,630	3,497	3,762	1,339	1,258	1,419	46,671	46,197	47,146	31	19	44	768	707	829
Lewis & Clark	75	56	94	8,102	7,904	8,300	4,693	4,542	4,843	425,990	424,556	427,424	71	52	89	4,331	4,186	4,475
Liberty	8	2	14	965	896	1,033	1,295	1,216	1,374	37,302	36,877	37,726	8	2	14	402	358	446
Meagher	12	4	19	846	782	910	189	159	219	6,649	6,470	6,829	12	4	19	91	70	111
Petroleum	8	2	14	402	358	446	319	280	358	4,516	4,368	4,663	8	2	14	177	148	206
Pondera	8	2	14	756	695	816	75	56	94	2,606	2,494	2,718	8	2	14	35	22	49
Teton	28	16	39	2,441	2,332	2,549	626	571	681	18,798	18,497	19,100	24	13	34	539	488	590
DISTRICT 5	213	181	245	17,629	17,337	17,921	10,334	10,111	10,558	328,100	326,842	329,359	189	159	219	11,468	11,233	11,703
Bighorn	31	19	44	4,323	4,178	4,467	2,500	2,390	2,610	85,414	84,772	86,056	31	19	44	3,083	2,961	3,205
Carbon	63	46	80	6,815	6,633	6,996	3,425	3,296	3,554	138,707	137,888	139,525	59	42	76	4,850	4,697	5,003
Golden Valley	12	4	19	579	526	632	315	276	354	5,031	4,875	5,187	12	4	19	705	646	763
Musselshell	28	16	39	1,685	1,595	1,775	1,850	1,756	1,945	56,045	55,525	56,565	24	13	34	346	306	387
Stillwater	31	19	44	429	384	475	870	805	935	7,059	6,874	7,243	20	10	29	382	339	425
Sweetgrass	16	7	24	441	395	487	197	166	228	4,677	4,527	4,827	12	4	19	193	162	223
Wheatland	12	4	19	587	533	640	146	119	172	4,201	4,058	4,343	12	4	19	307	269	346
Yellowstone	59	42	76	2,772	2,656	2,887	1,031	961	1,102	26,967	26,607	27,328	55	39	71	1,602	1,514	1,690

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: ALL

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 6	79	59	98	6,138	5,965	6,310	4,567	4,418	4,715	136,321	135,510	137,132	75	56	94	5,870	5,701	6,038
Blaine	16	7	24	1,657	1,568	1,747	1,563	1,476	1,650	73,174	72,580	73,768	16	7	24	1,248	1,170	1,326
Hill	24	13	34	2,468	2,359	2,578	874	809	939	27,700	27,334	28,065	20	10	29	1,571	1,484	1,658
Mccone	4	0	8	362	320	404	122	98	146	2,850	2,733	2,968	4	0	8	398	354	441
Phillips	4	0	8	20	10	29	98	77	120	492	443	541	4	0	8	16	7	24
Richland	4	0	8	354	313	396	220	188	253	9,921	9,702	10,140	4	0	8	122	98	146
Valley	43	29	58	1,276	1,197	1,354	1,689	1,599	1,779	22,184	21,857	22,511	43	29	58	2,516	2,405	2,626
DISTRICT 7	110	87	133	11,204	10,972	11,437	7,067	6,882	7,251	431,498	430,054	432,941	106	84	129	5,228	5,069	5,387
Carter	12	4	19	3,248	3,123	3,373	3,023	2,903	3,144	286,051	284,876	287,226	12	4	19	1,165	1,090	1,240
Custer	20	10	29	1,232	1,155	1,309	661	605	718	22,137	21,810	22,464	20	10	29	114	91	138
Dawson	16	7	24	1,189	1,113	1,265	787	726	849	22,440	22,111	22,769	16	7	24	724	665	784
Fallon	4	0	8	118	94	142	24	13	34	709	650	767	4	0	8	12	4	19
Garfield	16	7	24	1,402	1,319	1,484	539	488	590	40,967	40,522	41,412	12	4	19	437	391	483
Powder River	16	7	24	1,626	1,537	1,715	976	908	1,045	36,097	35,679	36,514	16	7	24	512	462	561
Prairie	4	0	8	709	650	767	43	29	58	1,732	1,641	1,824	4	0	8	16	7	24
Rosebud	8	2	14	193	162	223	370	328	412	3,673	3,540	3,806	8	2	14	102	80	125
Treasure	20	10	29	1,488	1,403	1,573	642	586	697	17,692	17,400	17,984	20	10	29	2,146	2,044	2,247

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: BEAVER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	760	699	820	16,220	15,940	16,500	10,149	9,928	10,371	303,381	302,171	304,591	744	684	804	16,531	16,248	16,813
DISTRICT 1	75	56	94	1,216	1,140	1,293	492	443	541	10,082	9,862	10,303	75	56	94	626	571	681
Flathead	31	19	44	260	224	295	161	133	189	1,878	1,783	1,973	31	19	44	173	144	202
Lake	4	0	8	39	26	53	12	4	19	118	94	142	4	0	8	16	7	24
Lincoln	28	16	39	650	594	706	224	191	257	6,661	6,482	6,840	28	16	39	307	269	346
Sanders	20	10	29	268	232	304	94	73	116	1,425	1,342	1,508	20	10	29	130	105	155
DISTRICT 2	98	77	120	2,083	1,982	2,183	1,142	1,067	1,216	30,070	29,689	30,451	98	77	120	1,118	1,045	1,192
Deer Lodge	12	4	19	343	302	383	75	56	94	1,764	1,671	1,856	12	4	19	177	148	206
Granite	4	0	8	28	16	39	16	7	24	110	87	133	4	0	8	12	4	19
Mineral	4	0	8	16	7	24	12	4	19	47	32	62	4	0	8	12	4	19
Missoula	43	29	58	642	586	697	386	343	429	5,921	5,752	6,090	43	29	58	417	372	462
Powell	28	16	39	921	855	988	531	481	582	20,479	20,165	20,794	28	16	39	374	332	416
Ravalli	16	7	24	134	108	159	122	98	146	1,748	1,656	1,840	16	7	24	126	101	151
DISTRICT 3	185	155	215	4,323	4,178	4,467	2,287	2,182	2,392	96,110	95,429	96,791	173	144	202	2,941	2,822	3,060
Beaverhead	24	13	34	799	737	861	748	688	808	57,710	57,182	58,238	24	13	34	807	745	869
Broadwater	12	4	19	114	91	138	161	133	189	1,661	1,572	1,751	12	4	19	63	46	80
Gallatin	55	39	71	1,319	1,239	1,399	378	335	421	10,622	10,395	10,848	47	32	62	654	597	710
Jefferson	20	10	29	394	350	437	122	98	146	2,472	2,363	2,582	20	10	29	126	101	151
Madison	35	22	49	815	752	878	390	346	433	11,153	10,921	11,385	35	22	49	720	661	779
Park	39	26	53	839	775	902	457	410	504	12,370	12,125	12,614	35	22	49	555	503	607
Silver Bow	12	4	19	43	29	58	31	19	44	122	98	146	12	4	19	16	7	24
DISTRICT 4	193	162	223	3,890	3,753	4,027	3,169	3,045	3,293	105,488	104,774	106,201	193	162	223	5,681	5,515	5,846
Cascade	47	32	62	728	669	788	697	639	755	13,972	13,712	14,232	47	32	62	1,512	1,426	1,597
Chouteau	20	10	29	409	365	454	441	395	487	9,661	9,445	9,877	20	10	29	1,240	1,163	1,317
Fergus	35	22	49	677	620	734	433	387	479	10,736	10,508	10,963	35	22	49	925	858	992
Judith Basin	16	7	24	343	302	383	189	159	219	3,543	3,412	3,674	16	7	24	244	210	278
Lewis & Clark	55	39	71	1,138	1,064	1,212	905	839	972	53,805	53,295	54,315	55	39	71	1,327	1,247	1,407
Liberty	4	0	8	59	42	76	177	148	206	2,657	2,544	2,771	4	0	8	87	66	107
Meagher	8	2	14	150	123	176	59	42	76	1,098	1,026	1,171	8	2	14	51	35	67
Petroleum	4	0	8	12	4	19	8	2	14	24	13	34	4	0	8	8	2	14
Pondera	4	0	8	8	2	14	4	0	8	8	2	14	4	0	8	4	0	8
Teton	16	7	24	366	324	408	256	221	291	9,984	9,764	10,203	16	7	24	283	246	320
DISTRICT 5	142	116	168	3,079	2,957	3,201	2,000	1,902	2,098	43,856	43,396	44,317	142	116	168	3,453	3,323	3,582
Bighorn	24	13	34	551	500	603	417	372	462	12,677	12,429	12,924	24	13	34	905	839	972
Carbon	51	35	67	1,114	1,041	1,187	543	492	595	11,940	11,700	12,181	51	35	67	953	885	1,021
Golden Valley	8	2	14	236	202	270	63	46	80	1,890	1,794	1,985	8	2	14	193	162	223
Musselshell	12	4	19	59	42	76	75	56	94	528	477	578	12	4	19	87	66	107
Stillwater	16	7	24	83	63	103	461	413	508	4,315	4,170	4,459	16	7	24	83	63	103
Sweetgrass	12	4	19	165	137	194	91	70	111	1,449	1,365	1,532	12	4	19	146	119	172
Wheatland	12	4	19	232	199	266	71	52	89	1,957	1,859	2,054	12	4	19	228	195	262
Yellowstone	31	19	44	638	582	693	280	243	316	9,102	8,892	9,312	31	19	44	858	794	923

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: BEAVER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 6	51	35	67	803	741	865	709	650	767	9,948	9,729	10,168	51	35	67	1,590	1,503	1,678
Blaine	8	2	14	83	63	103	51	35	67	661	605	718	8	2	14	87	66	107
Hill	20	10	29	311	272	350	157	130	185	2,775	2,660	2,891	20	10	29	354	313	396
Mccone	4	0	8	118	94	142	39	26	53	1,181	1,106	1,257	4	0	8	114	91	138
Phillips	4	0	8	20	10	29	98	77	120	492	443	541	4	0	8	16	7	24
Valley	31	19	44	272	235	308	362	320	404	4,838	4,686	4,991	31	19	44	1,020	949	1,090
DISTRICT 7	39	26	53	827	764	890	350	309	392	7,826	7,632	8,021	35	22	49	1,122	1,048	1,196
Custer	4	0	8	16	7	24	16	7	24	63	46	80	4	0	8	4	0	8
Dawson	4	0	8	47	32	62	59	42	76	709	650	767	4	0	8	59	42	76
Garfield	4	0	8	55	39	71	12	4	19	165	137	194	4	0	8	16	7	24
Powder River	4	0	8	39	26	53	24	13	34	236	202	270	0	0	0	0	0	0
Prairie	4	0	8	236	202	270	8	2	14	472	425	520	4	0	8	4	0	8
Treasure	20	10	29	433	387	479	232	199	266	6,181	6,008	6,354	20	10	29	1,039	968	1,110

Species: OTTER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	102	80	125	1,831	1,737	1,925	591	537	644	11,653	11,416	11,890	87	66	107	87	66	107
DISTRICT 1	28	16	39	248	213	283	118	94	142	1,260	1,182	1,338	24	13	34	24	13	34
Flathead	12	4	19	98	77	120	75	56	94	807	745	869	8	2	14	8	2	14
Lincoln	8	2	14	24	13	34	24	13	34	102	80	125	8	2	14	8	2	14
Sanders	8	2	14	126	101	151	20	10	29	350	309	392	8	2	14	8	2	14
DISTRICT 2	16	7	24	126	101	151	67	49	85	287	250	325	12	4	19	12	4	19
Missoula	12	4	19	87	66	107	59	42	76	209	177	240	8	2	14	8	2	14
Ravalli	4	0	8	39	26	53	8	2	14	79	59	98	4	0	8	4	0	8
DISTRICT 3	31	19	44	831	767	894	146	119	172	3,783	3,648	3,918	24	13	34	24	13	34
Beaverhead	4	0	8	39	26	53	35	22	49	354	313	396	4	0	8	4	0	8
Gallatin	12	4	19	256	221	291	71	52	89	2,027	1,929	2,126	12	4	19	12	4	19
Jefferson	4	0	8	79	59	98	8	2	14	157	130	185	4	0	8	4	0	8
Madison	8	2	14	142	116	168	24	13	34	614	560	669	4	0	8	4	0	8
Park	4	0	8	315	276	354	8	2	14	630	575	685	0	0	0	0	0	0
DISTRICT 4	28	16	39	626	571	681	260	224	295	6,323	6,148	6,497	28	16	39	28	16	39
Cascade	4	0	8	79	59	98	59	42	76	1,181	1,106	1,257	4	0	8	4	0	8
Chouteau	8	2	14	165	137	194	122	98	146	1,764	1,671	1,856	8	2	14	8	2	14
Fergus	4	0	8	20	10	29	4	0	8	20	10	29	4	0	8	4	0	8
Lewis & Clark	12	4	19	362	320	404	75	56	94	3,358	3,231	3,485	12	4	19	12	4	19

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: MUSKRAT

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	496	447	545	11,429	11,194	11,664	8,224	8,025	8,423	299,543	298,340	300,745	488	440	537	16,121	15,842	16,400
DISTRICT 1	79	59	98	1,279	1,201	1,358	1,571	1,484	1,658	24,125	23,784	24,466	79	59	98	2,980	2,860	3,100
Flathead	20	10	29	394	350	437	350	309	392	6,968	6,785	7,152	20	10	29	646	590	701
Lake	8	2	14	138	112	164	217	184	249	2,815	2,698	2,931	8	2	14	984	915	1,053
Lincoln	35	22	49	465	417	512	642	586	697	9,319	9,106	9,531	35	22	49	776	714	837
Sanders	24	13	34	283	246	320	362	320	404	5,023	4,868	5,179	24	13	34	575	522	627
DISTRICT 2	94	73	116	3,460	3,331	3,590	1,783	1,691	1,876	72,316	71,725	72,907	91	70	111	3,992	3,853	4,131
Deer Lodge	8	2	14	472	425	520	83	63	103	6,023	5,853	6,194	8	2	14	291	254	329
Granite	8	2	14	236	202	270	228	195	262	6,850	6,668	7,032	8	2	14	138	112	164
Mineral	4	0	8	12	4	19	16	7	24	47	32	62	4	0	8	24	13	34
Missoula	39	26	53	898	832	963	728	669	788	19,346	19,040	19,651	39	26	53	913	847	980
Powell	16	7	24	634	579	689	201	170	232	12,913	12,663	13,163	12	4	19	842	779	906
Ravalli	31	19	44	1,209	1,132	1,285	528	477	578	27,137	26,775	27,499	31	19	44	1,783	1,691	1,876
DISTRICT 3	110	87	133	3,004	2,883	3,124	1,819	1,725	1,913	125,369	124,591	126,147	106	84	129	2,732	2,617	2,847
Beaverhead	12	4	19	480	432	528	276	239	312	24,086	23,745	24,427	12	4	19	807	745	869
Gallatin	55	39	71	1,626	1,537	1,715	1,024	953	1,094	93,445	92,773	94,117	51	35	67	661	605	718
Jefferson	8	2	14	201	170	232	71	52	89	1,772	1,679	1,864	8	2	14	287	250	325
Madison	20	10	29	358	317	400	177	148	206	2,945	2,826	3,064	20	10	29	543	492	595
Park	20	10	29	339	298	379	272	235	308	3,122	2,999	3,245	20	10	29	433	387	479
DISTRICT 4	110	87	133	2,020	1,921	2,118	2,083	1,982	2,183	61,190	60,647	61,734	110	87	133	3,712	3,579	3,846
Cascade	31	19	44	311	272	350	524	473	574	6,232	6,059	6,405	31	19	44	1,173	1,098	1,248
Chouteau	12	4	19	173	144	202	201	170	232	1,724	1,633	1,816	12	4	19	283	246	320
Fergus	24	13	34	531	481	582	405	361	450	6,787	6,606	6,968	24	13	34	890	824	955
Glacier	4	0	8	12	4	19	102	80	125	307	269	346	4	0	8	118	94	142
Judith Basin	12	4	19	315	276	354	177	148	206	4,527	4,380	4,675	12	4	19	161	133	189
Lewis & Clark	12	4	19	516	466	566	551	500	603	40,097	39,657	40,537	12	4	19	913	847	980
Petroleum	4	0	8	28	16	39	12	4	19	83	63	103	4	0	8	47	32	62
Teton	12	4	19	134	108	159	110	87	133	1,433	1,350	1,516	12	4	19	126	101	151
DISTRICT 5	63	46	80	1,035	965	1,106	614	560	669	12,267	12,024	12,511	63	46	80	1,799	1,706	1,892
Bighorn	16	7	24	260	224	295	264	228	299	5,555	5,391	5,719	16	7	24	339	298	379
Carbon	31	19	44	646	590	701	244	210	278	5,791	5,624	5,958	31	19	44	961	892	1,029
Golden Valley	4	0	8	59	42	76	28	16	39	413	369	458	4	0	8	394	350	437
Stillwater	4	0	8	39	26	53	28	16	39	276	239	312	4	0	8	35	22	49
Yellowstone	8	2	14	31	19	44	51	35	67	232	199	266	8	2	14	71	52	89
DISTRICT 6	28	16	39	339	298	379	260	224	295	2,614	2,502	2,726	28	16	39	772	711	833
Blaine	8	2	14	47	32	62	75	56	94	492	443	541	8	2	14	177	148	206
Hill	8	2	14	126	101	151	24	13	34	268	232	304	8	2	14	28	16	39
Mccone	4	0	8	118	94	142	39	26	53	1,181	1,106	1,257	4	0	8	165	137	194
Valley	12	4	19	47	32	62	122	98	146	673	616	730	12	4	19	402	358	446

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: MUSKRAT

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 7	16	7	24	291	254	329	94	73	116	1,661	1,572	1,751	16	7	24	134	108	159
Dawson	4	0	8	118	94	142	47	32	62	1,417	1,335	1,500	4	0	8	59	42	76
Powder River	4	0	8	8	2	14	39	26	53	79	59	98	4	0	8	63	46	80
Prairie	4	0	8	157	130	185	4	0	8	157	130	185	4	0	8	4	0	8
Treasure	4	0	8	8	2	14	4	0	8	8	2	14	4	0	8	8	2	14

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: MINK

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	343	302	383	7,425	7,236	7,614	4,201	4,058	4,343	126,920	126,137	127,703	311	272	350	1,638	1,549	1,727
DISTRICT 1	59	42	76	803	741	865	760	699	820	11,921	11,681	12,161	59	42	76	252	217	287
Flathead	28	16	39	413	369	458	303	265	341	5,240	5,081	5,399	28	16	39	83	63	103
Lake	12	4	19	146	119	172	118	94	142	1,968	1,871	2,066	12	4	19	126	101	151
Lincoln	12	4	19	106	84	129	319	280	358	4,397	4,252	4,543	12	4	19	31	19	44
Sanders	8	2	14	138	112	164	20	10	29	315	276	354	8	2	14	12	4	19
DISTRICT 2	51	35	67	1,563	1,476	1,650	717	658	775	22,204	21,876	22,531	39	26	53	134	108	159
Deer Lodge	4	0	8	118	94	142	79	59	98	2,362	2,255	2,469	4	0	8	20	10	29
Granite	8	2	14	236	202	270	98	77	120	2,953	2,833	3,072	4	0	8	20	10	29
Missoula	20	10	29	307	269	346	134	108	159	2,421	2,313	2,529	16	7	24	20	10	29
Powell	8	2	14	362	320	404	39	26	53	1,811	1,717	1,904	4	0	8	12	4	19
Ravalli	20	10	29	539	488	590	366	324	408	12,657	12,410	12,904	16	7	24	63	46	80
DISTRICT 3	71	52	89	1,673	1,583	1,763	1,016	946	1,086	19,405	19,099	19,711	71	52	89	339	298	379
Beaverhead	12	4	19	413	369	458	142	116	168	5,079	4,922	5,235	12	4	19	43	29	58
Broadwater	4	0	8	55	39	71	8	2	14	110	87	133	4	0	8	8	2	14
Gallatin	28	16	39	591	537	644	252	217	287	6,886	6,703	7,068	28	16	39	142	116	168
Jefferson	8	2	14	157	130	185	43	29	58	1,063	991	1,135	8	2	14	24	13	34
Madison	4	0	8	28	16	39	236	202	270	1,653	1,564	1,743	4	0	8	51	35	67
Park	24	13	34	429	384	475	335	294	375	4,614	4,465	4,763	24	13	34	71	52	89
DISTRICT 4	87	66	107	1,925	1,829	2,022	1,173	1,098	1,248	59,903	59,365	60,441	83	63	103	488	440	537
Cascade	16	7	24	236	202	270	169	141	198	7,177	6,991	7,363	16	7	24	24	13	34
Chouteau	8	2	14	165	137	194	63	46	80	1,213	1,136	1,289	8	2	14	24	13	34
Fergus	24	13	34	441	395	487	205	173	236	4,512	4,364	4,659	24	13	34	35	22	49
Judith Basin	12	4	19	315	276	354	177	148	206	4,527	4,380	4,675	12	4	19	28	16	39
Lewis & Clark	12	4	19	594	541	648	480	432	528	41,542	41,094	41,989	12	4	19	350	309	392
Meagher	4	0	8	83	63	103	24	13	34	496	447	545	0	0	0	0	0	0
Pondera	4	0	8	16	7	24	12	4	19	47	32	62	4	0	8	4	0	8
Teton	8	2	14	75	56	94	43	29	58	390	346	433	8	2	14	24	13	34
DISTRICT 5	31	19	44	618	563	673	205	173	236	4,512	4,364	4,659	24	13	34	126	101	151
Bighorn	12	4	19	283	246	320	138	112	164	3,567	3,436	3,698	8	2	14	83	63	103
Carbon	8	2	14	157	130	185	24	13	34	315	276	354	4	0	8	8	2	14
Yellowstone	12	4	19	177	148	206	43	29	58	630	575	685	12	4	19	35	22	49
DISTRICT 6	24	13	34	390	346	433	287	250	325	7,598	7,407	7,790	24	13	34	280	243	316
Blaine	4	0	8	55	39	71	28	16	39	386	343	429	4	0	8	24	13	34
Hill	8	2	14	228	195	262	177	148	206	6,220	6,047	6,394	8	2	14	213	181	245
Valley	12	4	19	106	84	129	83	63	103	992	923	1,061	12	4	19	43	29	58

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: MINK

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 7	20	10	29	453	406	499	43	29	58	1,378	1,296	1,459	12	4	19	20	10	29
Dawson	4	0	8	39	26	53	8	2	14	79	59	98	4	0	8	4	0	8
Powder River	4	0	8	28	16	39	4	0	8	28	16	39	0	0	0	0	0	0
Prairie	4	0	8	236	202	270	12	4	19	709	650	767	0	0	0	0	0	0
Treasure	8	2	14	150	123	176	20	10	29	563	511	615	8	2	14	16	7	24

Species: MARTEN

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	130	105	155	4,342	4,198	4,487	2,575	2,463	2,686	102,976	102,271	103,681	110	87	133	1,563	1,476	1,650
DISTRICT 1	59	42	76	2,043	1,944	2,143	1,583	1,495	1,670	65,915	65,350	66,479	47	32	62	1,150	1,075	1,224
Flathead	35	22	49	1,272	1,193	1,350	917	851	984	41,660	41,211	42,108	35	22	49	858	794	923
Lake	4	0	8	4	0	8	24	13	34	24	13	34	0	0	0	0	0	0
Lincoln	24	13	34	768	707	829	642	586	697	24,231	23,889	24,573	16	7	24	291	254	329
DISTRICT 2	28	16	39	760	699	820	315	276	354	6,917	6,734	7,100	28	16	39	157	130	185
Deer Lodge	4	0	8	118	94	142	24	13	34	709	650	767	4	0	8	12	4	19
Granite	4	0	8	118	94	142	31	19	44	945	877	1,012	4	0	8	24	13	34
Missoula	8	2	14	114	91	138	59	42	76	846	782	910	8	2	14	28	16	39
Powell	4	0	8	118	94	142	39	26	53	1,181	1,106	1,257	4	0	8	12	4	19
Ravalli	16	7	24	291	254	329	161	133	189	3,236	3,111	3,361	16	7	24	83	63	103
DISTRICT 3	31	19	44	1,295	1,216	1,374	496	447	545	24,932	24,585	25,279	24	13	34	236	202	270
Beaverhead	8	2	14	319	280	358	217	184	249	10,689	10,461	10,916	8	2	14	122	98	146
Gallatin	16	7	24	630	575	685	217	184	249	10,984	10,754	11,214	12	4	19	102	80	125
Jefferson	4	0	8	295	258	333	39	26	53	2,953	2,833	3,072	4	0	8	12	4	19
Park	4	0	8	51	35	67	24	13	34	307	269	346	0	0	0	0	0	0
DISTRICT 4	4	0	8	8	2	14	8	2	14	16	7	24	4	0	8	4	0	8
Cascade	4	0	8	8	2	14	8	2	14	16	7	24	4	0	8	4	0	8
DISTRICT 5	8	2	14	236	202	270	173	144	202	5,197	5,038	5,355	8	2	14	16	7	24
Carbon	8	2	14	236	202	270	173	144	202	5,197	5,038	5,355	8	2	14	16	7	24

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: FISHER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	12	4	19	453	406	499	177	148	206	9,626	9,410	9,841	8	2	14	8	2	14
DISTRICT 1	4	0	8	59	42	76	59	42	76	886	820	951	0	0	0	0	0	0
Lincoln	4	0	8	59	42	76	59	42	76	886	820	951	0	0	0	0	0	0
DISTRICT 2	8	2	14	394	350	437	118	94	142	8,740	8,534	8,945	8	2	14	8	2	14
Ravalli	8	2	14	394	350	437	118	94	142	8,740	8,534	8,945	8	2	14	8	2	14

Species: WOLVERINE

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	43	29	58	1,173	1,098	1,248	213	181	245	5,126	4,968	5,283	12	4	19	12	4	19
DISTRICT 1	12	4	19	122	98	146	63	46	80	358	317	400	4	0	8	4	0	8
Flathead	8	2	14	118	94	142	20	10	29	315	276	354	4	0	8	4	0	8
Lincoln	4	0	8	4	0	8	43	29	58	43	29	58	0	0	0	0	0	0
DISTRICT 3	16	7	24	551	500	603	67	49	85	3,543	3,412	3,674	8	2	14	8	2	14
Gallatin	8	2	14	118	94	142	20	10	29	315	276	354	8	2	14	8	2	14
Jefferson	4	0	8	295	258	333	39	26	53	2,953	2,833	3,072	0	0	0	0	0	0
Park	4	0	8	138	112	164	8	2	14	276	239	312	0	0	0	0	0	0
DISTRICT 4	12	4	19	382	339	425	67	49	85	752	692	812	0	0	0	0	0	0
Lewis & Clark	4	0	8	4	0	8	43	29	58	43	29	58	0	0	0	0	0	0
Teton	8	2	14	378	335	421	24	13	34	709	650	767	0	0	0	0	0	0
DISTRICT 5	4	0	8	118	94	142	16	7	24	472	425	520	0	0	0	0	0	0
Musselshell	4	0	8	118	94	142	16	7	24	472	425	520	0	0	0	0	0	0

Species: LYNX

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	20	10	29	224	191	257	110	87	133	1,000	930	1,069	4	0	8	4	0	8
DISTRICT 1	8	2	14	20	10	29	31	19	44	71	52	89	4	0	8	4	0	8
Flathead	4	0	8	12	4	19	8	2	14	24	13	34	4	0	8	4	0	8
Lincoln	4	0	8	8	2	14	24	13	34	47	32	62	0	0	0	0	0	0
DISTRICT 3	4	0	8	4	0	8	43	29	58	43	29	58	0	0	0	0	0	0
Beaverhead	4	0	8	4	0	8	43	29	58	43	29	58	0	0	0	0	0	0
DISTRICT 4	4	0	8	83	63	103	20	10	29	413	369	458	0	0	0	0	0	0
Teton	4	0	8	83	63	103	20	10	29	413	369	458	0	0	0	0	0	0
DISTRICT 5	4	0	8	118	94	142	16	7	24	472	425	520	0	0	0	0	0	0
Musselshell	4	0	8	118	94	142	16	7	24	472	425	520	0	0	0	0	0	0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: BOBCAT

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	417	372	462	12,669	12,421	12,916	4,586	4,438	4,735	155,297	154,431	156,163	307	269	346	807	745	869
DISTRICT 1	43	29	58	1,260	1,182	1,338	437	391	483	15,507	15,234	15,781	28	16	39	59	42	76
Flathead	20	10	29	461	413	508	110	87	133	3,913	3,776	4,051	20	10	29	20	10	29
Lincoln	24	13	34	681	624	738	287	250	325	10,413	10,189	10,637	8	2	14	28	16	39
Sanders	4	0	8	118	94	142	39	26	53	1,181	1,106	1,257	4	0	8	12	4	19
DISTRICT 2	24	13	34	575	522	627	157	130	185	4,492	4,345	4,639	20	10	29	35	22	49
Granite	4	0	8	59	42	76	16	7	24	236	202	270	4	0	8	8	2	14
Missoula	4	0	8	118	94	142	39	26	53	1,181	1,106	1,257	0	0	0	0	0	0
Powell	12	4	19	319	280	358	94	73	116	2,917	2,799	3,036	12	4	19	20	10	29
Ravalli	4	0	8	79	59	98	8	2	14	157	130	185	4	0	8	8	2	14
DISTRICT 3	94	73	116	3,256	3,130	3,381	713	654	771	29,585	29,207	29,963	75	56	94	130	105	155
Beaverhead	8	2	14	449	402	495	165	137	194	11,763	11,525	12,002	4	0	8	8	2	14
Broadwater	4	0	8	55	39	71	8	2	14	110	87	133	4	0	8	4	0	8
Gallatin	8	2	14	583	530	636	35	22	49	2,917	2,799	3,036	4	0	8	4	0	8
Jefferson	24	13	34	846	782	910	181	152	211	5,905	5,736	6,074	20	10	29	31	19	44
Madison	16	7	24	394	350	437	110	87	133	2,874	2,756	2,992	12	4	19	39	26	53
Park	31	19	44	846	782	910	201	170	232	5,767	5,601	5,934	28	16	39	39	26	53
Silver Bow	4	0	8	83	63	103	12	4	19	248	213	283	4	0	8	4	0	8
DISTRICT 4	94	73	116	3,256	3,130	3,381	1,130	1,056	1,204	36,093	35,676	36,510	75	56	94	220	188	253
Cascade	12	4	19	339	298	379	118	94	142	3,795	3,660	3,930	12	4	19	39	26	53
Chouteau	20	10	29	531	481	582	252	217	287	6,968	6,785	7,152	16	7	24	35	22	49
Fergus	8	2	14	354	313	396	35	22	49	1,713	1,622	1,803	4	0	8	4	0	8
Judith Basin	16	7	24	374	332	416	122	98	146	2,874	2,756	2,992	12	4	19	20	10	29
Lewis & Clark	24	13	34	685	628	743	291	254	329	9,645	9,429	9,861	20	10	29	55	39	71
Liberty	4	0	8	118	94	142	177	148	206	5,315	5,155	5,475	0	0	0	0	0	0
Meagher	8	2	14	319	280	358	75	56	94	3,874	3,737	4,011	8	2	14	24	13	34
Petroleum	4	0	8	39	26	53	20	10	29	197	166	228	4	0	8	31	19	44
Pondera	4	0	8	118	94	142	4	0	8	118	94	142	0	0	0	0	0	0
Teton	8	2	14	378	335	421	35	22	49	1,594	1,507	1,682	4	0	8	12	4	19
DISTRICT 5	98	77	120	2,059	1,959	2,159	1,083	1,010	1,155	25,030	24,683	25,378	63	46	80	154	126	181
Bighorn	8	2	14	98	77	120	94	73	116	1,024	953	1,094	8	2	14	16	7	24
Carbon	39	26	53	953	885	1,021	402	358	446	10,275	10,052	10,498	24	13	34	47	32	62
Golden Valley	4	0	8	79	59	98	31	19	44	630	575	685	4	0	8	12	4	19
Musselshell	8	2	14	394	350	437	217	184	249	9,055	8,846	9,264	8	2	14	43	29	58
Stillwater	16	7	24	59	42	76	138	112	164	520	470	570	0	0	0	0	0	0
Sweetgrass	4	0	8	39	26	53	28	16	39	276	239	312	0	0	0	0	0	0
Yellowstone	28	16	39	437	391	483	173	144	202	3,252	3,127	3,377	24	13	34	35	22	49
DISTRICT 6	8	2	14	75	56	94	24	13	34	224	191	257	8	2	14	12	4	19
Blaine	4	0	8	39	26	53	12	4	19	118	94	142	4	0	8	4	0	8
Mccone	4	0	8	35	22	49	12	4	19	106	84	129	4	0	8	8	2	14

March 27th, 2002

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: BOBCAT

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 7	63	46	80	2,189	2,086	2,292	1,043	972	1,114	44,364	43,901	44,827	47	32	62	197	166	228
Carter	8	2	14	413	369	458	260	224	295	18,424	18,126	18,723	8	2	14	31	19	44
Custer	16	7	24	453	406	499	146	119	172	3,996	3,857	4,135	8	2	14	8	2	14
Garfield	12	4	19	551	500	603	205	173	236	9,291	9,079	9,503	8	2	14	67	49	85
Powder River	16	7	24	476	428	524	327	287	366	10,645	10,419	10,872	12	4	19	67	49	85
Rosebud	4	0	8	39	26	53	79	59	98	787	726	849	4	0	8	4	0	8
Treasure	8	2	14	256	221	291	28	16	39	1,220	1,144	1,297	8	2	14	20	10	29

March 27th, 2002

Species: WEASEL

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	102	80	125	3,441	3,312	3,570	1,610	1,522	1,698	114,861	114,117	115,606	94	73	116	1,094	1,022	1,167
DISTRICT 1	28	16	39	571	518	623	224	191	257	5,795	5,628	5,962	28	16	39	217	184	249
Flathead	12	4	19	276	239	312	130	105	155	3,740	3,606	3,874	12	4	19	79	59	98
Lake	8	2	14	39	26	53	35	22	49	185	155	215	8	2	14	8	2	14
Lincoln	8	2	14	256	221	291	59	42	76	1,870	1,775	1,965	8	2	14	130	105	155
DISTRICT 2	8	2	14	173	144	202	55	39	71	1,276	1,197	1,354	8	2	14	16	7	24
Granite	4	0	8	118	94	142	31	19	44	945	877	1,012	4	0	8	4	0	8
Ravalli	4	0	8	55	39	71	24	13	34	331	291	371	4	0	8	12	4	19
DISTRICT 3	24	13	34	870	805	935	193	162	223	13,543	13,287	13,798	16	7	24	154	126	181
Beaverhead	8	2	14	453	406	499	118	94	142	10,137	9,916	10,359	4	0	8	98	77	120
Gallatin	4	0	8	12	4	19	4	0	8	12	4	19	4	0	8	4	0	8
Jefferson	8	2	14	374	332	416	55	39	71	3,268	3,142	3,393	4	0	8	47	32	62
Park	4	0	8	31	19	44	16	7	24	126	101	151	4	0	8	4	0	8
DISTRICT 4	28	16	39	1,299	1,220	1,378	575	522	627	46,593	46,118	47,067	28	16	39	618	563	673
Cascade	4	0	8	28	16	39	4	0	8	28	16	39	4	0	8	4	0	8
Chouteau	4	0	8	110	87	133	4	0	8	110	87	133	4	0	8	8	2	14
Judith Basin	4	0	8	118	94	142	79	59	98	2,362	2,255	2,469	4	0	8	4	0	8
Lewis & Clark	12	4	19	748	688	808	472	425	520	42,912	42,456	43,367	12	4	19	598	545	652
Teton	4	0	8	295	258	333	16	7	24	1,181	1,106	1,257	4	0	8	4	0	8
DISTRICT 5	8	2	14	161	133	189	47	32	62	1,583	1,495	1,670	8	2	14	8	2	14
Bighorn	4	0	8	157	130	185	39	26	53	1,575	1,488	1,662	4	0	8	4	0	8
Golden Valley	4	0	8	4	0	8	8	2	14	8	2	14	4	0	8	4	0	8
DISTRICT 6	4	0	8	12	4	19	4	0	8	12	4	19	4	0	8	4	0	8
Blaine	4	0	8	12	4	19	4	0	8	12	4	19	4	0	8	4	0	8
DISTRICT 7	4	0	8	354	313	396	512	462	561	46,061	45,589	46,533	4	0	8	79	59	98
Carter	4	0	8	354	313	396	512	462	561	46,061	45,589	46,533	4	0	8	79	59	98

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: SKUNK

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	268	232	304	7,102	6,917	7,287	3,827	3,691	3,963	154,387	153,524	155,251	268	232	304	3,283	3,157	3,409
DISTRICT 1	24	13	34	339	298	379	213	181	245	3,744	3,609	3,878	24	13	34	142	116	168
Flathead	12	4	19	177	148	206	177	148	206	3,031	2,910	3,152	12	4	19	39	26	53
Lake	8	2	14	122	98	146	24	13	34	594	541	648	8	2	14	83	63	103
Lincoln	4	0	8	39	26	53	12	4	19	118	94	142	4	0	8	20	10	29
DISTRICT 2	39	26	53	850	786	914	461	413	508	28,999	28,625	29,373	39	26	53	169	141	198
Missoula	12	4	19	51	35	67	39	26	53	169	141	198	12	4	19	47	32	62
Powell	8	2	14	280	243	316	142	116	168	9,649	9,433	9,865	8	2	14	8	2	14
Ravalli	20	10	29	520	470	570	280	243	316	19,180	18,876	19,485	20	10	29	114	91	138
DISTRICT 3	47	32	62	1,402	1,319	1,484	669	612	726	37,278	36,854	37,702	47	32	62	567	515	619
Beaverhead	4	0	8	394	350	437	181	152	211	18,109	17,814	18,405	4	0	8	256	221	291
Gallatin	12	4	19	433	387	479	51	35	67	1,713	1,622	1,803	12	4	19	134	108	159
Jefferson	8	2	14	35	22	49	16	7	24	91	70	111	8	2	14	16	7	24
Madison	4	0	8	94	73	116	43	29	58	1,039	968	1,110	4	0	8	102	80	125
Park	20	10	29	445	399	491	378	335	421	16,326	16,045	16,607	20	10	29	59	42	76
DISTRICT 4	51	35	67	1,386	1,304	1,468	709	650	767	21,495	21,173	21,817	51	35	67	260	224	295
Cascade	12	4	19	291	254	329	240	206	274	8,244	8,044	8,443	12	4	19	43	29	58
Chouteau	8	2	14	228	195	262	51	35	67	1,512	1,426	1,597	8	2	14	59	42	76
Judith Basin	4	0	8	79	59	98	79	59	98	1,575	1,488	1,662	4	0	8	24	13	34
Lewis & Clark	8	2	14	276	239	312	51	35	67	2,480	2,371	2,590	8	2	14	87	66	107
Liberty	4	0	8	118	94	142	177	148	206	5,315	5,155	5,475	4	0	8	16	7	24
Petroleum	4	0	8	55	39	71	79	59	98	1,102	1,029	1,175	4	0	8	12	4	19
Pondera	4	0	8	295	258	333	16	7	24	1,181	1,106	1,257	4	0	8	8	2	14
Teton	8	2	14	43	29	58	16	7	24	87	66	107	8	2	14	12	4	19
DISTRICT 5	51	35	67	1,677	1,587	1,767	894	828	959	35,199	34,787	35,612	51	35	67	705	646	763
Bighorn	20	10	29	870	805	935	409	365	454	21,224	20,903	21,544	20	10	29	217	184	249
Carbon	16	7	24	394	350	437	193	162	223	3,937	3,799	4,075	16	7	24	382	339	425
Golden Valley	4	0	8	79	59	98	31	19	44	630	575	685	4	0	8	20	10	29
Musselshell	4	0	8	157	130	185	197	166	228	7,874	7,679	8,069	4	0	8	51	35	67
Stillwater	4	0	8	59	42	76	24	13	34	354	313	396	4	0	8	12	4	19
Yellowstone	4	0	8	118	94	142	39	26	53	1,181	1,106	1,257	4	0	8	24	13	34
DISTRICT 6	28	16	39	768	707	829	520	470	570	19,298	18,993	19,604	28	16	39	539	488	590
Blaine	8	2	14	291	254	329	315	276	354	17,086	16,799	17,373	8	2	14	150	123	176
Hill	12	4	19	421	376	466	43	29	58	1,342	1,262	1,423	12	4	19	150	123	176
Valley	12	4	19	55	39	71	161	133	189	870	805	935	12	4	19	240	206	274

March 27th, 2002

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: SKUNK

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 7	28	16	39	681	624	738	362	320	404	8,374	8,173	8,575	28	16	39	902	836	968
Carter	4	0	8	118	94	142	79	59	98	2,362	2,255	2,469	4	0	8	236	202	270
Custer	4	0	8	236	202	270	4	0	8	236	202	270	4	0	8	39	26	53
Dawson	8	2	14	122	98	146	134	108	159	2,874	2,756	2,992	8	2	14	150	123	176
Powder River	8	2	14	201	170	232	102	80	125	2,858	2,741	2,976	8	2	14	177	148	206
Treasure	4	0	8	4	0	8	43	29	58	43	29	58	4	0	8	299	261	337

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: COYOTE

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	472	425	520	18,570	18,271	18,870	11,685	11,447	11,922	623,954	622,218	625,690	441	395	487	6,114	5,942	6,286
DISTRICT 1	24	13	34	472	425	520	244	210	278	4,945	4,790	5,099	24	13	34	87	66	107
Flathead	16	7	24	327	287	366	197	166	228	3,890	3,753	4,027	16	7	24	75	56	94
Lincoln	8	2	14	146	119	172	47	32	62	1,055	984	1,126	8	2	14	12	4	19
DISTRICT 2	79	59	98	3,878	3,741	4,015	2,472	2,363	2,582	157,391	156,519	158,263	71	52	89	827	764	890
Deer Lodge	4	0	8	394	350	437	94	73	116	9,448	9,235	9,662	4	0	8	24	13	34
Granite	12	4	19	539	488	590	71	52	89	5,071	4,914	5,227	12	4	19	28	16	39
Mineral	4	0	8	39	26	53	79	59	98	787	726	849	4	0	8	31	19	44
Missoula	20	10	29	591	537	644	413	369	458	9,724	9,507	9,941	16	7	24	35	22	49
Powell	24	13	34	1,327	1,247	1,407	1,012	942	1,082	84,709	84,070	85,349	24	13	34	504	455	553
Ravalli	20	10	29	988	919	1,057	803	741	865	47,652	47,172	48,131	16	7	24	205	173	236
DISTRICT 3	118	94	142	3,342	3,215	3,469	2,047	1,948	2,147	67,304	66,734	67,874	98	77	120	1,106	1,033	1,179
Beaverhead	28	16	39	890	824	955	433	387	479	24,904	24,558	25,251	24	13	34	496	447	545
Broadwater	4	0	8	55	39	71	12	4	19	165	137	194	4	0	8	4	0	8
Gallatin	16	7	24	508	458	557	327	287	366	8,401	8,200	8,603	16	7	24	201	170	232
Jefferson	28	16	39	815	752	878	232	199	266	8,067	7,869	8,264	20	10	29	63	46	80
Madison	20	10	29	307	269	346	417	372	462	6,043	5,872	6,214	16	7	24	138	112	164
Park	28	16	39	768	707	829	626	571	681	19,724	19,415	20,032	24	13	34	205	173	236
DISTRICT 4	110	87	133	4,634	4,484	4,783	2,445	2,336	2,553	162,867	161,980	163,754	106	84	129	1,587	1,499	1,674
Cascade	20	10	29	846	782	910	358	317	400	17,558	17,267	17,849	20	10	29	323	283	362
Chouteau	24	13	34	957	889	1,025	685	628	743	40,927	40,483	41,372	24	13	34	457	410	504
Fergus	12	4	19	209	177	240	209	177	240	4,366	4,221	4,511	12	4	19	79	59	98
Glacier	4	0	8	55	39	71	47	32	62	661	605	718	4	0	8	47	32	62
Judith Basin	12	4	19	571	518	623	177	148	206	10,137	9,916	10,359	12	4	19	67	49	85
Lewis & Clark	24	13	34	1,169	1,094	1,244	685	628	743	79,060	78,442	79,677	24	13	34	335	294	375
Liberty	8	2	14	315	276	354	232	199	266	8,071	7,873	8,268	8	2	14	252	217	287
Meagher	4	0	8	177	148	206	16	7	24	709	650	767	0	0	0	0	0	0
Petroleum	4	0	8	39	26	53	20	10	29	197	166	228	4	0	8	20	10	29
Teton	4	0	8	295	258	333	16	7	24	1,181	1,106	1,257	4	0	8	8	2	14
DISTRICT 5	79	59	98	3,149	3,026	3,273	1,768	1,675	1,860	83,870	83,234	84,507	79	59	98	1,150	1,075	1,224
Bighorn	20	10	29	827	764	890	457	410	504	20,708	20,392	21,024	20	10	29	398	354	441
Carbon	20	10	29	933	866	1,000	531	481	582	34,518	34,110	34,926	20	10	29	567	515	619
Golden Valley	8	2	14	83	63	103	75	56	94	673	616	730	4	0	8	4	0	8
Musselshell	12	4	19	591	537	644	480	432	528	20,787	20,470	21,103	12	4	19	122	98	146
Stillwater	4	0	8	28	16	39	39	26	53	276	239	312	4	0	8	8	2	14
Sweetgrass	4	0	8	177	148	206	59	42	76	2,657	2,544	2,771	4	0	8	16	7	24
Wheatland	4	0	8	118	94	142	16	7	24	472	425	520	4	0	8	8	2	14
Yellowstone	12	4	19	394	350	437	110	87	133	3,779	3,644	3,914	12	4	19	28	16	39

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: COYOTE

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 6	39	26	53	1,043	972	1,114	1,106	1,033	1,179	37,774	37,347	38,201	35	22	49	905	839	972
Blaine	12	4	19	409	365	454	394	350	437	19,322	19,017	19,627	12	4	19	311	272	350
Hill	12	4	19	213	181	245	157	130	185	5,000	4,844	5,155	8	2	14	260	224	295
Mccone	4	0	8	35	22	49	12	4	19	106	84	129	4	0	8	8	2	14
Richland	4	0	8	177	148	206	197	166	228	8,858	8,651	9,065	4	0	8	87	66	107
Valley	16	7	24	209	177	240	346	306	387	4,488	4,341	4,635	16	7	24	240	206	274
DISTRICT 7	51	35	67	2,051	1,952	2,151	1,602	1,514	1,690	109,802	109,074	110,531	47	32	62	453	406	499
Carter	4	0	8	472	425	520	512	462	561	61,415	60,870	61,959	4	0	8	67	49	85
Custer	12	4	19	354	313	396	453	406	499	16,535	16,252	16,817	12	4	19	43	29	58
Dawson	8	2	14	295	258	333	252	217	287	9,921	9,702	10,140	8	2	14	110	87	133
Fallon	4	0	8	118	94	142	24	13	34	709	650	767	4	0	8	12	4	19
Garfield	4	0	8	394	350	437	118	94	142	11,811	11,572	12,049	4	0	8	98	77	120
Powder River	4	0	8	236	202	270	138	112	164	8,267	8,068	8,467	4	0	8	43	29	58
Rosebud	4	0	8	39	26	53	28	16	39	276	239	312	4	0	8	39	26	53
Treasure	12	4	19	142	116	168	79	59	98	870	805	935	8	2	14	39	26	53

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: FOX

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	409	365	454	14,543	14,278	14,808	7,472	7,282	7,662	383,637	382,276	384,998	402	358	446	4,252	4,109	4,395
DISTRICT 1	12	4	19	177	148	206	165	137	194	2,913	2,795	3,032	12	4	19	55	39	71
Flathead	12	4	19	177	148	206	165	137	194	2,913	2,795	3,032	12	4	19	55	39	71
DISTRICT 2	59	42	76	2,724	2,610	2,839	1,669	1,579	1,759	102,992	102,287	103,697	55	39	71	398	354	441
Deer Lodge	4	0	8	79	59	98	24	13	34	472	425	520	4	0	8	8	2	14
Mineral	4	0	8	39	26	53	39	26	53	394	350	437	4	0	8	8	2	14
Missoula	8	2	14	295	258	333	51	35	67	2,185	2,082	2,288	8	2	14	28	16	39
Powell	20	10	29	1,216	1,140	1,293	941	874	1,008	67,682	67,111	68,254	16	7	24	114	91	138
Ravalli	24	13	34	1,094	1,022	1,167	614	560	669	32,258	31,864	32,653	24	13	34	240	206	274
DISTRICT 3	98	77	120	2,913	2,795	3,032	1,189	1,113	1,265	49,372	48,884	49,860	94	73	116	512	462	561
Beaverhead	20	10	29	634	579	689	291	254	329	19,657	19,349	19,965	20	10	29	118	94	142
Gallatin	28	16	39	921	855	988	205	173	236	6,638	6,458	6,817	28	16	39	71	52	89
Jefferson	16	7	24	630	575	685	154	126	181	5,905	5,736	6,074	12	4	19	122	98	146
Madison	12	4	19	150	123	176	71	52	89	1,827	1,733	1,921	12	4	19	51	35	67
Park	24	13	34	579	526	632	468	421	516	15,346	15,074	15,618	24	13	34	150	123	176
DISTRICT 4	91	70	111	3,527	3,397	3,658	1,630	1,541	1,719	73,690	73,093	74,286	91	70	111	835	771	898
Cascade	16	7	24	535	485	586	307	269	346	16,062	15,784	16,341	16	7	24	319	280	358
Chouteau	24	13	34	866	801	931	472	425	520	27,479	27,115	27,843	24	13	34	220	188	253
Fergus	8	2	14	197	166	228	138	112	164	3,740	3,606	3,874	8	2	14	35	22	49
Glacier	4	0	8	83	63	103	47	32	62	992	923	1,061	4	0	8	16	7	24
Judith Basin	8	2	14	492	443	541	138	112	164	8,464	8,262	8,666	8	2	14	71	52	89
Lewis & Clark	20	10	29	866	801	931	205	173	236	9,212	9,001	9,423	20	10	29	106	84	129
Liberty	4	0	8	118	94	142	177	148	206	5,315	5,155	5,475	4	0	8	20	10	29
Petroleum	4	0	8	55	39	71	79	59	98	1,102	1,029	1,175	4	0	8	8	2	14
Pondera	8	2	14	303	265	341	28	16	39	1,205	1,128	1,281	8	2	14	16	7	24
Teton	4	0	8	12	4	19	39	26	53	118	94	142	4	0	8	24	13	34
DISTRICT 5	71	52	89	2,039	1,940	2,139	957	889	1,025	32,999	32,599	33,398	71	52	89	882	817	947
Bighorn	16	7	24	551	500	603	228	195	262	6,614	6,435	6,793	16	7	24	244	210	278
Carbon	31	19	44	1,047	976	1,118	543	492	595	22,223	21,896	22,551	31	19	44	567	515	619
Musselshell	8	2	14	87	66	107	63	46	80	717	658	775	8	2	14	16	7	24
Stillwater	4	0	8	59	42	76	20	10	29	295	258	333	4	0	8	24	13	34
Wheatland	4	0	8	118	94	142	39	26	53	1,181	1,106	1,257	4	0	8	24	13	34
Yellowstone	8	2	14	177	148	206	63	46	80	1,968	1,871	2,066	8	2	14	8	2	14
DISTRICT 6	35	22	49	1,059	988	1,131	654	597	710	29,408	29,031	29,785	35	22	49	665	609	722
Blaine	12	4	19	307	269	346	335	294	375	17,086	16,799	17,373	12	4	19	248	213	283
Hill	8	2	14	224	191	257	161	133	189	6,874	6,692	7,056	8	2	14	311	272	350
Richland	4	0	8	177	148	206	24	13	34	1,063	991	1,135	4	0	8	35	22	49
Valley	16	7	24	350	309	392	134	108	159	4,386	4,240	4,531	16	7	24	71	52	89

March 27th, 2002

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: FOX

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 7	51	35	67	2,102	2,002	2,203	1,209	1,132	1,285	92,264	91,596	92,931	51	35	67	905	839	972
Carter	12	4	19	945	877	1,012	559	507	611	63,304	62,752	63,857	12	4	19	417	372	462
Custer	4	0	8	157	130	185	31	19	44	1,260	1,182	1,338	4	0	8	4	0	8
Dawson	16	7	24	327	287	366	189	159	219	3,858	3,722	3,995	16	7	24	150	123	176
Garfield	4	0	8	394	350	437	197	166	228	19,684	19,376	19,992	4	0	8	217	184	249
Powder River	8	2	14	201	170	232	102	80	125	2,858	2,741	2,976	8	2	14	106	84	129
Rosebud	4	0	8	39	26	53	118	94	142	1,181	1,106	1,257	4	0	8	8	2	14
Treasure	4	0	8	39	26	53	12	4	19	118	94	142	4	0	8	4	0	8

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: RACCOON

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	488	440	537	13,393	13,139	13,647	7,594	7,403	7,786	307,160	305,943	308,378	480	432	528	7,929	7,733	8,124
DISTRICT 1	24	13	34	425	380	470	165	137	194	3,764	3,629	3,898	24	13	34	205	173	236
Flathead	12	4	19	252	217	287	138	112	164	3,299	3,173	3,425	12	4	19	146	119	172
Lake	4	0	8	118	94	142	12	4	19	354	313	396	4	0	8	47	32	62
Lincoln	8	2	14	55	39	71	16	7	24	110	87	133	8	2	14	12	4	19
DISTRICT 2	39	26	53	1,031	961	1,102	405	361	450	13,495	13,240	13,751	35	22	49	181	152	211
Granite	8	2	14	146	119	172	47	32	62	1,236	1,159	1,313	4	0	8	4	0	8
Missoula	16	7	24	311	272	350	134	108	159	2,386	2,278	2,493	16	7	24	24	13	34
Ravalli	20	10	29	575	522	627	224	191	257	9,874	9,655	10,092	16	7	24	154	126	181
DISTRICT 3	98	77	120	2,594	2,482	2,706	1,153	1,079	1,228	35,770	35,355	36,186	94	73	116	779	718	841
Beaverhead	16	7	24	504	455	553	193	162	223	7,964	7,768	8,160	16	7	24	150	123	176
Gallatin	43	29	58	1,201	1,125	1,277	461	413	508	9,063	8,853	9,272	39	26	53	303	265	341
Jefferson	8	2	14	102	80	125	47	32	62	866	801	931	8	2	14	31	19	44
Madison	8	2	14	94	73	116	35	22	49	457	410	504	8	2	14	31	19	44
Park	28	16	39	693	635	751	417	372	462	17,421	17,131	17,711	28	16	39	264	228	299
DISTRICT 4	130	105	155	3,791	3,656	3,926	1,945	1,848	2,042	112,271	111,535	113,007	130	105	155	1,496	1,411	1,581
Cascade	24	13	34	476	428	524	256	221	291	6,295	6,121	6,469	24	13	34	366	324	408
Chouteau	12	4	19	283	246	320	197	166	228	4,488	4,341	4,635	12	4	19	201	170	232
Fergus	20	10	29	362	320	404	445	399	491	11,917	11,677	12,157	20	10	29	386	343	429
Judith Basin	16	7	24	905	839	972	161	133	189	7,480	7,290	7,670	16	7	24	142	116	168
Lewis & Clark	28	16	39	957	889	1,025	528	477	578	72,737	72,144	73,330	28	16	39	264	228	299
Liberty	4	0	8	118	94	142	177	148	206	5,315	5,155	5,475	4	0	8	20	10	29
Meagher	4	0	8	118	94	142	16	7	24	472	425	520	4	0	8	16	7	24
Petroleum	8	2	14	173	144	202	102	80	125	1,811	1,717	1,904	8	2	14	51	35	67
Pondera	4	0	8	16	7	24	12	4	19	47	32	62	4	0	8	4	0	8
Teton	12	4	19	382	339	425	51	35	67	1,709	1,618	1,799	12	4	19	47	32	62
DISTRICT 5	110	87	133	3,027	2,907	3,148	2,134	2,032	2,235	66,135	65,570	66,700	110	87	133	3,157	3,034	3,281
Bighorn	24	13	34	709	650	767	445	399	491	12,440	12,195	12,686	24	13	34	870	805	935
Carbon	35	22	49	1,315	1,235	1,395	768	707	829	44,490	44,027	44,954	35	22	49	1,346	1,266	1,427
Golden Valley	4	0	8	39	26	53	79	59	98	787	726	849	4	0	8	79	59	98
Musselshell	4	0	8	4	0	8	394	350	437	394	350	437	4	0	8	24	13	34
Stillwater	12	4	19	102	80	125	161	133	189	1,024	953	1,094	12	4	19	220	188	253
Sweetgrass	4	0	8	59	42	76	20	10	29	295	258	333	4	0	8	31	19	44
Wheatland	4	0	8	118	94	142	20	10	29	591	537	644	4	0	8	47	32	62
Yellowstone	31	19	44	681	624	738	248	213	283	6,114	5,942	6,286	31	19	44	539	488	590
DISTRICT 6	43	29	58	1,016	946	1,086	701	643	759	11,759	11,521	11,998	43	29	58	949	881	1,016
Blaine	8	2	14	154	126	181	67	49	85	1,429	1,346	1,512	8	2	14	106	84	129
Hill	16	7	24	571	518	623	134	108	159	4,118	3,977	4,259	12	4	19	240	206	274
Mccone	4	0	8	55	39	71	20	10	29	276	239	312	4	0	8	102	80	125
Valley	20	10	29	236	202	270	480	432	528	5,937	5,767	6,106	20	10	29	500	451	549

March 27th, 2002

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: RACCOON

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
DISTRICT 7	51	35	67	1,508	1,422	1,593	1,091	1,018	1,163	63,966	63,410	64,522	51	35	67	1,161	1,086	1,236
Carter	8	2	14	472	425	520	551	500	603	47,242	46,765	47,720	8	2	14	244	210	278
Custer	4	0	8	16	7	24	12	4	19	47	32	62	4	0	8	16	7	24
Dawson	8	2	14	240	206	274	98	77	120	3,583	3,451	3,714	8	2	14	193	162	223
Garfield	4	0	8	8	2	14	8	2	14	16	7	24	4	0	8	39	26	53
Powder River	8	2	14	201	170	232	102	80	125	2,858	2,741	2,976	8	2	14	39	26	53
Prairie	4	0	8	79	59	98	20	10	29	394	350	437	4	0	8	8	2	14
Rosebud	4	0	8	39	26	53	118	94	142	1,181	1,106	1,257	4	0	8	47	32	62
Treasure	12	4	19	453	406	499	181	152	211	8,645	8,441	8,850	12	4	19	575	522	627

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Trapping and Snaring Activities, by Species and Location

Species: BADGER

Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Traps Set	Traps Low Bnd	Traps Up Bnd	Trap Days	T Days Low Bnd	T Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
STATEWIDE	138	112	164	4,165	4,023	4,307	2,712	2,598	2,827	197,047	196,071	198,022	130	105	155	929	862	996
DISTRICT 1	4	0	8	31	19	44	4	0	8	31	19	44	4	0	8	4	0	8
Flathead	4	0	8	31	19	44	4	0	8	31	19	44	4	0	8	4	0	8
DISTRICT 2	4	0	8	55	39	71	12	4	19	165	137	194	0	0	0	0	0	0
Ravalli	4	0	8	55	39	71	12	4	19	165	137	194	0	0	0	0	0	0
DISTRICT 3	31	19	44	555	503	607	134	108	159	3,614	3,482	3,746	28	16	39	102	80	125
Beaverhead	8	2	14	201	170	232	43	29	58	1,972	1,875	2,070	8	2	14	12	4	19
Gallatin	4	0	8	4	0	8	4	0	8	4	0	8	4	0	8	4	0	8
Madison	8	2	14	75	56	94	24	13	34	220	188	253	4	0	8	16	7	24
Park	12	4	19	276	239	312	63	46	80	1,417	1,335	1,500	12	4	19	71	52	89
DISTRICT 4	47	32	62	1,831	1,737	1,925	1,071	999	1,143	103,244	102,538	103,950	47	32	62	394	350	437
Cascade	12	4	19	177	148	206	98	77	120	1,673	1,583	1,763	12	4	19	35	22	49
Chouteau	16	7	24	591	537	644	331	291	371	23,779	23,440	24,117	16	7	24	51	35	67
Fergus	4	0	8	39	26	53	20	10	29	197	166	228	4	0	8	8	2	14
Judith Basin	4	0	8	118	94	142	39	26	53	1,181	1,106	1,257	4	0	8	8	2	14
Lewis & Clark	8	2	14	787	726	849	405	361	450	71,099	70,513	71,685	8	2	14	283	246	320
Liberty	4	0	8	118	94	142	177	148	206	5,315	5,155	5,475	4	0	8	8	2	14
DISTRICT 5	16	7	24	311	272	350	429	384	475	16,507	16,225	16,789	16	7	24	20	10	29
Bighorn	4	0	8	16	7	24	8	2	14	31	19	44	4	0	8	8	2	14
Carbon	4	0	8	20	10	29	4	0	8	20	10	29	4	0	8	4	0	8
Musselshell	4	0	8	157	130	185	394	350	437	15,747	15,472	16,023	4	0	8	4	0	8
Yellowstone	4	0	8	118	94	142	24	13	34	709	650	767	4	0	8	4	0	8
DISTRICT 6	16	7	24	634	579	689	303	265	341	17,684	17,392	17,976	16	7	24	154	126	181
Blaine	8	2	14	260	224	295	283	246	320	16,582	16,299	16,865	8	2	14	138	112	164
Hill	8	2	14	374	332	416	20	10	29	1,102	1,029	1,175	8	2	14	16	7	24
DISTRICT 7	20	10	29	748	688	808	760	699	820	55,801	55,282	56,320	20	10	29	256	221	291
Carter	8	2	14	472	425	520	551	500	603	47,242	46,765	47,720	8	2	14	91	70	111
Powder River	4	0	8	236	202	270	138	112	164	8,267	8,068	8,467	4	0	8	16	7	24
Rosebud	4	0	8	35	22	49	28	16	39	248	213	283	4	0	8	4	0	8
Treasure	4	0	8	4	0	8	43	29	58	43	29	58	4	0	8	146	119	172

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
ALL	STATEWIDE	405	361	450	15,669	15,394	15,944	350	309	392	7,468	7,278	7,658
	DISTRICT 1	47	32	62	1,035	965	1,106	35	22	49	146	119	172
	Flathead	28	16	39	823	760	886	16	7	24	59	42	76
	Lake	4	0	8	8	2	14	4	0	8	4	0	8
	Lincoln	20	10	29	205	173	236	20	10	29	83	63	103
	DISTRICT 2	39	26	53	409	365	454	28	16	39	374	332	416
	Deer Lodge	4	0	8	4	0	8	4	0	8	4	0	8
	Granite	4	0	8	8	2	14	4	0	8	8	2	14
	Missoula	12	4	19	51	35	67	0	0	0	0	0	0
	Powell	20	10	29	335	294	375	20	10	29	362	320	404
	Ravalli	4	0	8	12	4	19	0	0	0	0	0	0
	DISTRICT 3	94	73	116	3,752	3,617	3,886	79	59	98	1,067	995	1,139
	Beaverhead	16	7	24	748	688	808	16	7	24	386	343	429
	Broadwater	16	7	24	63	46	80	16	7	24	67	49	85
	Gallatin	28	16	39	1,827	1,733	1,921	24	13	34	484	436	533
	Jefferson	4	0	8	20	10	29	4	0	8	12	4	19
	Madison	16	7	24	39	26	53	8	2	14	8	2	14
	Park	24	13	34	1,051	980	1,122	12	4	19	106	84	129
	Silver Bow	4	0	8	4	0	8	4	0	8	4	0	8
	DISTRICT 4	98	77	120	6,130	5,958	6,302	91	70	111	4,145	4,004	4,287
	Cascade	12	4	19	1,563	1,476	1,650	12	4	19	3,193	3,069	3,317
	Chouteau	8	2	14	43	29	58	8	2	14	134	108	159
	Fergus	8	2	14	157	130	185	8	2	14	63	46	80
	Judith Basin	16	7	24	976	908	1,045	16	7	24	193	162	223
	Lewis & Clark	28	16	39	2,283	2,178	2,388	24	13	34	327	287	366
	Liberty	8	2	14	732	673	792	8	2	14	126	101	151
	Meagher	8	2	14	12	4	19	8	2	14	20	10	29
	Petroleum	8	2	14	63	46	80	8	2	14	47	32	62
	Teton	12	4	19	276	239	312	8	2	14	35	22	49
	Toole	4	0	8	24	13	34	4	0	8	8	2	14
	DISTRICT 5	79	59	98	882	817	947	67	49	85	492	443	541
	Bighorn	8	2	14	311	272	350	8	2	14	118	94	142
	Carbon	16	7	24	91	70	111	12	4	19	47	32	62
	Golden Valley	16	7	24	24	13	34	16	7	24	35	22	49
	Musselshell	12	4	19	59	42	76	12	4	19	24	13	34
	Stillwater	8	2	14	12	4	19	4	0	8	4	0	8
	Wheatland	4	0	8	59	42	76	4	0	8	47	32	62
	Yellowstone	35	22	49	327	287	366	28	16	39	217	184	249
	DISTRICT 6	28	16	39	886	820	951	24	13	34	138	112	164
	Blaine	8	2	14	39	26	53	8	2	14	28	16	39
	Hill	4	0	8	709	650	767	4	0	8	75	56	94
	Phillips	12	4	19	130	105	155	8	2	14	28	16	39
	Valley	8	2	14	8	2	14	8	2	14	8	2	14
	DISTRICT 7	75	56	94	2,575	2,463	2,686	75	56	94	1,106	1,033	1,179
	Carter	4	0	8	1,417	1,335	1,500	4	0	8	31	19	44
	Custer	16	7	24	197	166	228	16	7	24	47	32	62
	Fallon	4	0	8	4	0	8	4	0	8	4	0	8
	Garfield	4	0	8	16	7	24	4	0	8	4	0	8
	Powder River	28	16	39	335	294	375	28	16	39	268	232	304
	Rosebud	4	0	8	8	2	14	4	0	8	8	2	14
	Treasure	16	7	24	598	545	652	16	7	24	744	684	804

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BEAVER	STATEWIDE	4	0	8	4	0	8	4	0	8	20	10	29
	DISTRICT 3	4	0	8	4	0	8	4	0	8	20	10	29
	Gallatin	4	0	8	4	0	8	4	0	8	20	10	29
WOLVERINE	STATEWIDE	12	4	19	260	224	295	0	0	0	0	0	0
	DISTRICT 1	12	4	19	260	224	295	0	0	0	0	0	0
	Flathead	12	4	19	260	224	295	0	0	0	0	0	0
LYNX	STATEWIDE	4	0	8	12	4	19	4	0	8	4	0	8
	DISTRICT 1	4	0	8	12	4	19	4	0	8	4	0	8
	Flathead	4	0	8	12	4	19	4	0	8	4	0	8
BOBCAT	STATEWIDE	106	84	129	2,027	1,929	2,126	75	56	94	980	911	1,049
	DISTRICT 1	12	4	19	102	80	125	8	2	14	8	2	14
	Flathead	8	2	14	98	77	120	4	0	8	4	0	8
	Lincoln	4	0	8	4	0	8	4	0	8	4	0	8
	DISTRICT 2	8	2	14	118	94	142	0	0	0	0	0	0
	Missoula	4	0	8	39	26	53	0	0	0	0	0	0
	Powell	8	2	14	79	59	98	0	0	0	0	0	0
	DISTRICT 3	24	13	34	358	317	400	20	10	29	35	22	49
	Beaverhead	8	2	14	12	4	19	8	2	14	8	2	14
	Broadwater	4	0	8	16	7	24	4	0	8	8	2	14
	Gallatin	4	0	8	79	59	98	4	0	8	8	2	14
	Madison	4	0	8	8	2	14	0	0	0	0	0	0
	Park	8	2	14	244	210	278	4	0	8	12	4	19
	DISTRICT 4	28	16	39	531	481	582	16	7	24	803	741	865
	Cascade	8	2	14	374	332	416	4	0	8	783	722	845
	Judith Basin	12	4	19	150	123	176	8	2	14	16	7	24
	Meagher	4	0	8	4	0	8	4	0	8	4	0	8
	Petroleum	4	0	8	4	0	8	0	0	0	0	0	0
	DISTRICT 5	12	4	19	35	22	49	8	2	14	12	4	19
	Musselshell	4	0	8	16	7	24	4	0	8	8	2	14
	Stillwater	4	0	8	8	2	14	0	0	0	0	0	0
	Yellowstone	8	2	14	12	4	19	4	0	8	4	0	8
	DISTRICT 6	8	2	14	748	688	808	4	0	8	75	56	94
	Hill	4	0	8	709	650	767	4	0	8	75	56	94
	Phillips	4	0	8	39	26	53	0	0	0	0	0	0
	DISTRICT 7	24	13	34	134	108	159	24	13	34	47	32	62
	Custer	8	2	14	8	2	14	8	2	14	8	2	14
	Powder River	16	7	24	126	101	151	16	7	24	39	26	53
SKUNK	STATEWIDE	20	10	29	957	889	1,025	16	7	24	98	77	120
	DISTRICT 2	4	0	8	4	0	8	0	0	0	0	0	0
	Ravalli	4	0	8	4	0	8	0	0	0	0	0	0
	DISTRICT 3	12	4	19	949	881	1,016	12	4	19	71	52	89
	Broadwater	4	0	8	4	0	8	4	0	8	12	4	19
	Gallatin	4	0	8	709	650	767	4	0	8	47	32	62
	Park	4	0	8	236	202	270	4	0	8	12	4	19
	DISTRICT 7	4	0	8	4	0	8	4	0	8	28	16	39
	Powder River	4	0	8	4	0	8	4	0	8	28	16	39

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
COYOTE	STATEWIDE	323	283	362	6,732	6,552	6,912	264	228	299	3,205	3,080	3,329
	DISTRICT 1	39	26	53	417	372	462	24	13	34	102	80	125
	Flathead	24	13	34	287	250	325	8	2	14	35	22	49
	Lake	4	0	8	8	2	14	4	0	8	4	0	8
	Lincoln	16	7	24	122	98	146	16	7	24	63	46	80
	DISTRICT 2	31	19	44	272	235	308	24	13	34	366	324	408
	Granite	4	0	8	4	0	8	4	0	8	4	0	8
	Missoula	4	0	8	8	2	14	0	0	0	0	0	0
	Powell	20	10	29	256	221	291	20	10	29	362	320	404
	Ravalli	4	0	8	4	0	8	0	0	0	0	0	0
	DISTRICT 3	79	59	98	1,209	1,132	1,285	63	46	80	476	428	524
	Beaverhead	12	4	19	350	309	392	12	4	19	75	56	94
	Broadwater	12	4	19	39	26	53	12	4	19	31	19	44
	Gallatin	12	4	19	453	406	499	12	4	19	307	269	346
	Jefferson	4	0	8	20	10	29	4	0	8	12	4	19
	Madison	12	4	19	24	13	34	8	2	14	8	2	14
	Park	24	13	34	319	280	358	12	4	19	39	26	53
	Silver Bow	4	0	8	4	0	8	4	0	8	4	0	8
	DISTRICT 4	83	63	103	2,449	2,340	2,557	71	52	89	1,342	1,262	1,423
	Cascade	12	4	19	421	376	466	12	4	19	835	771	898
	Chouteau	8	2	14	43	29	58	8	2	14	134	108	159
	Fergus	8	2	14	150	123	176	8	2	14	8	2	14
	Judith Basin	8	2	14	256	221	291	4	0	8	12	4	19
	Lewis & Clark	24	13	34	858	794	923	20	10	29	169	141	198
	Liberty	8	2	14	366	324	408	8	2	14	83	63	103
	Meagher	4	0	8	8	2	14	4	0	8	16	7	24
	Petroleum	8	2	14	59	42	76	8	2	14	47	32	62
	Teton	12	4	19	276	239	312	8	2	14	35	22	49
	Toole	4	0	8	12	4	19	4	0	8	4	0	8
	DISTRICT 5	59	42	76	787	726	849	51	35	67	295	258	333
	Bighorn	8	2	14	311	272	350	8	2	14	118	94	142
	Carbon	16	7	24	91	70	111	12	4	19	47	32	62
	Golden Valley	8	2	14	8	2	14	8	2	14	16	7	24
	Musselshell	8	2	14	43	29	58	8	2	14	16	7	24
	Wheatland	4	0	8	59	42	76	4	0	8	47	32	62
	Yellowstone	20	10	29	276	239	312	16	7	24	51	35	67
	DISTRICT 6	16	7	24	35	22	49	12	4	19	20	10	29
	Blaine	4	0	8	16	7	24	4	0	8	8	2	14
	Phillips	8	2	14	12	4	19	4	0	8	4	0	8
	Valley	8	2	14	8	2	14	8	2	14	8	2	14
	DISTRICT 7	55	39	71	1,563	1,476	1,650	55	39	71	602	548	656
	Carter	4	0	8	709	650	767	4	0	8	4	0	8
	Custer	8	2	14	173	144	202	8	2	14	24	13	34
	Fallon	4	0	8	4	0	8	4	0	8	4	0	8
	Garfield	4	0	8	16	7	24	4	0	8	4	0	8
	Powder River	16	7	24	138	112	164	16	7	24	94	73	116
	Rosebud	4	0	8	8	2	14	4	0	8	8	2	14
	Treasure	16	7	24	516	466	566	16	7	24	465	417	512
FOX	STATEWIDE	134	108	159	3,964	3,826	4,103	114	91	138	1,496	1,411	1,581
	DISTRICT 1	12	4	19	244	210	278	4	0	8	31	19	44
	Flathead	12	4	19	165	137	194	4	0	8	16	7	24
	Lincoln	4	0	8	79	59	98	4	0	8	16	7	24
	DISTRICT 2	12	4	19	12	4	19	4	0	8	4	0	8
	Granite	4	0	8	4	0	8	4	0	8	4	0	8
	Missoula	4	0	8	4	0	8	0	0	0	0	0	0
	Ravalli	4	0	8	4	0	8	0	0	0	0	0	0

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
FOX	DISTRICT 3	47	32	62	1,150	1,075	1,224	43	29	58	370	328	412
	Beaverhead	12	4	19	311	272	350	12	4	19	209	177	240
	Broadwater	4	0	8	4	0	8	4	0	8	16	7	24
	Gallatin	24	13	34	583	530	636	20	10	29	102	80	125
	Park	8	2	14	252	217	287	8	2	14	43	29	58
	DISTRICT 4	28	16	39	1,744	1,652	1,836	28	16	39	961	892	1,029
	Cascade	8	2	14	413	369	458	8	2	14	791	729	853
	Judith Basin	4	0	8	236	202	270	4	0	8	39	26	53
	Lewis & Clark	12	4	19	717	658	775	12	4	19	83	63	103
	Liberty	8	2	14	366	324	408	8	2	14	43	29	58
	Toole	4	0	8	12	4	19	4	0	8	4	0	8
	DISTRICT 5	16	7	24	20	10	29	16	7	24	28	16	39
	Golden Valley	8	2	14	8	2	14	8	2	14	12	4	19
	Stillwater	4	0	8	4	0	8	4	0	8	4	0	8
	Yellowstone	8	2	14	8	2	14	8	2	14	12	4	19
	DISTRICT 6	4	0	8	8	2	14	4	0	8	12	4	19
	Blaine	4	0	8	8	2	14	4	0	8	12	4	19
	DISTRICT 7	24	13	34	787	726	849	24	13	34	91	70	111
	Carter	4	0	8	709	650	767	4	0	8	28	16	39
	Custer	4	0	8	8	2	14	4	0	8	8	2	14
	Powder River	8	2	14	31	19	44	8	2	14	39	26	53
	Treasure	8	2	14	39	26	53	8	2	14	16	7	24
RACCOON	STATEWIDE	59	42	76	492	443	541	59	42	76	752	692	812
	DISTRICT 3	8	2	14	75	56	94	8	2	14	94	73	116
	Beaverhead	8	2	14	75	56	94	8	2	14	94	73	116
	DISTRICT 4	16	7	24	224	191	257	16	7	24	173	144	202
	Fergus	4	0	8	8	2	14	4	0	8	55	39	71
	Judith Basin	12	4	19	217	184	249	12	4	19	118	94	142
	DISTRICT 5	12	4	19	35	22	49	12	4	19	154	126	181
	Golden Valley	4	0	8	8	2	14	4	0	8	8	2	14
	Yellowstone	12	4	19	28	16	39	12	4	19	146	119	172
	DISTRICT 6	8	2	14	87	66	107	8	2	14	28	16	39
	Blaine	4	0	8	8	2	14	4	0	8	4	0	8
	Phillips	4	0	8	79	59	98	4	0	8	24	13	34
	DISTRICT 7	16	7	24	71	52	89	16	7	24	303	265	341
	Powder River	8	2	14	31	19	44	8	2	14	43	29	58
	Treasure	8	2	14	39	26	53	8	2	14	260	224	295
BADGER	STATEWIDE	31	19	44	1,216	1,140	1,293	28	16	39	890	824	955
	DISTRICT 2	4	0	8	4	0	8	4	0	8	4	0	8
	Deer Lodge	4	0	8	4	0	8	4	0	8	4	0	8
	DISTRICT 3	4	0	8	8	2	14	0	0	0	0	0	0
	Madison	4	0	8	8	2	14	0	0	0	0	0	0
	DISTRICT 4	8	2	14	1,181	1,106	1,257	8	2	14	866	801	931
	Cascade	4	0	8	354	313	396	4	0	8	783	722	845
	Judith Basin	4	0	8	118	94	142	4	0	8	8	2	14
	Lewis & Clark	4	0	8	709	650	767	4	0	8	75	56	94
	DISTRICT 5	4	0	8	4	0	8	4	0	8	4	0	8
	Yellowstone	4	0	8	4	0	8	4	0	8	4	0	8

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting (without hounds) Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BADGER	DISTRICT 6	4	0	8	8	2	14	4	0	8	4	0	8
	Blaine	4	0	8	8	2	14	4	0	8	4	0	8
	DISTRICT 7	8	2	14	12	4	19	8	2	14	12	4	19
	Custer	4	0	8	8	2	14	4	0	8	8	2	14
	Treasure	4	0	8	4	0	8	4	0	8	4	0	8
OTHER	STATEWIDE	4	0	8	4	0	8	4	0	8	24	13	34
	DISTRICT 7	4	0	8	4	0	8	4	0	8	24	13	34
	Powder River	4	0	8	4	0	8	4	0	8	24	13	34

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting with Hounds Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
ALL	STATEWIDE	201	170	232	3,405	3,277	3,534	126	101	151	799	737	861
	DISTRICT 1	51	35	67	681	624	738	39	26	53	102	80	125
	Flathead	20	10	29	189	159	219	12	4	19	31	19	44
	Lake	4	0	8	16	7	24	0	0	0	0	0	0
	Lincoln	28	16	39	425	380	470	24	13	34	67	49	85
	Sanders	4	0	8	51	35	67	4	0	8	4	0	8
	DISTRICT 2	55	39	71	472	425	520	31	19	44	55	39	71
	Granite	4	0	8	4	0	8	4	0	8	4	0	8
	Mineral	20	10	29	130	105	155	12	4	19	28	16	39
	Missoula	16	7	24	224	191	257	4	0	8	4	0	8
	Ravalli	24	13	34	114	91	138	16	7	24	20	10	29
	DISTRICT 3	28	16	39	417	372	462	20	10	29	201	170	232
	Beaverhead	4	0	8	39	26	53	4	0	8	24	13	34
	Broadwater	12	4	19	138	112	164	12	4	19	71	52	89
	Gallatin	4	0	8	31	19	44	4	0	8	28	16	39
	Jefferson	4	0	8	47	32	62	4	0	8	28	16	39
	Madison	4	0	8	12	4	19	0	0	0	0	0	0
	Park	8	2	14	150	123	176	4	0	8	51	35	67
	DISTRICT 4	43	29	58	1,610	1,522	1,698	24	13	34	177	148	206
	Cascade	16	7	24	75	56	94	4	0	8	12	4	19
	Chouteau	8	2	14	79	59	98	8	2	14	83	63	103
	Judith Basin	16	7	24	260	224	295	12	4	19	55	39	71
	Lewis & Clark	20	10	29	409	365	454	8	2	14	12	4	19
	Liberty	4	0	8	8	2	14	4	0	8	8	2	14
	Pondera	8	2	14	327	287	366	0	0	0	0	0	0
	Teton	8	2	14	453	406	499	4	0	8	8	2	14
	DISTRICT 5	35	22	49	165	137	194	24	13	34	248	213	283
	Carbon	4	0	8	8	2	14	0	0	0	0	0	0
	Musselshell	8	2	14	67	49	85	8	2	14	142	116	168
	Stillwater	12	4	19	35	22	49	4	0	8	4	0	8
	Yellowstone	20	10	29	55	39	71	12	4	19	102	80	125
	DISTRICT 7	4	0	8	59	42	76	4	0	8	16	7	24
	Powder River	4	0	8	59	42	76	4	0	8	16	7	24
BOBCAT	STATEWIDE	169	141	198	2,579	2,467	2,690	87	66	107	213	181	245
	DISTRICT 1	47	32	62	622	567	677	35	22	49	87	66	107
	Flathead	16	7	24	130	105	155	8	2	14	16	7	24
	Lake	4	0	8	16	7	24	0	0	0	0	0	0
	Lincoln	28	16	39	425	380	470	24	13	34	67	49	85
	Sanders	4	0	8	51	35	67	4	0	8	4	0	8
	DISTRICT 2	51	35	67	457	410	504	24	13	34	47	32	62
	Granite	4	0	8	4	0	8	4	0	8	4	0	8
	Mineral	20	10	29	130	105	155	12	4	19	28	16	39
	Missoula	16	7	24	224	191	257	4	0	8	4	0	8
	Ravalli	20	10	29	98	77	120	8	2	14	12	4	19
	DISTRICT 3	16	7	24	94	73	116	8	2	14	35	22	49
	Beaverhead	4	0	8	39	26	53	4	0	8	24	13	34
	Broadwater	4	0	8	12	4	19	4	0	8	8	2	14
	Madison	4	0	8	12	4	19	0	0	0	0	0	0
	Park	8	2	14	31	19	44	4	0	8	4	0	8
	DISTRICT 4	39	26	53	1,283	1,205	1,362	16	7	24	16	7	24
	Cascade	8	2	14	12	4	19	0	0	0	0	0	0
	Judith Basin	16	7	24	165	137	194	8	2	14	8	2	14
	Lewis & Clark	20	10	29	378	335	421	4	0	8	4	0	8
	Pondera	8	2	14	315	276	354	0	0	0	0	0	0
	Teton	8	2	14	413	369	458	4	0	8	4	0	8

Montana Fish Wildlife and Parks
1996 Furbearer Survey Report: Confidence Bounds on Statistical Estimates
Hunting with Hounds Activities, by Species and Location

Species	Location	Hunters Trapper	Hunter LowBnd	Hunter UpBnd	Hunter Days	H Days Low Bnd	H Days Up Bnd	Succes Hunter	S Hunt LowBnd	S Hunt UpBnd	Total Harvest	Harvest Low Bnd	Harvest Up Bnd
BOBCAT	DISTRICT 5	20	10	29	63	46	80	8	2	14	12	4	19
	Carbon	4	0	8	8	2	14	0	0	0	0	0	0
	Stillwater	12	4	19	35	22	49	4	0	8	4	0	8
	Yellowstone	8	2	14	20	10	29	4	0	8	8	2	14
	DISTRICT 7	4	0	8	59	42	76	4	0	8	16	7	24
	Powder River	4	0	8	59	42	76	4	0	8	16	7	24
COYOTE	STATEWIDE	8	2	14	59	42	76	8	2	14	35	22	49
	DISTRICT 3	4	0	8	20	10	29	4	0	8	12	4	19
	Jefferson	4	0	8	20	10	29	4	0	8	12	4	19
	DISTRICT 4	4	0	8	39	26	53	4	0	8	24	13	34
	Chouteau	4	0	8	39	26	53	4	0	8	24	13	34
FOX	STATEWIDE	4	0	8	28	16	39	4	0	8	16	7	24
	DISTRICT 3	4	0	8	28	16	39	4	0	8	16	7	24
	Jefferson	4	0	8	28	16	39	4	0	8	16	7	24
RACCOON	STATEWIDE	67	49	85	740	680	800	51	35	67	535	485	586
	DISTRICT 1	8	2	14	59	42	76	4	0	8	16	7	24
	Flathead	8	2	14	59	42	76	4	0	8	16	7	24
	DISTRICT 2	8	2	14	16	7	24	8	2	14	8	2	14
	Ravalli	8	2	14	16	7	24	8	2	14	8	2	14
	DISTRICT 3	12	4	19	276	239	312	12	4	19	138	112	164
	Broadwater	8	2	14	126	101	151	8	2	14	63	46	80
	Gallatin	4	0	8	31	19	44	4	0	8	28	16	39
	Park	4	0	8	118	94	142	4	0	8	47	32	62
	DISTRICT 4	20	10	29	287	250	325	12	4	19	138	112	164
	Cascade	12	4	19	63	46	80	4	0	8	12	4	19
	Chouteau	4	0	8	39	26	53	4	0	8	59	42	76
	Judith Basin	8	2	14	94	73	116	4	0	8	47	32	62
	Lewis & Clark	4	0	8	31	19	44	4	0	8	8	2	14
	Liberty	4	0	8	8	2	14	4	0	8	8	2	14
	Pondera	4	0	8	12	4	19	0	0	0	0	0	0
	Teton	4	0	8	39	26	53	4	0	8	4	0	8
	DISTRICT 5	24	13	34	102	80	125	20	10	29	236	202	270
	Musselshell	8	2	14	67	49	85	8	2	14	142	116	168
	Yellowstone	16	7	24	35	22	49	12	4	19	94	73	116

FURBEARER HARVEST SURVEY

Montana Fish, Wildlife & Parks

Thank you for your cooperation with this Furbearer Harvest Survey.

Although you may have already provided some information on several furbearers which have pelt tagging and registration requirements, you are requested to provide additional information on your harvest effort for all furbearer, predatory, and nongame species that are trapped and hunted in Montana. This is a statewide survey of ALL furbearer license holder activities including unsuccessful furbearer harvesters. This survey includes ALL your activities (trapping and snaring, hunting, and the use of hounds) related to the species listed on the back of this questionnaire.

As you are aware, furbearer harvests, the fur industry and furbearer populations and their habitats are all current topics of extensive interest and discussion by various governmental agencies and the public. The information you provide is vital to a successful furbearer management program because it provides the knowledge necessary to support the continuation of your harvest activities as a sound wildlife management strategy and assists FWP in maintaining the flexibility to manage your furbearer resources in Montana.

EVEN IF YOU DID NOT TRAP OR SNARE, HUNT, OR USE HOUNDS FOR FURBEARERS, PLEASE ANSWER QUESTION NO. 1 AND RETURN THIS SURVEY WITHIN FOUR (4) WEEKS. THANK YOU.

1) Did you trap or snare, hunt or use hounds during the 1996-97 furbearer season? ☐ No ☐ Yes

PLEASE REFER TO THE BACK OF THIS QUESTIONNAIRE TO REPORT YOUR HARVEST ACTIVITIES.

QUESTION 2 REFERS ONLY TO YOUR TRAPPING AND SNARING ACTIVITIES.

QUESTION 3 REFERS ONLY TO YOUR HUNTING ACTIVITIES.

QUESTION 4 REFERS ONLY TO THE USE OF HOUNDS FOR YOUR HUNTING ACTIVITIES.

2) Please report your TRAPPING AND SNARING activities by county in the appropriate boxes below.
NOTE: If your activities occurred in more than one county, list the information in *each county separately.*

DEFINITIONS: County Name: county where trapped and snared, hunted or used hounds
Avg. No. of Traps/Snares Set: average number of traps and snares set for this species in each county.
Avg. No. of Days Set: average number of days that traps and snares were set for this species in each county.
Number Harvested: actual number of animals taken of this species in each county.

Species	County Name	Avg. No. of Traps/ Snares Set	Avg. No. of Days Set	Number Harvested
Example:	Gallatin	30	14	23
Beaver				
Otter				
Muskrat				
Mink				
Marten				
Fisher				
Wolverine				
Lynx				

Species	County Name	Avg. No. of Traps/ Snares Set	Avg. No. of Days Set	Number Harvested
Bobcat				
Weasel				
Skunk				
Coyote				
Fox				
Raccoon				
Badger				
Other				

3. Please report your furbearer and predator HUNTING activity WITHOUT HOUNDS. (bobcat, lynx, wolverine, coyote, fox, raccoon, badger, skunk)

List Species Hunted	County Name	Days Hunted	Number Harvested

4. Please report your furbearer HUNTING activity WITH HOUNDS. (bobcat, raccoon) (do not list mountain lions, they are not a furbearer)

List Species Hunted	County Name	Days Hunted	Number Harvested

FURBEARERS

1996 & 1997 TRAPPING & HUNTING REGULATIONS
STATE OF MONTANA

Furbearer trapping and hunting regulations are adopted on a biennial basis. The seasons, limits and regulations listed herein are valid through June 30, 1998.

DEFINITIONS

Furbearing animals are legally defined as beaver, otter, muskrat, mink, marten, fisher, wolverine, bobcat, lynx and swift fox. ONLY MONTANA RESIDENTS MAY TRAP OR HUNT FURBEARERS, LICENSE REQUIRED.

Predatory animals are legally defined as coyote, weasel, skunk and civet cat (spotted skunk). LICENSE REQUIRED FOR NONRESIDENT TRAPPERS ONLY.

Nongame wildlife means any wild animal not otherwise legally classified by statute or regulation in Montana. Examples of nongame wildlife with commercial value are badger, raccoon, and red fox. LICENSE REQUIRED FOR NONRESIDENT TRAPPERS ONLY.

Fur dealer is defined as any person or persons, firm, company or corporation engaging in carrying on, or conducting wholly or in part the business of buying or selling, trading or dealing within the State of Montana, in the skins or pelts of any animal or animals, designated by the laws of Montana as furbearing or predatory animals, shall be deemed a fur dealer within the meaning of the act. If such fur dealer resides in or if his or its principal place of business is within the State of Montana, he or it shall be deemed a resident fur dealer. All other fur dealers shall be deemed nonresident fur dealers.

GENERAL REGULATIONS

Licenses — The following licenses are available at Fish, Wildlife & Parks offices in Kalispell, Missoula, Bozeman, Helena Area Office, Butte, Great Falls, Billings, Glasgow, Havre, Miles City, and Helena.

Conservation (required prerequisite) — $4.00 Resident and $5.00 Nonresident.

General Trapper — $20; available only to resident conservation license holders 13 years of age or older.

Youth Trapper — $3; available only to resident conservation license holders 6 through 12 years of age. Valid for mink and muskrat.

Landowner Trapper — $1; applicants must give legal description of land owned or leased, name, address, and resident conservation license number.

Nonresident Trapper — $250; available only to nonresident conservation license holders, 13 years of age or older, whose state of residence has nonresident trapper licenses available to Montana trappers. Valid for predatory animals and nongame wildlife.

A license is not required for resident trappers/hunters or nonresident hunters to take predatory animals and nongame wildlife.

Fur Dealer's — Resident— $10; Agent– $10; Nonresident– $50.

LICENSE VALIDATION

Bobcat, lynx, and wolverine — may be taken only by resident trappers or hunters with a validated trapper's license. Validation indicates that the licenseholder may take these species. Validation available without charge at Fish, Wildlife & Parks offices prior to December 1.

Taking of furbearer animals during the open season by any means other than trapping or snaring is prohibited, unless otherwise stated.

Hunting — Bobcat, lynx and wolverine may be taken by hunting (MCA Sec. 87-2-601), but no other animals defined by law as furbearing animals.

Dogs — Dogs may be used to take bobcat (MCA Sec. 87-3-124), but no other animals defined by law as furbearing animals.

Checking and Placing Traps — Traps should be checked at least once every 48 hours. It is the trapper's responsibility to check his/her traps regularly. Failure to pick up snares or traps at the end of the trapping season or attending them in a manner that wastes furbearing animals constitutes a misdemeanor.

To prevent accidental trapping of raptors, no trap or snare may be set within 30 feet of an exposed carcass placed in a manner that can be seen by soaring raptors. EXEMPTION: trappers employed or contracted by a government agency in the official performance of their duties. **Exposed carcass or bait is defined** as the meat or viscera of a mammal, bird or fish, or any part thereof more than one pound in weight. Bleached bones are excluded.

Trap Identification — Metal identification tags that bear the name and address of the trapper must be fastened to all traps and snares. Tags should be attached to the end of the snare, chain, or other anchoring material at the end farthest from the portion of the device which holds the animal. Snares must also have telephone numbers included on the tag. Landowners who trap on their own lands and irrigation rights-of-way contiguous to their land do not need to tag traps or snares.

Disturbing Traps — It is unlawful to destroy, disturb or remove any trap, snare or trapped animals belonging to another trapper without permission.

Live Furbearers — Live furbearing animals may not be possessed except under the provisions of the fur farm or roadside zoo permits. It is unlawful to capture wild furbearers for fur farm stock.

Destroying Muskrat and Beaver Houses — It is unlawful for any person to willfully destroy, open or leave open, a muskrat or beaver house. This shall not prohibit trapping in muskrat houses when authorized by the Commission.

Tagged Furbearers — A number of furbearing animals have been tagged for scientific study. If one of these animals is captured, please notify the nearest game warden or regional office of the tag number or numbers and the locality of the capture.

Non-Target Species — Protected birds or animals found in traps, uninjured, shall be released on site. Species in need of rehabilitation shall be removed and immediately presented to a Fish, Wildlife & Parks office, local warden, or biologist. Dead animals should be left at the trapping site and immediately reported to a Fish, Wildlife & Parks office or field personnel for disposition. When either a Fish, Wildlife & Parks office or field personnel cannot be reached, trappers may report the above information by calling 1-800-332-6117.

Landowner Permission — Montana resident trappers should obtain permission of landowners, lessee or their agent before trapping on private land. Nonresidents must obtain written permission from the landowner, lessee or their agent before trapping or snaring predatory animals and nongame wildlife on private property.

It is unlawful to set snares on private property without the landowner's consent. Snares must be set in a manner and at a time so as not to duly endanger livestock. A trapper who injures livestock in a snare is liable for damages.

Criminal Trespass to Property — Montana law states that lands can be closed to the public either by posting the land or through verbal communication by landowners or their agents. However, even if lands are not posted, resident trappers should seek landowner permission before pursuing any activities on private lands. If permission is granted, the landowner may revoke the permission by personal communication at any time.

School Trust Land — A special use license is required to trap on these lands. Contact a Department of Natural Resources and Conservation office for further information.

Preserves, Parks, Department Lands — All state game preserves are open to trapping. Wildlife Management Areas with big game winter range, unless otherwise posted, are closed to public entry from the day following the end of the general deer/elk season or December 1, whichever is later, to May 15 each year, as posted. EXCEPTION: Blackfoot-Clearwater WMA closes November 10. Trapping on Fish, Wildlife & Parks lands and Wildlife Management Areas will be allowed by written authorization of the area manager or a department employee on lands not having a resident manager. Beaver Creek Park open to trapping by permission only obtained from Hill County Park Board.

Closures — All National Parks, National Wildlife Refuges, and Indian Trust or Tribal Trust lands are closed to trapping except as otherwise specified. Permits to trap on National Wildlife Refuges or Indian Reservations may be issued by the Refuge office or Indian agency.

National Wildlife Refuges — More restrictive regulations may apply to national wildlife refuges open to public trapping. For additional information on federal regulations, contact Special Agent-in-Charge, U. S. Fish and Wildlife Service, POB 25486, Denver Federal Center, Denver, CO 80225 (303-234-4612)) or the local refuge manager.

Indian Reservations — Tribal governments may have adopted trapping regulations within the exterior boundaries of their respective reservations. Trappers should be aware that tribal regulations may differ from the statewide trapping regulations adopted by the Fish, Wildlife & Parks Commission. The question of state-tribal jurisdiction has not been resolved.

Recorded or Electronic Devices — It is unlawful to use any recorded or electrically amplified bird or animal calls or sounds or imitations of bird or animal calls or sounds to assist in the hunting, taking, killing or capturing of any wildlife except predatory animals.(MCA., Sec. 87-3-108).

Pelt Possession — It shall be unlawful for any fur dealer or fur dealer agent to purchase or possess any untagged marten, fisher, wolverine, bobcat, lynx or otter pelt, except those untagged furs originating outside Montana, when accompanied by an export permit or other documentation of lawful acquisition.

Export — A federal export permit is required in addition to a Montana state tag before the pelts of bobcat, lynx, and otter may be exported from the United States. Apply to U.S. Fish and Wildlife Service, 600 Central Plaza, Room 209, Great Falls, MT 59401.

Penalties — Persons convicted of knowingly taking, possessing or transporting furbearers or pelts in violation of the rules or laws, shall be fined not less than $50 or more than $1,000, imprisoned in the county jail for not more than 6 months, or both. In addition, such person shall forfeit his privilege to hunt, fish or trap for not less than 24 months. Civil restitution from $100 to $500 may be assessed for each illegal animal or pelt.

QUOTAS/SEASON CLOSURES

Current harvest information may be obtained by calling the appropriate Fish, Wildlife & Parks Regional Headquarters during normal business hours or call 1-800-771-TRAP (1-800-771-8727) 24 hours a day.

PELT TAGGING

Otter, marten and wolverine pelts must be tagged by Fish, Wildlife & Parks personnel residing in the trapping district where animal was taken no later than 10 days after close of the open season.

Bobcat, lynx and fisher pelts must be tagged by Fish, Wildlife and Parks personnel residing in the trapping district where animal was taken within 72 hours of taking. Trappers or hunters unable to comply with the tagging requirements due to special or unique circumstances must report their harvest and make arrangements for tagging to the proper regional office or by calling 1-800-332-6117 during office hours (8 a.m. to 5 p.m.) within 72 hours of taking. Pelts not registered or presented to department personnel within 72 hours are subject to confiscation.

The species, trapping district, date and tag number will be permanently recorded on the back of the trapper's license when pelts are tagged.

CARCASSES

Lynx, Wolverine, Fisher, Otter and Swift Fox — It is mandatory that the entire and intact carcass of all lynx, wolverine, fisher and otter be turned in to Fish, Wildlife & Parks in good condition, at the time the pelt is presented for tagging. Good condition is defined as fresh or frozen and securely wrapped in such a manner as to have prevented decomposition in order that all tissue samples shall be suitable for lab analysis. Any lynx, wolverine, fisher or otter pelt that is presented for tagging without the carcass in good condition shall be subject to confiscation.

The complete carcass (including pelt) of accidentally trapped swift fox must be turned in to Fish, Wildlife & Parks personnel if the animal cannot be released uninjured.

FURBEARER SEASONS

The state has been divided into seven legally described trapping districts, designated by numbers, wherein the season dates, limits, and species of furbearers which may be taken are specified.

BEAVER — STATEWIDE SEASON DATES: November 1 - April 15 of the following year, except state Wildlife Management Areas and specific closures. (See SPECIAL REGULATIONS and CLOSURES).

Beaver that have been legally trapped can be dispatched with firearms.

Owners and lessees of real estate being damaged by beaver may apply for a permit to trap beaver under provisions of the law. Please see your local game warden for further information.

Trappers participating in a beaver damage complaint must have in their possession the damage permit issued to the landowner or a copy during trapping activities.

OTTER — STATEWIDE SEASON DATES: November 1 - April 15 of the following year, except state Wildlife Management Areas and specific closures. (See SPECIAL REGULATIONS and CLOSURES).

Limit – Persons may take and possess one (1) otter each per season. (See PELT TAGGING and CARCASSES). The otter season on the Flathead Indian Reservation is closed to all trappers (members and non-members).

MUSKRAT — STATEWIDE SEASON DATES: November 1 – April 15 of the following year, except state Wildlife Management Areas and specific closures. (See SPECIAL REGULATIONS).

Traps may be set in muskrat houses provided the part removed is replaced after insertion of the trap and after removal of the trap. It is unlawful for any person to willfully destroy, leave open or partially destroy any muskrat house.

MINK — STATEWIDE SEASON DATES: November 1 – April 15 of the following year except state Wildlife Management Areas and specific closures. (See SPECIAL REGULATIONS).

MARTEN — SEASON DATES TRAPPING DISTRICT 1 through 5: December 1– February 15 of the following year. (See PELT TAGGING).

Trappers taking marten must present the skull in good condition at the time of pelt tagging for the purpose of aging the marten. The skull will be retained by Fish, Wildlife & Parks for processing and examination and then returned to the owner, if desired. Good condition is defined as fresh or frozen and securely wrapped in such a manner as to have prevented decomposition in order that it shall be suitable for lab analysis.

RER TRAPPING & HUNTING DISTRICTS
ls Available. Please Call 406-444-2612

DISTRICT 4

Those portions of Hill, Glacier, Chouteau, Toole, Liberty, Pondera, Teton, Cascade, Lewis and Clark, Jefferson Meagher, Park, Judith Basin, Fergus and Petroleum counties lying within the following described boundary: Beginning at a point where the eastern boundary of Glacier National Park intersects the United States-Canada Boundary, then east along said boundary to a county road approximately one mile west of the Liberty-Hill County line, then southerly along said road to U.S. Highway 2 at Joplin, then west along said highway to State Route 223 at Chester, then south along said route to the Marias River, then southerly along the east bank of said river to the Missouri River, then easterly along the south bank of said river to the Fort Peck Reservoir, then easterly and southerly along the south edge of said reservoir to the Musselshell River, then southerly along the west bank of said river to Flatwillow Creek, then westerly along the north bank of said creek to Durfee Creek, then westerly along said creek to Little Snowy Mountain Divide, then westerly along said divide to the Musselshell-Missouri Divide, then southeasterly and easterly along said divide to the Sixteen Mile-Musselshell River Divide, then southerly and easterly to the Sixteen Mile Creek-Shields River divide, then westerly and southerly along said divide to the head of the Middle Fork of Sixteen Mile Creek, then westerly down the south bank of said creek to Sixteen Mile Creek, then northeasterly along the north bank of said creek to the Missouri River-Battle Creek divide, then northerly along said divide to the Missouri River-Smith River divide, then northwesterly along said divide to the Soup Creek-Beaver Creek divide, then westerly along said divide to Hauser Dam on the Missouri River, then southerly along the east shore of the Missouri River to the Canyon Ferry Reservoir, then westerly across the Missouri River and southeasterly along the west shore of Canyon Ferry Reservoir to the Beaver Creek-Spokane Creek divide, then southwesterly along said divide to the Beaver Creek-Prickly Pear Creek divide, then southwesterly up said divide to the Crow Creek-Prickly Pear Creek divide, then southwesterly along said divide to the Boulder River-Prickly Pear Creek divide, then northwesterly along said divide to the Continental Divide, then northerly along said divide to the Glacier National Park boundary, then easterly and northerly along said boundary to the United States-Canada boundary, the point of beginning.

DISTRICT 5

Those portions of Fergus, Golden Valley, Meagher, Musselshell, Petroleum, Stillwater, Sweet grass, Wheatland, Park, Yellowstone, Big Horn, Carbon and Treasure counties lying within the following described boundaries: Beginning at Wolverine Peak where the Stillwater-Yellowstone River divide meets with the Yellowstone National Park Boundary, then northwesterly along said divide to Columbine Pass and the Boulder River-Yellowstone River divide, then westerly and northerly along said divide to Interstate 90, then easterly along said interstate to U.S. Highway 191, then northerly along said highway to the Yellowstone River, then westerly along the south bank of said river to the mouth of Duck Creek, then northwesterly along the west bank of said creek to the West Fork of Duck Creek, then northwesterly along the west bank of said creek to the Shields-Yellowstone River divide (Crazy Mountain Divide), then northerly and westerly along said divide to the Shields-Musselshell River Divide, then westerly along said divide to the Missouri-Musselshell River divide, then northerly and easterly along said divide to Little Snowy Mountain Divide, then easterly along said divide to the head of Durfee Creek, then down said creek to Flatwillow Creek, then easterly along the north bank of Flatwillow Creek to the Musselshell River, then south down the east bank of the Musselshell River to the Melstone-Custer Road bridge, 1-1/2 miles south of Melstone, then south along the Melstone-Custer Road to the north bank of the Yellowstone River, then east down the north bank of said river to its confluence with the Bighorn River, then south up the east bank of the Bighorn River to Manning Diversion Dam, then southerly along the Bighorn-Tullock Creek Divide to the Little Bighorn Tullock Creek Divide, then southerly along said divide to the Little Bighorn-Rosebud Creek Divide, then southerly along said divide to the Little Bighorn-Tongue River Divide, then southerly along said divide to the Montana-Wyoming state line, then westerly along said line to the Yellowstone National Park Boundary, then northerly and westerly along said boundary to the Stillwater-Yellowstone River divide at Wolverine Peak, the point of beginning.

DISTRICT 6

Those portions of Liberty, Hill, Choteau, Blaine, Phillips, Valley, Daniels, Sheridan, Richland, Roosevelt, Garfield and McCone Counties lying within the following described boundary: Beginning at a point where State Route 233 joins the Canadian Line (near the port of Willow Creek), then west along said line to the county road west of the Hill-Liberty county line, then south along said road to U.S. Highway 2 to State Route 223 at Chester, then south along said route to the Marias River, then southerly along said river to the Missouri River, then east and southeast along said river to Fort Peck Reservoir, then east and south along said reservoir to Big Dry Creek, then south along said creek to State Route 200, then east and northeast along said route to the North Dakota border, then north along said border to the Canadian Border, then west along said border to State Route 233, the point of beginning.

DISTRICT 7

Those portions of Bighorn, Carter, Custer, Dawson, Fallon, Garfield, McCone, Musselshell, Powder River, Prairie, Richland, Rosebud, Treasure, Yellowstone, Wibaux Counties lying within the following described boundary: Beginning at the confluence of the Bighorn and Yellowstone Rivers, then west along the Yellowstone River to the Custer-Melstone Road, then north along said road to Melstone, then east along U.S. Highway 12 to the Musselshell River bridge, then north down the east bank of the Musselshell River to the Missouri River, then east and north down the said river to Fort Peck Powerhouse, then south along the east shore of the Fort Peck Reservoir to Big Dry Creek, then south up said creek to Little Dry Creek, then east along State Route 200 to the Montana-North Dakota state line, then south to the Montana-Wyoming state line, then west along said state line to the Little Bighorn-Tongue River Divide, then northerly along said divide to the Little Bighorn-Rosebud Creek Divide, then northerly along said divide to the Little Bighorn-Tullock Creek Divide, then northerly along said divide to the Manning Diversion Dam on the east bank of the Bighorn River, then along said river to the confluence of the Bighorn and Yellowstone Rivers, the point of beginning.

FURBEARER TRAPPIN &



& HUNTING DISTRICTS MAP

Areas - Glacier National Park, Yellowstone National Park

LEGAL DESCRIPTIONS - FURBI
Larger Print Size of These Le

DISTRICT 1

Those portions of Flathead, Lake, Lincoln, Lewis and Clark, Missoula, Powell, and Sanders counties within the following described boundary: Beginning at a point where the Continental Divide intersects with the Glacier National Park boundary at Marias Pass, then westerly and northerly along the Glacier National Park boundary to the Canadian line, then westerly along the said line to the Montana-Idaho border, then southerly along said border to its junction with the Sanders-Mineral County line, then easterly along said county line to Trail 404 near Combpest Peak, then east on Trail 404 to Miller Creek Loop Road, then along Miller Creek and Forest Road 7593 to Patrick's Knob, then southerly on Trail 1714 to Miller Creek Loop Road, then along Miller Creek and Forest Road 7593 to Patrick's Knob, then southerly on Trail 1714 to Montana Route 135, then easterly along said route to Trail 242, then southerly along said trail to Clark Fork-Ninemile Divide, then easterly along said divide and Sanders County line to the Flathead Indian Reservation, then northerly and easterly and then southerly along said reservation to the Swan-Clearwater Divide, then east and north along said divide to the Blackfoot-Flathead Divide at Wolverine Peak, then south, east and north along said divide to the Continental Divide at Triple Divide Mountain, then northerly along said divide to the Glacier National Park boundary at Marias Pass, the point of beginning.

DISTRICT 2

Those portions of Deer Lodge, Granite, Lewis and Clark, Mineral, Missoula, Powell, and Ravalli Counties lying within the following described boundary: Beginning at Lookout Pass on the Montana-Idaho border, then in an easterly direction along the Mineral County-Sanders County line to U.S. Forest Service Trail 404 near Combpest Peak, then east on said trail to Miller Creek Loop Forest Service Road, then east along said road to its junction with U.S. Forest Service Trail 415, then south and east on said trail to its junction with U.S. Forest Service Trail 1714, then south on said trail to the Clark Fork River at the Cascade Campground, then south along Forest Service Trail 242 to the Ninemile-Seigel Creek Divide, then easterly along said divide to the Flathead Indian Reservation, then southeasterly and northeasterly along said reservation boundary to the Swan-Clearwater Divide, then easterly and northerly along said divide to the Blackfoot-Flathead Divide, then southerly, easterly and northerly along said divide to the Continental Divide at Triple Divide Mountain, then southeasterly along said divide to the Deer Lodge-Silver Bow County line, then southerly and westerly along said line to Interstate 90, then southerly along said interstate to U.S. Highway 10A, then northwesterly along said highway to State Route 274 (Mill Creek Road), then southerly along said route to the Continental Divide, then southwesterly along said divide to the Montana-Idaho border, then westerly and northerly along said border to Lookout Pass, the point of beginning.

DISTRICT 3

Those portions of Beaverhead, Broadwater, Deer Lodge, Gallatin, Jefferson, Madison, Meagher, Park and Silver Bow Counties lying within the following described boundary: Beginning at Mt. Tiny on the Continental Divide, then southwesterly along said divide to the Montana-Idaho border, then southerly and westerly along said border to the Yellowstone National Park boundary, then northerly and easterly along said boundary to the Stillwater-Yellowstone River Divide, then northwesterly along said divide to Columbine Pass and the Boulder River-Yellowstone River divide, then westerly and northerly along said divide to Interstate 90, then easterly along said interstate to U.S. Highway 192, then northerly along said highway to the Yellowstone River, then westerly along the south bank of said river to the mouth of Duck Creek, then northwesterly along the west bank of said creek to the Shields-Yellowstone River divide (Crazy Mountain Divide), then northerly and westerly along said divide to the Shields-Musselshell River Divide, then westerly along said divide to the Smith Shields River Divide and the head of the Middle Fork of Sixteen Mile Creek, then westerly down the south bank of said creek to Sixteen Mile Creek, then northeasterly along the south bank of said creek to the Missouri River-Battle Creek divide, then northerly along said divide to the Missouri River-Smith River divide, then northwesterly along said divide to the Soup Creek-Beaver Creek divide, then westerly along said divide to Hauser Dam on the Missouri River, then southerly along the east shore of the Missouri River to the Canyon Ferry Reservoir, then westerly across the Missouri River and southeasterly along the west shore of Canyon Ferry Reservoir to the Beaver Creek-Prickly Pear Creek divide, then southwesterly up said divide to the Crow Creek-Prickly Pear Creek divide, then southwesterly along said divide to the Boulder River-Prickly Pear Creek divide, then northwesterly along said divide to the Continental Divide, then westerly and southwesterly along said divide to the Deer Lodge-Silver Bow County line, then southerly and westerly along said line to Interstate 90, then southerly along said interstate to U.S. Highway 10A, then northwesterly along said highway to State Route 274, then southerly along said route to the Continental Divide near Mt. Tiny, the point of beginning.

Upper Madison Beaver Management Area: Those portions of Gallatin and Madison counties that include all of the Madison River drainage upstream from the Earthquake Lake Dam described as follows: Beginning at the outlet of Earthquake Lake Dam on the Madison River, then northerly to U.S. Highway 287, then northeasterly to the intersection of Rock Creek, then up said creek to the Beaverhead-Gallatin National Forest boundary, then northerly on said boundary to the Madison River-Gallatin River divide, then easterly along said divide to the western boundary of Yellowstone National Park, then south along said boundary to the Montana-Idaho state line, then westerly and northerly along this boundary to the Madison River, then easterly along said river to the outlet of Earthquake Lake Dam, the point of beginning.

FISHER — SEASON DATES TRAPPING DISTRICTS 1 & 2: December 1 – February 15 of the following year. Fisher season will close on 48 hours notice upon reaching the trapping district quota or state quota or on February 15 whichever occurs first.

Limit – Persons may take and possess one (1) fisher each per season. (See PELT TAGGING and CARCASSES).

Quota – Trapping District 1 has a quota of two (2) fishers. Trapping District 2 has a quota of five (5) fishers. **Statewide Quota is seven fishers** (7).

Accidentally trapped fishers that cannot be released uninjured must be turned in to Fish, Wildlife & Parks.

WOLVERINE — SEASON DATES TRAPPING DISTRICTS 1 through 5: December 1 – February 15 of the following year. License validation required. (SEE LICENSE VALIDATION).

Limit – Persons may take and possess one (1) wolverine each per season. (See PELT TAGGING and CARCASSES).

BOBCAT — STATEWIDE SEASON DATES: December 1 – February 15 of the following year. License validation required. (See LICENSE VALIDATION). Season will close on 48 hours notice upon reaching the trapping district quota or state quota or on February 15, whichever occurs first.

Limit - Persons may take and possess seven (7) bobcats each per season in Trapping Districts 1 through 5. Persons may take and possess ten (10) bobcats each per season in Trapping Districts 6 and 7. No trapper can possess more than ten (10) bobcats. (See PELT TAGGING and CARCASSES).

District:	1	2	3	4	5	6	7	Statewide
Quota —	150	140	125	175	150	100	600	1,440

Trappers/hunters taking a bobcat must present the skull in good condition at the time of pelt tagging for the purpose of aging the bobcat. The skull will be retained by Fish, Wildlife & Parks for processing and examination and then returned to the owner, if desired. Good condition is defined as fresh or frozen and securely wrapped in such a manner as to have prevented decomposition in order that it shall be suitable for lab analysis.

The bobcat season on the Flathead Indian Reservation is closed to all trappers (members and non-members).

Chasing — A hound handler that has purchased a trapper's license and hound handler permit may legally chase bobcat during the hunting season and any time after the season is closed in the district or until February 15. Hound handler permit (free) must be obtained prior to December 1 current year. USE OF DOGS: Dogs may be used to chase or hunt bobcats within prescribed seasons. Bobcat hunting and chase seasons are open each day from one-half hour before sunrise to one-half hour after sunset for the dates listed by trapping district. It is prohibited for a hound handler or bobcat hunter to release dogs on a bobcat track, or allow dogs to chase a bobcat, or hold a bobcat at bay during any period of the day or year when the season is not open to hunting or chasing bobcats. Legitimate attempts to retrieve loose dogs after legal hunting hours does not constitute a violation of this law. CHASE ONLY SEASON: All trapping districts are open each day from one-half hour before sunrise to one-half hour after sunset to the CHASE ONLY season from February 16 - April 30. Hound handlers wishing to participate in the chase only season must: 1) Hold a valid hound handler permit; 2) Free hound handler permits are available at all Fish, Wildlife & Parks Headquarters and must be obtained prior to December 1 (current year). All Wildlife Management Area, National Wildlife Refuges and Deer, Elk & Mountain Lion Hunting District 282 are closed to bobcat chase season.

LYNX — SEASON DATES TRAPPING DISTRICTS 1 through 4: December 1 – February 15 of the following year. License validation required (See LICENSE VALIDATION). Lynx season will close on 48 hours notice upon reaching the trapping district quota or state quota or on February 15 of the following year, whichever occurs first.

Limit: Persons may take and possess one (1) lynx each per season. (See PELT TAGGING and CARCASSES).

Trapping District 1 and 2 have a quota of one (1) lynx; Trapping Districts 3 and 4 have a quota of one (1) lynx. **Statewide Quota Is Two (2) Lynx.**

Accidentally trapped lynx that cannot be released uninjured must be turned in to Fish, Wildlife & Parks.

The lynx season on the Flathead Reservation is closed to all trappers (members and nonmembers).

SWIFT FOX — CLOSED SEASON. Accidentally trapped swift fox that cannot be released uninjured must be turned in to Fish, Wildlife & Parks (See CARCASSES).

SPECIAL REGULATIONS

Mt. Haggin Wildlife Management Area – The Mt. Haggin Area consists of trapping units where a quota of three (3) licensed trappers shall be permitted to trap one limit of furbearers, including ten (10) beaver. Trappers will be selected by a random drawing. Trappers will be able to select an area to trap in the order of names drawn. The last trapper selected will not have a choice but will be assigned an area. All trapping permits are valid through April 15. Trappers wishing to take predators must contact Mike Frisina for a trapping permit. Applicants must submit their name, address, phone number, and trapper's license number by September 15 to:

Mike Frisina, Montana Fish, Wildlife & Parks,
1330 West Gold Street, Butte, MT 59701

Freezout Lake Wildlife Management Area – The Freezout Lake Wildlife Management Area is divided into six (6) trapping units. Two trapping seasons are designated -- fall (November 1 to December 31) and spring (January 1 to April 15). Unit Six is closed to trapping during the fall season. Trappers will be selected by a random drawing. Prior to the drawing, each trapping unit is assigned a number and is awarded to the trapper with the corresponding rank on the priority list. Applicants must submit their name, address, phone number, trapper's license number and indicate the season for which they wish to be considered by September 15 to:

Wildlife Biologist, Montana Fish, Wildlife & Parks,
Freezout Lake WMA, POB 488, Fairfield, MT 59436

Canyon Ferry Wildlife Management Area – The Canyon Ferry Wildlife Management Area is divided into two (2) trapping units. Trappers will be selected by a random drawing. The first trapper will be able to select a trapping unit. Each of the selected trappers shall be permitted to trap ten (10) beaver. Applicants should be aware that only limited populations of most furbearers exist on the Area and that most access is by foot. No trapping will be allowed on the Area until the end of the pheasant hunting season. Applicants must submit their name, address, phone number, and trapper's license number by September 15 to:

Tom Carlsen, Montana Fish, Wildlife & Parks,
Box 998, Townsend, MT 59644

ASK FIRST!
to Hunt, Fish and Trap on Private Land

Upper Madison Beaver Management Area – Refer to Legal Description.

The upper Madison trapping area consists of seven (7) units for beaver and otter with quotas for each species. Trapping season is October 15 through April 30 by permit only. Trapping units will be allocated based upon random drawing from written trapper applications. Trappers may select a trapping area in the order their names are drawn. Each of the selected trappers shall be permitted to trap five (5), or ten (10) beaver depending on the trapping area assigned. The last trapper selected will not have a choice but will be assigned an area. Applicants must submit their name, address, phone number, and trapper's license number by September 15 to:

Kurt Alt, Montana Fish, Wildlife & Parks,
1400 S. 19th Avenue, Bozeman, MT 59715

Blackfoot-Clearwater Wildlife Management Area – The Blackfoot-Clearwater Area is divided into two (2) trapping units (Clearwater River and Cottonwood Creek), and trapping is permitted during two (2) periods (November 1 - January 31; February 1 - April 15), with one trapper per unit and time period (4 trappers total). Trappers will be selected by a random drawing. The first trapper will be asked to choose a unit and period, the second trapper drawn will be offered the remaining choices, and so on. Each of the selected trappers shall be permitted to trap one limit of furbearers, including ten (10) beaver. Applicants must submit their name, address, phone number, and trapper's license number by September 15 to:

Mike Thompson, Montana Fish, Wildlife & Parks,
3201 Spurgin Road, Missoula, MT 59801

Lake Helena Wildlife Management Area – The Lake Helena Wildlife Management Area consists of 1 trapping unit. A spring trapping season is designated: January 1 to April 15. No trapping will be allowed on the Area until after the waterfowl hunting season. One trapper will be permitted to trap furbearers and predators. The trapper will be selected by a random drawing. Applicants must submit their name, address, phone number, and trapper's license number by September 15 to:

Gayle Joslin, Montana Fish, Wildlife & Parks,
1420 East Sixth Avenue, Helena, MT 59620

CLOSED TO BEAVER/OTTER TRAPPING

Note – All areas closed to beaver trapping are also closed to otter trapping.

Beaverhead County – Trail Creek and Trapper Creek drainages and Canyon Creek upstream above the National Forest boundary.

Broadwater County – Those portions of Dry Creek, Confederate Gulch, White Gulch, Avalanche Gulch, Eagle Creek, Crow Creek and Jenkins Creek on public land.

Deer Lodge County – The entire Dry Cottonwood Creek drainage.

Gallatin County – That portion of the Gallatin River and all of its tributaries above the Gallatin River Bridge at the Squaw Creek Ranger Station.

Gallatin and Park Counties – That portion of the Yellowstone River and all of its tributaries inside the Gallatin National Forest boundary above the Yellowstone River Bridge on Interstate Highway 90 at Livingston.

Granite County – The entire Smart Creek, Wyman Creek, Swamp Gulch Creek, and Sand Basin Creek drainages.

Trapper Education

Resident trappers are encouraged to participate in the voluntary trapper education program.

CLOSED TO BEAVER/OTTER TRAPPING (cont.)

Lewis and Clark County – The Blackfoot River upstream from the mouth of Bartlett Creek including the entire Bartlett Creek drainage.

Lewis and Clark County and Cascade County – The portion of the county which is the Beartooth Wildlife Management Area.

Madison County – Ledford Creek and its tributaries above the mouth of Spring Creek. Robb Creek and its tributaries above the north boundary of the Robb-Ledford Wildlife Management Area.

Mineral County – The entire Cedar Creek, Big Creek and Flatrock Creek drainages.

Missoula and Mineral Counties – The entire Fish Creek drainage.

Missoula County – Nine Mile Creek drainage above Pine Creek.

Powell County – The entire Pikes Peak drainage.

Sweet Grass County – That portion of the East Boulder River and all its tributaries from the Gallatin National Forest boundary upstream to the headwaters of the East Boulder River.

Sweet Grass and Park Counties – That portion of the Main Boulder River and all it tributaries from the mouth of Falls Creek upstream to the headwaters of the Main Boulder.

Teton County – The entire drainages including all tributaries of the South, Middle, West, and North Forks of the Teton River downstream to the U.S. Forest Service boundary.

TURN IN POACHERS

with this information

- What, Where
- When, Who
- How

1-800-TIP-MONT
(847-6668)

By order of the Montana Fish, Wildlife & Parks Commission, the seasons, limits and regulations listed herein shall govern the 1996/97 trapping season. These regulations are valid July 1, 1996, through June 30, 1998. The trapping regulations were adopted by the Fish, Wildlife & Parks Commission on August 8, 1996. Montana Fish, Wildlife & Parks Commission: Patrick J. Graham, Secretary.

Montana Fish, Wildlife & Parks